Effects of a psychotherapy intervention in depressed patients with coronary artery disease

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
26/02/2008		[X] Protocol		
Registration date 27/03/2008	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited	Condition category	[] Individual participant data		
12/11/2021	Mental and Behavioural Disorders			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Christoph Herrmann-Lingen

Contact details

University of Göttingen
Department of Psychosomatic Medicine and Psychotherapy
von-Siebold-Str. 5
Göttingen
Germany
D-37075
+49 (0)551 39 67 07
cherrma@gwdg.de

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

ZKSK-371

Study information

Scientific Title

A Stepwise Psychotherapy Intervention for Reducing Risk in Coronary Artery Disease - a randomised controlled trial (SPIRR-CAD)

Acronym

SPIRR-CAD

Study objectives

To determine the effects of a psychotherapy intervention on symptoms of depression in depressed patients with coronary artery disease.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics Committee of University of Göttingen, 25/10/2007, ref: 5/10/07

Study design

Randomised controlled multi-centre clinical trial with masked evaluation (observer)

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details to request a patient information sheet

Health condition(s) or problem(s) studied

Depressive symptoms in patients with coronary artery disease

Interventions

Experimental intervention: Stepwise, manualised individual and group psychotherapy in addition to usual cardiological care. Patients randomised in the intervention group receive 3 sessions of individual psychotherapy (50 minutes per session, 1 session per week). Only those patients with persisting symptoms of depression receive additional 25 sessions of group psychotherapy (90 minutes per session) over 10 months (first 20 sessions on a weekly basis, then 5 sessions once a month).

Control intervention: Usual cardiological care including one psychosocial information session

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

Amended as of 24/01/2011:

Changes from baseline to 18 months in depressive symptoms (HADS-D)

Initial information at time of registration:

Changes from baseline to year 1 in depressive symptoms (HADS-D)

Secondary outcome measures

Amended as of 24/01/2011:

The following will be monitored up to 24 months:

- 1. Remission of depressive disorder (Structured Clinical Interview [SCID]) at baseline and 18 months
- 2. Type D pattern, assessed by a self rating questionnaire (DS-14) at baseline, 1, 6, 12, 18 and 24 months
- 3. Health-related quality of life, evaluated by the self rating questionnaires the 36-item Short Form health survey (SF-36) and EuroQuol-5D at baseline, 6, 12, 18 and 24 months
- 4. Cardiovascular risk profile
- 5. Neuroendocrine and immunological activation
- 6. Coagulation
- 7. Heart rate variability
- 8. Cardiac events
- 9. Health care utilisation and costs

Initial information at time of registration:

The following will be monitored up to 24 months:

- 1. Remission of depressive disorder (Structured Clinical Interview [SCID]) at baseline and 12 months
- 2. Type D pattern, assessed by a self rating questionnaire (DS-14) at baseline, 1, 6, 12, and 24 months
- 3. Health-related quality of life, evaluated by the self rating questionnaires the 36-item Short Form health survey (SF-36) and EuroQuol-5D at baseline, 6, 12, and 24 months
- 4. Cardiovascular risk profile
- 5. Neuroendocrine and immunological activation
- 6. Coagulation
- 7. Heart rate variability
- 8. Cardiac events
- 9. Health care utilisation and costs

Overall study start date

01/11/2008

Completion date

30/09/2013

Eligibility

Key inclusion criteria

Amended as of 24/01/2011:

- 1. Gender: both
- 2. Minimum age: 18, maximum age: 75
- 3. Patients with any manifestation of coronary heart disease with recent (less than 3 months old) coronary angiograms and elevated questionnaire scores for depression (Hospital Anxiety and Depression Scale [HADS] depression subscale greater than or equal to 8)

Initial information at time of registration:

- 1. Gender: both
- 2. Minimum age: 18, maximum age: 75
- 3. Patients hospitalised for any manifestation of coronary heart disease with recent (less than 3 months old) coronary angiograms and elevated questionnaire scores for depression (Hospital Anxiety and Depression Scale [HADS] depression subscale greater than or equal to 8)

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

569

Total final enrolment

570

Key exclusion criteria

- 1. Severe heart failure or other acutely life-threatening conditions
- 2. Severe chronic inflammatory disease
- 3. Current suicidal tendency
- 4. Severe depressive episode or other severe mental illness

Date of first enrolment

01/11/2008

Date of final enrolment

30/09/2013

Locations

Countries of recruitment

Study participating centre University of Göttingen

Göttingen Germany D-37075

Sponsor information

Organisation

University of Göttingen (Germany)

Sponsor details

c/o Prof. Dr. Christoph Herrmann-Lingen
Department of Psychosomatic Medicine and Psychotherapy
von-Siebold-Str. 5
Göttingen
Germany
D-37075
+49 (0)551 39 67 07
cherrma@gwdg.de

Sponsor type

University/education

Website

http://www.med.uni-goettingen.de

ROR

https://ror.org/01y9bpm73

Funder(s)

Funder type

Government

Funder Name

Deutsche Forschungsgemeinschaft

Alternative Name(s)

German Research Association, German Research Foundation, DFG

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Germany

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

Not provided at time of registration

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient- facing?
Protocol article	protocol	01/10/2011		Yes	No
Results article	results	01/07/2016		Yes	No
Results article	results	01/01/2017		Yes	No
Results article	results	01/02/2018		Yes	No
Other publications	secondary analysis	01/05/2018		Yes	No
Results article	gender differences results	01/10/2018		Yes	No
Other publications	secondary analysis	04/02/2019		Yes	No
Results article	results	01/08/2019	05/08 /2019	Yes	No
Results article	Secondary analysis in participants with depression	28/10/2021	12/11 /2021	Yes	No