

# Detection of bowel disease using cells from the colon

<b>Submission date</b> 11/06/2010	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 16/06/2010	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 07/09/2016	<b>Condition category</b> Cancer	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

The purpose of this study is to examine the differences between cells which are naturally shed from the bowel in patients with and without bowel disease. Origin Sciences Ltd has developed a device to collect these cells. It is hoped that by measuring the total amount of genetic material (DNA) in the cells, we can determine whether there is any disease of the bowel which may explain your change in bowel habit and stomach pains, and hence avoid any further invasive tests such as endoscopy (camera tests).

### Who can participate?

You have been chosen because you require investigation of your bowel symptoms and may have bowel disease.

### What does the study involve?

If you take part in this study, there will be no change to the investigation or any treatment you undergo for your bowel problem. As part of your normal investigation the doctor will examine your back passage (rectal examination). In this study we would in addition use a small balloon to collect cells from the rectum (lower bowel) during the examination of your back passage. This will only involve a few additional seconds compared to your normal management and will be done at the same time as the examination of the back passage. The total time for the whole examination is about 30 seconds. The amount of discomfort is minimal and less than that of a rectal examination as the balloon is soft and only 1 cm in diameter. The balloon is only inflated for ten seconds. The cells from the surface of the balloon will then be immersed in a fixative (preservation) solution. This preservation fluid ensures little or no loss of cells. The fluid is then taken to the laboratory in Cambridge (Origin Sciences Ltd) where it is processed and analysed. The samples will be looked at to see the total amount of genetic content (DNA). In previous studies we have found that an increase in the amount of DNA that is shed is associated with bowel disease. The samples will also be stored for further analysis to look at new markers in the future which may help in the early diagnosis of bowel inflammation. These markers will have no immediate effect to you or your family and would have to be tested in clinical trials before they can be shown to be reliable.

What are the possible benefits and risks of participating?

If the technique is successful, it may provide a simple method of screening for bowel disease in the future. There will be no direct benefit to you but will help patients in the future. We hope that our research will lead to the development of new treatment strategies that will improve the future medical treatment of bowel diseases. You are asked to donate your tissue freely for research that may help the patients of the future and you will not receive a financial reward either now or in the future. Your samples will not be sold for profit to other researchers. However, your samples may be used for research that may lead to the development of new drugs or treatments. In this way new drugs may eventually be marketed and companies may sell these drugs for profits. There will be no disadvantage if you do not participate in the study and it will not affect your routine care or operation. The procedure is simple and causes minimal discomfort. There are no other major risks from this procedure.

Where is the study run from?

The study is being organised by the Department of Colorectal Surgery at Leicester General Hospital, which are part of the University Hospitals of Leicester (UK).

When is the study starting and how long is it expected to run for?

June to September 2010

Who is funding the study?

The project is funded by the company, Origin Sciences Ltd, which helped develop the instrument used to collect the tissue sample.

Who is the main contact?

Mr Baljit Singh

## Contact information

**Type(s)**

Scientific

**Contact name**

Mr Baljit Singh

**Contact details**

Leicester General Hospital

Gwendolen Road

Leicester

United Kingdom

LE5 4PW

## Additional identifiers

**Protocol serial number**

Version 3

## Study information

**Scientific Title**

Quantitative analysis of DNA extracted from the rectal mucosa of patients with colorectal disease

**Study objectives**

The first stage of the study will investigate the hypothesis that cell exfoliation from colorectal tumours is increased compared to normal mucosa resulting in quantitative differences between cancer patients and healthy individuals.

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Oxford REC C Research Ethics sub-committee, 07/06/2010, ref: 09/H0606/57

**Study design**

Prospective quantitative cohort analysis

**Primary study design**

Observational

**Study type(s)**

Diagnostic

**Health condition(s) or problem(s) studied**

Colorectal cancer

**Interventions**

Consecutive outpatient patients presenting with colorectal symptoms will be offered appropriate investigation of the bowel e.g. colonoscopy, barium enema, virtual colonoscopy. The precise investigation method will follow standard NHS practice.

**Intervention Type**

Other

**Phase**

Not Applicable

**Primary outcome(s)**

Assessment of correlations between DNA concentrations extracted from the rectal mucosa (DNA score) and final diagnosis in a cohort of consecutive symptomatic patients.

**Key secondary outcome(s)**

1. Information on DNA score ranges for individuals without colorectal conditions (no abnormality detected [NAD]) and on groups of patients with pathological conditions of different severity (IBD, polyps, diverticular disease, inflammation)
2. Determination of the optimal DNA score value as the cut-off point for selecting patients for further investigation

**Completion date**

17/09/2010

# Eligibility

## Key inclusion criteria

1. Male and female patients aged 18 or over
2. Patients who have given written informed consent
3. If a woman of child-bearing potential, must have given a negative pregnancy test

## Participant type(s)

Patient

## Healthy volunteers allowed

No

## Age group

Adult

## Lower age limit

18 years

## Sex

All

## Key exclusion criteria

1. Patients less than 18 years old
2. Patients taking part in another clinical study
3. Patients unable to give clear written informed consent to the study
4. Patients with confirmed inflammatory bowel disease (IBD)
5. Patients with confirmed or suspected anal cancer
6. Patients with who have had any previous gastro-intestinal malignancy
7. Patients who have undergone previous colonic resection
8. Patients who have undergone chemotherapy or radiotherapy anytime within the last 6 months
9. Patients who have received any form of bowel preparation or contrast medium within the 14 days preceding the test
10. Patients who have received any form of anaesthesia in the 48 hours preceding the test
11. Patients with clear evidence of rectal cancer at proctoscope examination
12. Patients with an anal fissure, anal fistula, advanced haemorrhoids or any other condition that may make proctoscope introduction painful and/or dangerous in the eyes of the investigator
13. Patients with a faecally loaded rectum at proctoscope examination
14. Women who are pregnant or suspect that they may be pregnant
15. Patients with known Hepatitis B or HIV infection
16. Patients suffering from chronic alcohol abuse (over 30 units consumed per week on average)
17. Patients with a history of allergic reactions to compounds of similar chemical or biological composition to the device
18. Patients unable to comply with the protocol requirements (compliance)

## Date of first enrolment

17/06/2010

## Date of final enrolment

17/09/2010

## Locations

### Countries of recruitment

United Kingdom

England

### Study participating centre

**Leicester General Hospital**

Leicester

United Kingdom

LE5 4PW

## Sponsor information

### Organisation

Origin Sciences (UK)

### ROR

<https://ror.org/01g15q926>

## Funder(s)

### Funder type

Industry

### Funder Name

Origin Sciences (UK)

## Results and Publications

Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Available on request

### Study outputs

Output type

Details

Date created Date added Peer reviewed? Patient-facing?

Participant information sheet

