

Financial incentives to improve adherence to anti-psychotic medication

Submission date 02/04/2009	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
Registration date 06/04/2009	Overall study status Completed	<input checked="" type="checkbox"/> Protocol
Last Edited 30/09/2016	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Stefan Priebe

Contact details
Academic Unit
Newham Centre for Mental Health
Glen Road
London
United Kingdom
E13 8SP

Additional identifiers

Protocol serial number
HTA 07/60/43

Study information

Scientific Title
Financial incentives to improve adherence to anti-psychotic maintenance medication in non-adherent patients: a cluster randomised controlled trial

Acronym

MfM

Study objectives

The objective of the study is to establish the effectiveness and cost-effectiveness of using financial incentives to improve adherence to anti-psychotic maintenance medication in patients with poor adherence with whom all conventional methods to achieve adherence have failed.

More details can be found at: <http://www.nets.nihr.ac.uk/projects/hta/076043>

Protocol can be found at: http://www.nets.nihr.ac.uk/__data/assets/pdf_file/0017/51902/PRO-07-60-43.pdf

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Multicentre cluster randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Severe mental illness (psychosis)

Interventions

Patients in the assertive outreach teams that have been allocated to the intervention will be offered a financial incentive for each depot injection of anti-psychotic medication they receive, for a 12-month period. Patients will receive £15 for one injection with the total sum not exceeding £60 for a four-week period (the maximum number of injections is 4 per month).

The control group will receive treatment as usual.

The total duration of the intervention will be 12 months with a 6-month follow-up period.

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Adherence to anti-psychotic maintenance medication during the 12-month trial period.

Adherence will be measured, objectively, as the percentage of prescribed depot injections actually taken. As the primary outcome, the percentage will be used as a continuous variable.

However, we will also analyse the percentage in a dichotomised way, comparing the ratio of patients with 'good' adherence (i.e., greater than or equal to 80% of prescribed depots taken) in the two conditions.

Key secondary outcome(s)

1. The time 'slippage' of taking depots, defined as the percentage of the prescribed time interval that has expired before the depot is taken
2. Clinical improvement as assessed on the Clinical Global Impression Scale (CGI) by the treating consultant psychiatrist at the end of the 12-month period
3. Number of involuntary and voluntary hospital admissions during the trial period
4. Costs of care: data on the use and frequency of use of inpatient care, outpatient care (including home visits, home treatment), and other health services during the 12-month treatment period will be obtained from case notes and electronic administrative data bases. Costs for the intervention will be estimated for each participating team from information provided by staff. Established national unit costs will be used to estimate direct health care.
5. The number of attempted and completed suicides, incidences of physical violence, police arrests and days spent at work/training/education will also be recorded over the 12-month trial period
6. Subjective quality of life and satisfaction with medication which will be assessed at the beginning and end of the intervention period using the 11-item scale established in the DIALOG trial. The scale contains 11 items asking patients to rate their satisfaction with eight life domains and three treatment aspects, one of which is medication, on a scale ranging from 1 (lowest satisfaction) to 7 (highest satisfaction).
7. Continuation with MfM (in intervention group only) and adherence during a 6-month follow up period will be taken from the medical records
8. Teams in the intervention group will be asked after 6 months, 12 months and 18 months about all aspects of experiences with the scheme including whether patients on MfM asked for an increase of the incentive, and whether other patients with hitherto good adherence also asked for financial incentives and/or became poorly adherent in order to be eligible for MfM. This will be done using open questions with a written documentation of the answers.

Completion date

30/11/2012

Eligibility

Key inclusion criteria

The only inclusion criterion for teams is that they are a dedicated assertive outreach team (AOT) and operate a corresponding policy. The only exclusion criteria are lack of willingness to participate and an already existing practice of money for medication (MfM).

For patients in the AOTs there are the following inclusion criteria:

1. Being cared in the AOT for at least 4 months
2. Aged between 18 and 65 years of age, either sex
3. Capacity to give informed consent to participate in the study and actual written informed consent
4. An established diagnosis of schizophrenia, schizo-affective psychosis, or bipolar illness according to the International Classification of Diseases, 10th Edition (ICD-10)
5. Being prescribed depot injections of anti-psychotic medication
6. Poor adherence to anti-psychotic medication, i.e., missed 50% or more of prescribed depot injections, over the last 4 months (so that the percentage of taken depots is based on a minimum of 4 prescribed depots)
7. Failure of all other methods available to the team to ensure adherence to medication

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

1. Learning difficulty
2. Poor command of English so that clinical communication and discussion of agreements is impaired

Date of first enrolment

01/09/2009

Date of final enrolment

30/11/2012

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

Newham Centre for Mental Health

London

United Kingdom

E13 8SP

Sponsor information**Organisation**

Barts and The London Queen Mary's School of Medicine and Dentistry (UK)

ROR

Funder(s)

Funder type

Government

Funder Name

Health Technology Assessment Programme

Alternative Name(s)

NIHR Health Technology Assessment Programme, Health Technology Assessment (HTA), HTA

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	07/10/2013		Yes	No
Results article	results	01/04/2015		Yes	No
Results article	results	01/08/2015		Yes	No
Results article	results	08/10/2015		Yes	No
Results article	results	01/09/2016		Yes	No
Results article	results	21/09/2016		Yes	No
Protocol article	protocol	28/09/2009		Yes	No