

# Clinical characteristics and outcomes of patients with COVID-19 on mechanical ventilation in Argentina

<b>Submission date</b> 10/02/2021	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
<b>Registration date</b> 03/03/2021	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 28/06/2022	<b>Condition category</b> Infections and Infestations	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

COVID-19 is a condition caused by the coronavirus (called SARS-CoV-2) that was first identified in late 2019. This virus can infect the respiratory (breathing) system. Some people do not have symptoms but can carry the virus and pass it on to others. People who have developed the condition may develop a fever and/or a continuous cough among other symptoms. This can develop into pneumonia. Pneumonia is a chest infection where the small air pockets of the lungs, called alveoli, fill with liquid and make it more difficult to breathe.

Groups who are at a higher risk from infection with the virus, and therefore of developing COVID-19, include people aged over 70 years, people who have long-term health conditions (such as asthma or diabetes), people who have a weakened immune system and people who are pregnant. People in these groups, and people who might come into contact with them, can reduce this risk by following the up-to-date advice to reduce the spread of the virus.

Knowledge about the epidemiology, management and outcomes of COVID-19 patients on invasive mechanical ventilation in low and middle income countries (LMICs) is scarce and fragmented. The aim of this study is to describe the practice of mechanical ventilation in patients with COVID-19 in Argentina.

### Who can participate?

Patients older than 18 years with COVID-19 admitted to the Intensive Care Unit and requiring mechanical ventilation

### What does the study involve?

The study involves the collection of epidemiological variables, mechanical ventilation variables, certain treatments applied and complications, and identification of independent prognostic (predictive) factors of mortality (death). The main outcome variable is hospital mortality; secondary outcomes are 28-day mortality, duration of mechanical ventilation, and duration of ICU and hospital stays.

### What are the possible benefits and risks of participating?

Since this is an observational study, patients are not exposed to any risk or benefit.

Anonymization of patient data is performed by assigning numeric codes. When finished and published, the main findings and conclusions might help to guide the management of COVID-19 and eventually improve healthcare management in future waves of the pandemic.

Where is the study run from?

1. Hospital Interzonal de Agudos San Martin de La Plata (Argentina)
2. Argentine Society of Intensive Care Medicine (SATI) (Argentina)

When is the study starting and how long is it expected to run for?

March 2020 to January 2021

Who is funding the study?

Investigator initiated and funded

Who is the main contact?

1. Elisa Estenssoro, MD  
estenssoro.elisa@gmail.com
2. Fernando G. Ríos, MD  
fernandrios@gmail.com

## Contact information

### Type(s)

Public

### Contact name

Dr Elisa Estenssoro

### Contact details

Street 42 number 577

La Plata

Argentina

1900

+54 (0)22196073261

estenssoro.elisa@gmail.com

### Type(s)

Public

### Contact name

Dr Fernando Rios

### Contact details

Marcos paz 684

Moron

Argentina

1707

+54 (0)1133796777

fernandrios@gmail.com

# Additional identifiers

## Clinical Trials Information System (CTIS)

Nil known

## ClinicalTrials.gov (NCT)

NCT04611269

## Protocol serial number

01

# Study information

## Scientific Title

Clinical characteristics and outcomes of patients with COVID-19 on mechanical ventilation in Argentina: a prospective, multicenter cohort study

## Acronym

SATICOVID19

## Study objectives

The main objective of the present study is to determine ICU and in-hospital mortality associated with COVID-19 infection and its independent predictors, in patients admitted to adult ICUs in Argentina with a requirement for mechanical ventilation.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Approved 02/04/2020, Comité De Ética en Investigación Hospital San Martin De La Plata (CEI-HSMLP, Postal address: 1900; +54 (0)92216073261; ceihsmplata@gmail.com), ref: HSMLP2020/0021

## Study design

Prospective cohort study

## Primary study design

Observational

## Study type(s)

Treatment

## Health condition(s) or problem(s) studied

COVID-19 (SARS-CoV-2 infection)

## Interventions

Epidemiological data, comorbidities, previous signs or symptoms of COVID-19 are collected. On admission, severity of disease scores, laboratory management data, blood gases and acid-base chemistry, respiratory and mechanical ventilation management, and complications (development of ARDS, septic shock, acute kidney injury, thromboembolic events, infections and

septic shock) will be recorded. If patients die, the cause of death will be recorded. Treatments administered by attending physicians will be registered. Dates of hospital and ICU admission, of death and/or discharge will be recorded. No intervention will be administered. Follow-up will continue until death or ICU/hospital discharge.

### **Intervention Type**

Other

### **Primary outcome(s)**

Hospital mortality: death of a patient (categorical binary data, 1 = nonsurvivor; and 0 = survivor) occurring at any time and in any site during hospitalization

### **Key secondary outcome(s)**

1. 28-day mortality: death of a patient (categorical binary data, 1 = nonsurvivor; and 0 = survivor) occurring in any site of the hospital between hospital admission and day 28
2. Duration of mechanical ventilation: number of days of invasive mechanical ventilation measured as continuous data (in days), as the difference between the date of weaning from mechanical ventilation and the date of endotracheal intubation
3. Length of ICU stay: number of days measured as continuous data (in days), as the difference between the date of ICU discharge and the date of ICU admission
4. Length of hospital stay; number of days measured as continuous data (in days), as the difference between the date of hospital discharge and the date of hospital admission

### **Completion date**

10/01/2021

## **Eligibility**

### **Key inclusion criteria**

Consecutive adult patients admitted to participating ICUs who require mechanical ventilation and present confirmed COVID-19

### **Participant type(s)**

Patient

### **Healthy volunteers allowed**

No

### **Age group**

Adult

### **Sex**

All

### **Total final enrolment**

1909

### **Key exclusion criteria**

Patients with severe respiratory infections/pneumonia due to another proven etiology

**Date of first enrolment**

30/03/2020

**Date of final enrolment**

31/10/2020

## Locations

**Countries of recruitment**

Argentina

**Study participating centre**

Hospital Interzonal de Agudos, Gral san Martin de la Plata

Avenida 1 y 70

La Plata

Argentina

1900

## Sponsor information

**Organisation**

Sociedad Argentina de Terapia Intensiva (SATI)

## Funder(s)

**Funder type**

Other

**Funder Name**

Investigator initiated and funded

## Results and Publications

**Individual participant data (IPD) sharing plan**

The data might be available for 1 year after the date of the study publication. This will require the consent of the six principal researchers, and the aim of the request and statistical plan should be provided. The data are already anonymized.

**IPD sharing plan summary**

Available on request

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		01/09/2021	28/06/2022	Yes	No
<a href="#">Protocol file</a>	version 1		01/04/2021	No	No
<a href="#">Protocol file</a>	version 2		01/04/2021	No	No