Preoperative chemoradiation in locally resectable adenocarcinoma of pancreatic head without metastasis

Submission date	Recruitment status No longer recruiting	Prospectively registered		
17/01/2005		[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
19/04/2005	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
26/09/2014	Cancer			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Werner Hohenberger

Contact details

Director
Department of Surgery
University Hospital Erlangen
Krankenhausstr. 12
Erlangen
Germany
91054
+49 (0)9131 85 33201
werner.hohenberger@chir.imed.uni-erlangen.de

Additional identifiers

ClinicalTrials.gov (NCT)

NCT00335543

Protocol serial number

70-3046-Ho 2

Study information

Scientific Title

Study objectives

Aim of the study is to investigate if preoperative chemoradiation is better than immediate surgery regarding median survival for patients with local resectable adenocarcinoma of the pancreatic head without metastasis.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approval received from the local medical ethics committee (Ethik-Kommission der Medizinischen Fakultat der Friedrich-Alexander-Universitat Erlangen-Nurnberg) on 28/12/2001 (followed by further letters: 21/01/2002, 19/08/2003, 27/07/2004, 11/07/2005).

Study design

Randomised controlled open multicentre trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Locally resectable adenocarcinoma of pancreatic head

Interventions

Treatment A: Operation (Whipple operation, standardised lymph node dissection)
Treatment B: Neoadjuvant chemoradiotherapy with gemcitabine and cisplatin followed by
operation (same as treatment A) six weeks later: radiotherapy with single doses of 1.8 Gy on day
one to five for five weeks (total dose of 50.4 Gy for tumour and surrounding lymph nodes) and
three further doses only for the tumour (total dose 55.8 Gy). Gemcitabine intravenously (iv) 300
mg/m^2 body surface area and cisplatin iv 30 mg/m^2 body surface area on day one, eight, 22,
and 29.

Amendment July 11 2005: All resected patients should now receive adjuvant chemotherapy for example gemcitabine 1000 mg/m^2 on day one, eight, 15 (one cycle day 1-28) for six months. NB: it is not the aim of the study to investigate the need of adjuvant chemotherapy.

Intervention Type

Drug

Phase

Phase II

Drug/device/biological/vaccine name(s)

Cisplatin, gemcitabine

Primary outcome(s)

Median survival of patients from time of randomisation.

Key secondary outcome(s))

- 1. Three year survival rate
- 2. R0-resection rate
- 3. Rate of medium and high toxicity events (common toxicity criteria)
- 4. Rate of complete and incomplete remission of the tumour in radiographic imaging studies
- 5. Rate of different regression gradings in resected tumour specimens
- 6. Quality of life before/during and after therapy

Completion date

30/06/2009

Eligibility

Key inclusion criteria

- 1. Adenocarcinoma of pancreatic head, histologically or cytologically proven, resectable as assessed by computed tomography (CT)-scan (major vessels [V. portae, confluence of V. mesenterica and lienalis, A. mes. sup., Truncus coeliacus, A. lienalis, A. hepatica, V. mes. sup.] maximally enclosed up to 180° by the tumour)
- 2. No infiltration of extrapancreatic organs (exception: duodenum)
- 3. Only one peripancreatic lymph node (LN) greater than 1 cm on CT-scan (amendment July 11 2005 this criterion was removed)
- 4. No metastasis
- 5. No peritoneal carcinosis (laparoscopy facultative)
- 6. Age between 18 and 75 years (amendment July 11 2005 aged 18 or over)
- 7. Good performance (Karnofsky-index greater than 60)
- 8. No previous treatment for carcinoma of pancreas
- 9. No previous malignant disease (exception: non-melanomatous skin tumour, carcinoma in situ of cervix uteri, malignant disease in complete remission treated only surgically at least ten years ago)
- 10. No participation in other clinical trial in the last three months before randomisation
- 11. No liver cirrhosis (Quick greater than 70%, thrombocytes greater than 100,000 mm^3)
- 12. Serum-creatinine less than 1.5 mg/dl; creatinine-clearance greater than 70 ml/min
- 14. No severe cardiopulmonal disease or any disease which renders the patient not suitable for one treatment option
- 15. No human immunodeficiency virus (HIV)-infection
- 16. No lack of judiciousness
- 17. Written informed consent by the patient

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. Ampullary carcinoma (tumours origination from the ampulla, the papilla or at the junction of the ampulla and the papilla)
- 2. Carcinoma of the pancreatic corpus or tail (tumours between the left edge of the superior mesenteric vine and the left edge of the aorta respectively between the left edge of the aorta and the splenic hilum)
- 3. Non-ductal adenocarcinoma of the pancreas (e.g. cystadenocarcinoma, neuroendocrine tumours, etc.)
- 4. Pregnancy or insufficient contraception
- 5. Aged less than 18 years
- 6. Karnofsky performance status less than 70
- 7. Doubtful understanding or contractual capacity of the patient

Date of first enrolment

23/06/2003

Date of final enrolment

30/06/2009

Locations

Countries of recruitment

Austria

Germany

Switzerland

Study participating centre

Director

Erlangen Germany

91054

Sponsor information

Organisation

Friedrich-Alexander University Erlangen-Nuremberg - Medical Faculty (Germany)

ROR

https://ror.org/00f7hpc57

Funder(s)

Funder type

Charity

Funder Name

German Cancer Aid (Deutsche Krebshilfe) (Germany) (ref: 70-3046-Ho 2)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/07/2008		Yes	No
Results article	results	01/01/2015		Yes	No
<u>Protocol article</u>	protocol	06/03/2007		Yes	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes