Compare the combination of traditional Chinese medicine (Qingre Huashi Quyu) and mesalazine with mesalazine for the treatment of ulcerative colitis.

Submission date 25/04/2019	Recruitment status No longer recruiting	Prospectively registeredProtocol
Registration date 07/05/2019	Overall study status Completed	 Statistical analysis plan Results
Last Edited 29/10/2021	Condition category Digestive System	 Individual participant data Record updated in last year

Plain English summary of protocol

Background and study aims

Ulcerative colitis (UC) is a non-specific inflammation of the intestine, with abdominal pain, diarrhea, mucus pus and bloody stools and urgency as the main clinical manifestations. Because the cause is unknown, difficult to cure, easy to progress to a cancer, it has been listed as a difficult disease by the World Health Organization (WHO). This study aims to determine whether the Qingrehuashiquyu recipe might help those UC patients, as previous studies have shown it may be beneficial.

Who can participate? Adults aged 18-65 who have been diagnosed by their doctors as having ulcerative colitis.

What does the study involve?

Participants are randomly allocated to one of two groups:

1. Qingrehuashiquyu recipe 200ml, taken orally two times per day and mesalazine 0.25g, taken orally four times per day for 12 weeks

2. Mesalazine 0.25gtaken orally four times per day for 12 weeks

Following completion of this 8 week period, there is another 12 week follow-up period.

What are the possible benefits and risks of participating?

The possible benefit of participating is that the Qingrehuashiquyu recipe and mesalazine may improve symptoms of patients, although this cannot be guaranteed. The possible risks of participating are that the treatment may cause side effects including epigastric discomfort, nausea, headache and dizziness, although this is unlikely.

Where is the study run from? Beijing Hospital of Traditional Chinese Medicine, Capital Medical University, China When is the study starting and how long is it expected to run for? June 2018 to August 2022

Who is funding the study? Beijing municipal commission of science and technology

Who is the main contact? Dr Luqing Zhao zhaoluqing111@163.com

Contact information

Type(s) Scientific

Contact name Dr Luqing Zhao

ORCID ID http://orcid.org/0000-0003-1986-3511

Contact details No. 23 Art Museum Houjie Street Dongcheng District Beijing China 100010 +8601052176634 zhaoluqing111@163.com

Additional identifiers

EudraCT/CTIS number Nil known

IRAS number

ClinicalTrials.gov number Nil known

Secondary identifying numbers 2019-02-25

Study information

Scientific Title Efficacy of Qingrehuashiquyu recipe on ulcerative colitis: a randomized controlled study

Study objectives

Combination of Qingrehuashiquyu recipe and mesalazine is more effective in the treatment of ulcerative colitis than mesalazine used alone.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 25/02/2019, Ethics Committee of Beijing Chinese Medicine Hospital affiliated to Capital Medical University (Beijing Hospital of Traditional Chinese Medicine Capital Medical University No. 23 Art Museum Houjie Street Dongcheng District; ecbjtcm@126.com; +8601052171516), ref: 2019BL02-007-01

Study design Interventional single-center randomised controlled trial

Primary study design Interventional

Secondary study design Randomised controlled trial

Study setting(s) Hospital

Study type(s) Treatment

Participant information sheet No participant information sheet available

Health condition(s) or problem(s) studied

Ulcerative colitis

Interventions

Participants are randomly allocated to one of two groups using SAS9.10 software: 1. Qingrehuashiquyu recipe 200ml, taken orally two times per day and mesalazine 0.25gtaken orally four times per day for 12 weeks 2. Mesalazine 0.25gtaken orally four times per day for 12 weeks Following completion of this 12 week period, there is another 12 week follow-up period.

Clinical symptoms data and samples including blood, stool and colonic mucosa will be collected by clinicians. Blood will be collected by drawing blood of centrifugal vein. Stool will be collected by specimen box. Colonic mucosa will be collected by electronic endoscope.

Intervention Type

Phase Not Specified

Drug/device/biological/vaccine name(s)

Qingrehuashi quyu recipe

Primary outcome measure

Current primary outcome measure as of 29/10/2021: Mayo Activity Index, assessed at baseline and 12 weeks

Previous primary outcome measure:

Mucosal histology score measured using Geboes index, assessed at baseline and 12 weeks.

Secondary outcome measures

Current secondary outcome measures as of 29/10/2021:

- 1. Mucosal histology score measured using Geboes index, assessed at baseline and 12 weeks
- 2. Traditional Chinese Medicine syndromes of UC score, assessed at baseline,4,8 and 12weeks
- 3. Fecal occult blood test, erythrocyte sedimentation rate, C-reactive protein, fecal calprotectin at baseline and 12weeks
- 4. Detection of intestinal apoptosis at baseline and 12 weeks
- 5. Detection of intestinal flora at baseline and 12 weeks
- 6. Detection of intestinal nitric oxide at baseline and 12 weeks
- 7. Inflammatory bowel disease quality of life scale at baseline and 12 weeks

Previous secondary outcome measures:

- 1. Mayo Activity Index, assessed at baseline and 12 weeks
- 2. Traditional Chinese Medicine syndromes of UC score, assessed at baseline,4,8 and 12weeks
- 3. Fecal occult blood test, erythrocyte sedimentation rate, C-reactive protein, fecal calprotectin at baseline and 12weeks
- 4. Detection of intestinal apoptosis at baseline and 12 weeks
- 5. Detection of intestinal flora at baseline and 12 weeks
- 6. Detection of intestinal nitric oxide at baseline and 12 weeks
- 7. Inflammatory bowel disease quality of life scale at baseline and 12 weeks

Overall study start date

01/06/2018

Completion date

01/08/2022

Eligibility

Key inclusion criteria

1. The diagnosis of ulcerative colitis is active, and the clinical severity is mild to moderate.

2. Meeting the Traditional Chinese Medicine syndrome of large intestinal damp-heat criteria.

3. The age is between 18 and 65 years old, and gender is not limited.

4. The patient signs informed consent. The process of obtaining informed consent should be in accordance with GCP regulations.

Participant type(s)

Patient

Age group Adult

Lower age limit

18 Years

Sex Both

Target number of participants 60

Key exclusion criteria

1. The type of ulcerative colitis is acute fulminant, and the severity of the condition is severe. 2. Infectious colitis such as bacillary dysentery, amoebic sputum, chronic schistosomiasis, intestinal tuberculosis, and patients with Crohn's colitis, ischemic enteritis, and radiation enteritis.

3. Patients with serious complications such as local stenosis, intestinal obstruction, intestinal perforation, rectal polyps, toxic colonic dilatation, colon cancer, rectal cancer and anal disease.

4. Pregnant and lactating women

5. Those with severe primary heart, liver, lung, kidney, blood or serious diseases that affect their survival.

6. Disabled patients prescribed by law.

7. Suspected or indeed had a history of alcohol and drug abuse.

8. Poor compliance or any other reason the researchers believe may not be appropriate to participate in this trial.

9. Allergic constitution or known to be allergic to the drug used in this trial.

10. Patients who are participating in other drug clinical trials.

Date of first enrolment

20/04/2019

Date of final enrolment

01/05/2021

Locations

Countries of recruitment China

Study participating centre

Digestive Disease Center Beijing Hospital of Traditional Chinese Medicine Capital Medical University No. 23 Art Museum Houjie Street Dongcheng District Beijing China 100010

Sponsor information

Organisation

Beijing Municipal Science & Technology Commission

Sponsor details

Building 1 No. 57 Canal East Street Tongzhou District Beijing China 100744 010-55577777 kangxiuhong@163.com

Sponsor type

Government

Website http://kw.beijing.gov.cn/

ROR https://ror.org/034k14f91

Funder(s)

Funder type Government

Funder Name Beijing Municipal Science and Technology Commission

Alternative Name(s)

Science and Technology Commission of Beijing Municipality, Beijing Municipal Science & Technology Commission, Adminitrative Commission of Zhongguancun Science Park, Beijing Municipal Science and Technology Commission, Beijing Municipal Science & Technology Commission, J,

Funding Body Type Government organisation

Funding Body Subtype Local government **Location** China

Results and Publications

Publication and dissemination plan

Planned publication in a high-impact peer-reviewed journal.

Intention to publish date 01/08/2022

Individual participant data (IPD) sharing plan

The current data sharing plans for this study are unknown and will be available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date