Evaluation of photodynamic therapy (a treatment that involves light-sensitive medicine and a light source to destroy abnormal cells) as a safe and effective treatment for malaria

Submission date 05/09/2022	Recruitment status No longer recruiting	Prospectively registered
		☐ Protocol
Registration date	Overall study status	Statistical analysis plan
06/09/2022	Completed	Results
Last Edited	Condition category	Individual participant data
06/09/2022	Infections and Infestations	Record updated in last year

Plain English summary of protocol

Background and study aims

Malaria is a disease of great public health concern and it is one of the leading causes of death especially in developing countries and tropical regions of the world. There is still no vaccine available. According to the 2015 World Malaria Report, there were 214 million cases of malaria globally in 2015 (uncertainty range 149–303 million) and 438000 malaria deaths (range 236 000–635 000) representing a decrease in malaria cases and deaths of 37% and 60% since 2000, respectively. The burden was heaviest in the WHO African Region, where an estimated 90% of all malaria deaths occurred, and in children less than 5 years, who accounted for more than two thirds of all deaths.

The study is evaluating if Photodynamic Therapy (PDT; a treatment that involves light-sensitive medicine and a light source to destroy abnormal cells) might be a safe and effective treatment tool for Malaria patients.

Who can participate?

Adults aged 18 years and above with uncomplicated malaria from Ibadan, Nigeria and its environs.

What does the study involve?

Patients in the treatment group receive 5 PDT treatments within 14 days and are checked for safety (WBC and PVC) and efficacy of PDT (parasite count).

Patients in the control group receive standard ACT therapy while same measurements are done.

What are the possible benefits and risks of participating?

Benefits: Faster and more effective parasite clearance and relief of symptoms in treatment group expected.

Risks: Denial of standard ACT therapy

Where is the study run from? State Hospital (Nigeria)

When is the study starting and how long is it expected to run for? April 2019 to November 2021

Who is funding the study? ISLA Research Group and Weber Medical, Germany.

Who is the main contact?
Robert Weber, robert.weber@webermedical.com

Contact information

Type(s)

Scientific

Contact name

Mr Robert Weber

ORCID ID

http://orcid.org/0000-0001-6567-4688

Contact details

Hinter der Pumpe 6 Lauenfoerde Germany 37697 +49 1724590153 robert.weber@global-heartbeat.org

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

Nil known

Study information

Scientific Title

Evaluation of anti-microbial photodynamic therapy (using riboflavin as sensitizer) as a safe and effective treatment option for malaria

Study objectives

Proof of concept: Anti-microbial photodynamic therapy (using riboflavin as sensitizer) as a safe and effective treatment option for Malaria (p. falciparum). aPDT reduces parasite counts more effectively than conventional ACT treatment.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 10/04/2019, Oyo State Research Ethics Review Committee (Ministry of Health, Department of Planning, Research and Statistics Divison, Oyo State of Nigeria, Nigeria; +234 8116308821; info@oyostate.gov.ng), ref: AD 13/479/1192

Study design

Interventional non randomized

Primary study design

Interventional

Secondary study design

Non randomised study

Study setting(s)

Community

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Malaria (p. falciparum)

Interventions

Comparison between treatment and control group, both composed of patients suffering from Malaria (p. falciparum). Treatment group receives aPDT treatments, control group conventional ACT therapy. No masking. No randomization.

Usage of Riboflavin as photosensitizer. Activation by systemic (intravenous) application of 447nm blue laser light and 370 nm ultraviolet (UVA) light. Subsequent intravenous laser therapy with green, yellow and red light.

Treatment time: 90 min; 5 treatments in total within 14 days.

Follow up on day 28 after first treatment with both groups.

Intervention Type

Mixed

Primary outcome measure

Parasite count on day 0, day 2, day 4, day 8, day 14 and day 28 by blood test

Secondary outcome measures

Safety measurements on day 0, day 2, day 4, day 8, day 14 and day 28 by blood test:

- 1. White blood cell count
- 2. Packed cell volume test (hematocrit)

Overall study start date

10/04/2019

Completion date

01/11/2021

Eligibility

Key inclusion criteria

Adults aged 18 years and above with uncomplicated malaria from Ibadan, Nigeria and its environs.

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

200

Total final enrolment

124

Key exclusion criteria

- 1. Age < 18 years
- 2. Pregnancy

Date of first enrolment

01/11/2020

Date of final enrolment

01/10/2021

Locations

Countries of recruitment

Nigeria

Study participating centre State Hospital

Ring road Ibadan Nigeria 10000

Sponsor information

Organisation

Global Heartbeat e.V.

Sponsor details

Hinter der Pumpe 6 Lauenfoerde Germany 37697 +49 1724590153 info@global-heartbeat.org

Sponsor type

Charity

Website

https://www.global-heartbeat.org

Funder(s)

Funder type

Industry

Funder Name

Global Heartbeat e.V.

Funder Name

Weber Medical GmbH

Results and Publications

Publication and dissemination plan

Planned publication in a high impact peer reviewed journal

Intention to publish date

01/10/2022

Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date