

Oral artesunate in metastasized cervix carcinoma

Submission date 23/06/2010	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 21/07/2010	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 21/07/2010	Condition category Cancer	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Alice Musibi

Contact details
Centre for Clinical Research (KEMRI)
5th Avenue Suites-Ngong Road
6th Floor
P.O. Box 19829
Nairobi
Kenya
00202

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
KEMRI SSC 1787

Study information

Scientific Title

An open-label single centre dose-escalating phase I trial of oral artesunate in patients with metastasized cervix carcinoma

Study objectives

To determine the maximum tolerated dose (MTD) and the efficacy of orally administered artesunate in patients with metastasized cervical carcinoma.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Kenya Medical Research Institute (KEMRI) National Ethics Review Committee approved on the 11th May 2010 (ref. KEMRI SSC 1787)

Study design

Open-label single centre non-randomised dose-escalating phase I trial

Primary study design

Interventional

Secondary study design

Non randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Metastasized cervix carcinoma

Interventions

Patients will be recruited in cohorts of three and the starting dose will be 100 mg. Based on dose limiting toxicity evaluations, decisions regarding dose escalation or de-escalation on the next cohort will be made. Every cohort corresponds to a dose escalation of 50 mg. Daily oral artesunate will be administered for a period of 28 days.

Intervention Type

Drug

Phase

Phase I

Drug/device/biological/vaccine name(s)

Artesunate

Primary outcome measure

Determination of maximum tolerated dose (defined as one dose level below that at which dose limiting toxicity [DLT] is observed in two or more of the patients), assessed during the treatment period of 28 days.

Secondary outcome measures

Objective tumour response and correlation to expression of markers in tumor biopsy samples, assessed after the treatment period of 28 days.

Overall study start date

01/07/2010

Completion date

01/03/2011

Eligibility**Key inclusion criteria**

1. Females aged 18 years or above
2. Diagnosed with cervix carcinoma stages IIIb, IVa and IVb
3. Overall good general condition (Eastern Cooperative Oncology Group [ECOG] performance status less than or equal to 2)
4. Written informed consent

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Female

Target number of participants

15

Key exclusion criteria

1. Contraindication to use of artesunate due to hypersensitivity
2. Pregnant at time of recruitment
3. Human immunodeficiency virus (HIV) positive
4. History of hearing or balance problems
5. Weight of less than 50 kg or greater than 100 kg
6. On concomitant medication known to interact with artesunate
7. The following laboratory values obtained within 14 days prior to recruitment:

- 7.1. Absolute neutrophil count (ANC) less than 1,000 cells/mm³
- 7.2. Haemoglobin lower than 9.0 g/dL
- 7.3. Platelet count less than 100,000/mm³
- 7.4. Aspartate aminotransferase (AST) (serum glutamic oxaloacetic transaminase [SGOT]), alanine aminotransferase (ALT) (serum glutamic pyruvic transaminase [SGPT]), and alkaline phosphatase higher than 5 x upper limit of normal (ULN)
- 7.5. Total bilirubin higher than 1.5 x ULN

Date of first enrolment

01/07/2010

Date of final enrolment

01/03/2011

Locations

Countries of recruitment

Kenya

Study participating centre

Centre for Clinical Research (KEMRI)

Nairobi

Kenya

00202

Sponsor information

Organisation

Dafra Pharma Research and Development (Belgium)

Sponsor details

Slachthuisstraat 30 bus 7

Turnhout

Belgium

2300

Sponsor type

Industry

Website

<http://www.dafra.be/start.html>

Funder(s)

Funder type

Industry

Funder Name

Collaborative Programme Between:

Funder Name

Dafra Pharma Research and Development (Belgium)

Funder Name

Kenya Medical Research Institute (KEMRI) (Kenya)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration