

# Minding blood sugar: how misperceptions of sugar consumption influence patients with type 2 diabetes

<b>Submission date</b> 03/06/2019	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 09/07/2019	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 07/09/2021	<b>Condition category</b> Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

### Background and study aims

This study investigates whether expectations affect diabetic metabolism. To determine whether cognition affects glucose levels, the study examines study participants who have type 2 diabetes in which the body fails to generate sufficient insulin or use it properly. The researchers' previous work found that the subjective perception of time exerts a stronger influence on blood glucose level changes in people with type 2 diabetes than the objective passage of time. In this study, the researchers targeted the amount of sugar believed to be consumed by diabetics. Sugar consumption is perhaps the most widely accepted factor in explaining blood glucose fluctuations.

### Who can participate?

Patients aged 18 and over who have insulin-independent type 2 diabetes mellitus

### What does the study involve?

Participants are instructed to come to the laboratory twice at three-day intervals. At each session, participants sample one of the two beverages which are actually identical but had labels indicating different sugar levels. Blood glucose levels are measured at the start and after 20, 40 and 60 minutes.

### What are the possible benefits and risks of participating?

Possible benefits to participants may include improved understanding of their experience. Participants may experience minimal discomfort associated with participation, but there were no adverse events associated with this trial.

### Where is the study run from?

Harvard University (USA)

### When is the study starting and how long is it expected to run for?

April 2017 to April 2018

Who is funding the study?  
National Science Foundation (USA)

Who is the main contact?  
Mr Chanmo Park  
Chanmo\_Park@mail.harvard.edu

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Mr Chanmo Park

**ORCID ID**  
<https://orcid.org/0000-0001-5865-0354>

**Contact details**  
33 Kirkland St  
Cambridge  
United States of America  
02138  
+1 (0)617 495 3932  
Chanmo\_Park@mail.harvard.edu

## Additional identifiers

**Clinical Trials Information System (CTIS)**  
Nil known

**ClinicalTrials.gov (NCT)**  
Nil known

**Protocol serial number**  
Nil known

## Study information

**Scientific Title**  
Minding blood sugar: how misperceptions of sugar consumption influence patients with type 2 diabetes

**Study objectives**  
Perceived rather than actual sugar consumption would influence blood glucose levels.

**Ethics approval required**  
Old ethics approval format

## **Ethics approval(s)**

Approved 20/04/2017, Harvard University-Area Committee on the Use of Human Subjects (Smith Campus Center, Suite 935, 1350 Massachusetts Ave., Cambridge, MA 02138, USA; IRB Registration- IRB00000109; Federal Wide Assurance - FWA00004837), ref: IRB16-1833

## **Study design**

Randomised cross over trial

## **Primary study design**

Interventional

## **Study type(s)**

Other

## **Health condition(s) or problem(s) studied**

Insulin-independent type 2 diabetes mellitus

## **Interventions**

Participants were instructed to come to the laboratory twice, at three-day intervals. At each session, participants sampled one of the two beverages, which were actually identical but had labels indicating different sugar levels. The researchers counterbalanced order of presentation based on a block randomization procedure, creating two equally sized group samples. They controlled for consumption speed by instructing participants to completely consume the beverage in 3 minutes.

## **Intervention Type**

Other

## **Primary outcome(s)**

Blood glucose levels (mg/dL) measured at baseline, 20, 40 and 60 minutes

## **Key secondary outcome(s)**

1. Perceived stress measured using Perceived Stress Scale (PSS, 10-item version) at baseline during the first session
2. Eating behaviors measured using Dutch Eating Behavior Questionnaire (DEBQ) at 60 minutes during the post-intervention of the first session
3. Affectivity measured using Positive Affect and Negative Affect Scale (PANAS) at baseline, 20, and 60 minutes
4. Hunger measured using Satiety Labeled Intensity Magnitude (SLIM) at baseline, 20, and 60 minutes

## **Completion date**

19/04/2018

## **Eligibility**

### **Key inclusion criteria**

1. Individuals ( $\geq$  age 18) who have insulin-independent type 2 diabetes mellitus
2. Individuals who hold a minimum of 12 months duration from diagnosis
3. Individuals who do not have any serious illnesses other than type 2 diabetes and who do not

have diabetes-related complications

4. Individuals with a text-enabled phone for the duration of the study

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

**Total final enrolment**

34

**Key exclusion criteria**

1. Individuals under the age 18
2. Individuals who do not have insulin-independent type 2 diabetes mellitus
2. Individuals who do not hold a duration of 12 months from diagnosis
3. Individuals who have any serious illnesses other than type 2 diabetes and who do not have diabetes-related complications
4. Individuals without access to a text-enabled phone for the duration of the study

**Date of first enrolment**

20/04/2017

**Date of final enrolment**

19/04/2018

**Locations**

**Countries of recruitment**

United States of America

**Study participating centre**

Harvard University

33 Kirkland Street

Cambridge

United States of America

02138

# Sponsor information

## Organisation

National Science Foundation

## ROR

<https://ror.org/021nxhr62>

# Funder(s)

## Funder type

Government

## Funder Name

National Science Foundation GRFP under Grant No. (NSF 16-588).

## Alternative Name(s)

U.S. National Science Foundation, US National Science Foundation, NSF, US NSF, USA NSF

## Funding Body Type

Government organisation

## Funding Body Subtype

National government

## Location

United States of America

# Results and Publications

## Individual participant data (IPD) sharing plan

The data that support the findings of this study have been deposited in Harvard Dataverse with the identifier (<https://doi.org/10.7910/DVN/2WC8LC>) and will be made publically available at a later date.

## IPD sharing plan summary

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>		24/09/2020	07/09/2021	Yes	No
<a href="#">Participant information sheet</a>	Participant information sheet	11/11/2025	11/11/2025	No	Yes