

# A phase I/II study to evaluate the safety of and immunological response to a vaccine candidate (VLA2001) against COVID-19

<b>Submission date</b> 15/12/2020	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 17/12/2020	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 25/03/2021	<b>Condition category</b> Infections and Infestations	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

COVID-19 is a condition caused by the coronavirus (called SARS-CoV-2) that was first identified in late 2019. This virus can infect the respiratory (breathing) system. Some people do not have symptoms but can carry the virus and pass it on to others. People who have developed the condition may develop a fever and/or a continuous cough among other symptoms. This can develop into pneumonia. Pneumonia is a chest infection where the small air pockets of the lungs, called alveoli, fill with liquid and make it more difficult to breathe.

In 2020, the virus has spread to many countries around the world and neither a vaccine against the virus or specific treatment for COVID-19 has yet been developed. As of March 2020, it is advised that people minimize travel and social contact, and regularly wash their hands to reduce the spread of the virus.

Groups who are at a higher risk from infection with the virus, and therefore of developing COVID-19, include people aged over 70 years, people who have long-term health conditions (such as asthma or diabetes), people who have a weakened immune system and people who are pregnant. People in these groups, and people who might come into contact with them, can reduce this risk by following the up-to-date advice to reduce the spread of the virus.

Valneva's vaccine candidate is called VLA2001. Valneva's first clinical study will investigate three dose levels of VLA2001 to evaluate safety and performance in a two-dose schedule. This study will enroll a healthy young adult population, prior to progression into further study stages, which will expand the upper age range and the number of subjects exposed to the vaccine.

### Who can participate?

Adults aged 18 - 55 years, who have tested negative for previous SARS-CoV-2 infection.

### What does the study involve?

Vaccinations will be administered at Days 1 and 22 with follow-up visits up to 6 months after the second dose.

What are the possible benefits and risks of participating?

Although the vaccine might induce immune responses that may be protective, you might not experience any direct benefit from taking part in this study. The information obtained from this study may help prevent future participants from contracting COVID-19 and will provide important information about how well people respond to VLA2001. There may be risks to being in this study, from VLA2001, from some of the procedures or tests done in this study.

Where is the study run from?

Valneva (Austria) and sites in the UK.

When is the study starting and how long is it expected to run for?

July 2020 to August 2021

Who is funding the study?

Department of Health and Social Care (UK)

Who is the main contact?

Christian Taucher, VLA2001-201@valneva.com

## Contact information

### Type(s)

Scientific

### Contact name

Mr Christian Taucher

### Contact details

Campus Vienna Biocenter 3

Vienna

Austria

1030

+43 1 20620 2020

VLA2001-201@valneva.com

## Additional identifiers

### Clinical Trials Information System (CTIS)

2020-005062-33

### Integrated Research Application System (IRAS)

289098

### ClinicalTrials.gov (NCT)

NCT04671017

### Protocol serial number

VLA2001-201, IRAS 289098

# Study information

## Scientific Title

A phase I/II randomized, two parts, dose-finding study to evaluate the safety, tolerability and immunogenicity of an inactivated, adjuvanted SARS-CoV-2 virus vaccine candidate (VLA2001), against COVID-19 in healthy subjects

## Study objectives

The purpose of this study is to evaluate safety, tolerability and immunogenicity of VLA2001 to identify the vaccine dose for use in further development of the vaccine.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Approved 23/11/2020, London-Brent Research Ethics Committee (Health Research Authority, Skipton House, 80 London Road, London, SE1 6LH, UK; +44 (0)20 7972 2545; hra.approval@nhs.net), ref: 20/HRA/5205

## Study design

A multicenter 3-arm randomized dose finding study

## Primary study design

Interventional

## Study type(s)

Prevention

## Health condition(s) or problem(s) studied

COVID-19 (SARS-CoV-2 infection)

## Interventions

Subjects will be administered two i.m. vaccinations (Day 1 and Day 22) with VLA2001, a whole virus inactivated SARS-CoV-2 vaccine adjuvanted with cytosine phosphor-guanine (CpG) 1018 in combination with aluminum hydroxide. Except for the first 15 sentinel subjects (5 subjects/ dose group, open-label), subjects will be randomized via an interactive web response system to the low, medium or high dose group.

Subjects will be followed up in the study for approximately six months after their second vaccination.

## Intervention Type

Biological/Vaccine

## Phase

Phase I/II

## Drug/device/biological/vaccine name(s)

VLA2001

## Primary outcome(s)

1. Safety: Frequency and severity of solicited AEs (local and systemic reactions) within 7 days after any vaccination measured using case report forms
2. Immunogenicity: Geometric mean titer (GMT) for neutralizing antibodies against SARS-CoV-2 measured by neutralizing antibody titers against SARS-CoV-2 at Day 36

## Key secondary outcome(s)

1. Frequency and severity of any unsolicited AE, vaccine-related AE, SAE, AESI up to day 36
2. Frequency and severity of any unsolicited AE, vaccine-related AE, SAE, AESI up to day 208
3. Measured by neutralizing antibody titers against SARS-CoV-2 at baseline and up to Day 208:
  - 3.1. Immune response
  - 3.2. Proportion of subjects with seroconversion
  - 3.3. Number of SARS-CoV-2 neutralizing antibody titers
  - 3.4. GMTs for IgG antibodies against SARS-CoV-2
  - 3.5. Proportion of subjects with seroconversion in terms of IgG antibodies against SARS-CoV-2 (in subjects negative for SARS-CoV-2 at screening)

## Completion date

31/08/2021

## Eligibility

### Key inclusion criteria

1. Subject is 18 to 55 years of age
2. Subject who has a smart phone and is willing and able to install and use an eDiary
3. Subject has an understanding of the study and its procedures, agrees to its provisions, and voluntarily gives written informed consent prior to any study-related procedures
4. Subject is generally healthy as determined by the Investigator
5. Subject has a Body Mass Index (BMI) of 18.0-30.0 kg/m<sup>2</sup>
6. If the subject is of childbearing potential:
  - 6.1. Subject has practiced an adequate method of contraception during the 30 days before screening (Visit 0)
  - 6.2. Subject has a negative serum or urine pregnancy test at screening (Visit 0) or Visit 1, respectively
  - 6.3. Subject agrees to employ adequate birth control measures up to Day 106 (Visit 5)

### Participant type(s)

Healthy volunteer

### Healthy volunteers allowed

No

### Age group

Adult

### Lower age limit

18 years

### Sex

All

## Key exclusion criteria

1. Clinically significant infection or other acute illness, including fever  $\geq 38^{\circ}\text{C}$  within 24 hours prior to the planned study vaccination
2. History of laboratory-confirmed SARS-CoV-2 infection
3. Subject had close contact to persons with confirmed SARS-CoV-2 infection within 30 days prior to screening (Visit 0)
4. Subject has participated in a clinical study involving an investigational SARS-CoV-2 vaccine
5. Subject has an acute or recent infection not due to SARS-CoV-2
6. Subject has a history of SARS-CoV-1 or MERS infection (self-reported)
7. Subject tests positive for human immunodeficiency virus (HIV), hepatitis B surface antigen (HBsAg) or hepatitis C virus (HCV)
8. Subject has received any vaccine within 30 days prior Visit 1 other than the study intervention, with the exception of the seasonal influenza vaccination
9. Subject has abnormal findings in any required study investigations (including medical history, physical examination, and clinical laboratory) considered clinically relevant by the Investigator
10. Subjects with either medical history of or present acute or progressive, unstable or uncontrolled clinical conditions that pose a risk for participation or completion of the study, based on Investigator's clinical judgement
11. Subjects with underlying diseases with a high risk of developing severe COVID-19 symptoms if infected
12. Subject has a history of malignancy in the past 5 years other than squamous cell or basal cell skin cancer. If there has been surgical excision or treatment more than 5 years ago that is considered to have achieved a cure, the subject may be enrolled. A history of hematologic malignancy is a permanent exclusion. Subjects with a history of skin cancer must not be vaccinated at the previous tumor site
13. Subject has a known or suspected defect of the immune system, such as subjects with congenital or acquired immune deficiency
14. Subject received immuno-suppressive therapy within 4 weeks prior to Visit 1 or receipt of immunosuppressive therapy is expected during the study.
15. Subject has a history of any vaccine related contraindicating event
16. Subject presents with clinical conditions representing a contraindication to intramuscular vaccination and blood draws
17. Subject is pregnant, has plans to become pregnant up to Day 106 of the study or lactating at the time of enrolment
18. Subject has donated blood, blood fractions or plasma within 4 weeks prior to Visit 1 or received blood-derived products (e.g. plasma) within 12 weeks prior to Visit 1 in this study or plans to donate blood or use blood products during the study
19. Subject with clinically significant bleeding disorder (e.g. factor deficiency, coagulopathy or platelet disorder) or prior history of significant bleeding or bruising following IM injections or venipuncture
20. Subject has a rash, dermatological condition or tattoos that would, in the opinion of the Investigator, interfere with injection site reaction rating
21. Subject has a known or suspected problem with alcohol or drug abuse as determined by the Investigator
22. Subject has any condition that, in the opinion of the Investigator, may compromise the subject's well-being, might interfere with evaluation of study endpoints, or would limit the subject's ability to complete the study
23. Subject is committed to an institution (by virtue of an order issued either by the judicial or the administrative authorities)
24. Subject has participated in another clinical study involving an investigational medicinal product (IMP) or device within 4 weeks prior to Visit 0 (screening) or is scheduled to participate

in another clinical study involving an IMP, or device during the course of this study  
25. Subject is a member of the team conducting the study or in a dependent relationship with one of the study team members

**Date of first enrolment**

16/12/2020

**Date of final enrolment**

17/01/2021

## **Locations**

**Countries of recruitment**

United Kingdom

England

**Study participating centre**

**Bristol Royal Infirmary**

University Hospitals Bristol and Weston NHS Foundation Trust

Marlborough Street

Bristol

United Kingdom

BS1 3NU

**Study participating centre**

**Queen Elizabeth Hospital Birmingham**

University Hospitals Birmingham NHS Foundation Trust

Mindelsohn Way

Birmingham

United Kingdom

B15 2TH

**Study participating centre**

**Newcastle University Medical School**

Freeman Hospital

Freeman Road

Newcastle

United Kingdom

NE7 7DN

**Study participating centre**

**Southampton NIHR Clinical Research Facility**  
Southampton  
United Kingdom  
SO16 6YD

## Sponsor information

### Organisation

Valneva (Austria)

### ROR

<https://ror.org/03xk4a758>

## Funder(s)

### Funder type

Government

### Funder Name

Department of Health and Social Care

### Alternative Name(s)

Department of Health & Social Care, DH

### Funding Body Type

Government organisation

### Funding Body Subtype

National government

### Location

United Kingdom

## Results and Publications

### Individual participant data (IPD) sharing plan

The current data sharing plans for this study are unknown and will be available at a later date.

### IPD sharing plan summary

Data sharing statement to be made available at a later date

### Study outputs

<b>Output type</b>	<b>Details</b>	<b>Date created</b>	<b>Date added</b>	<b>Peer reviewed?</b>	<b>Patient-facing?</b>
<a href="#">HRA research summary</a>			28/06/2023	No	No
<a href="#">Participant information sheet</a>	Participant information sheet	11/11/2025	11/11/2025	No	Yes
<a href="#">Study website</a>	Study website	11/11/2025	11/11/2025	No	Yes