

REFUEL-MS: Clinical and Cost-Effectiveness RCT

Submission date 09/04/2025	Recruitment status Recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 20/06/2025	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 27/08/2025	Condition category Nervous System Diseases	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Although 9/10 people living with MS report fatigue as a symptom, fewer than a third have been offered any treatment for fatigue as part of their routine care. Of these people, only 9% were offered behavioural treatments. Our overall research programme aimed to work with people with MS to create a digital intervention to help reduce fatigue and then to test how well this intervention – called REFUEL-MS – works in real life. REFUEL-MS is an app that includes physical activity, balance exercises, and cognitive behavioural therapy (CBT) techniques. These were included because previous research has found that they are all effective at reducing MS fatigue. This current study aims to test how well the REFUEL-MS app is at reducing MS-related fatigue compared to usual care and to make sure it is safe for patients.

REFUEL-MS is a patient-led app that people with MS can access on a smartphone or tablet. Patient-led means there are opportunities for patients to choose the content that is most relevant to them (cognitive behavioural therapy, physical activity, or balance exercises), set personal goals, and track progress. The intervention also includes support from a REFUEL-MS healthcare professional through regular virtual appointments and app-based messages. The REFUEL-MS app is not intended to replace the existing MS medical care of participants.

Who can participate?

People living with MS can take part if they:

1. Are aged 18 years and over
2. Have a confirmed diagnosis of MS
3. Are able to read and communicate in English
4. Are a resident of England, Wales or Scotland
5. Are able to see and use a smartphone or tablet
6. Experience fatigue

We are particularly interested in involving participants who are not currently well represented in MS research. This includes those who are older, male, LGBTQ+, from minoritised ethnic backgrounds, live with progressive types of MS, varying levels of disability, lower digital literacy, and lower socioeconomic status. REFUEL-MS is designed to be suitable for individuals with different needs. Participants who do not have a suitable device can be loaned one for the duration of the trial.

We will be recruiting 378 people with MS from the UK MS Register, Guy's and St Thomas' NHS Foundation Trust, and community groups.

What does the study involve?

Participants who are eligible and consent will complete an online questionnaire. Participants will then be randomly assigned to one of two groups. One group will get access to the REFUEL-MS programme via the app and the other group will continue their usual care. For both groups, the study will last for 16 weeks.

All participants will be asked to complete online questionnaires about their fatigue, physical activity, mood and quality of life at 4, 6 and 12 months after starting the study. All participants will also receive a monthly phone call from the research team to check how they are doing and if anything unexpected has happened since the last call. Some participants will also be invited to take part in an interview about their experience of using REFUEL-MS.

What are the possible benefits and risks of taking part?

Taking part in this study could improve treatments for MS-related fatigue and support future research. The risks are small, as REFUEL-MS can be used from home and tailored to suit individual needs.

Participant safety is very important to us and the research team will regularly contact participants to check if it is suitable for them to continue in the study. We also understand that MS can come with challenges like anxiety and depression, so along with monthly check-in calls, we will provide information on additional support in the Participant Information Sheet.

We know that completing questionnaires can be time-consuming so we are offering participants a £5 voucher when they complete the questionnaires at 6 and 12 months.

Where is the study run from?

King's College London (UK)

When is the study starting and how long is it expected to run for?

March 2025 to February 2027

Who is funding the study?

1. National Institute for Health and Care Research (NIHR) (UK)
2. MS Society (UK)

Who is the main contact?

Professor Rona Moss-Morris or Harriet Mortimer, refuel-ms@kcl.ac.uk

Contact information

Type(s)

Scientific, Principal investigator

Contact name

Prof Rona Moss-Morris

Contact details

King's College London

London

United Kingdom

SE1 9RT

+44 (0)207 848 8888

rona.moss-morris@kcl.ac.uk

Type(s)

Public

Contact name

Ms Harriet Mortimer

Contact details

King's College London

London

United Kingdom

SE1 9RT

+44 (0)207 848 8888

harriet.mortimer@kcl.ac.uk

Additional identifiers**Clinical Trials Information System (CTIS)**

Nil known

Integrated Research Application System (IRAS)

350492

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

NIHR203290, CPMS 67673, CI/2025/0011GB

Study information**Scientific Title**

REFUEL-MS: A two-arm parallel group randomised controlled trial of the clinical and cost-effectiveness of a digital CBT, balance and exercise intervention (REFUEL-MS) for treating fatigue in multiple sclerosis (MS)

Acronym

REFUEL-MS

Study objectives

We hypothesise that REFUEL-MS, a blended digital self-management treatment for fatigue in MS, will be more (clinically and cost) effective than Treatment-As-Usual (TAU) at reducing fatigue severity in people with MS experiencing high levels of fatigue.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 16/07/2025, London - Stanmore Research Ethics Committee (Meeting held by video-conference via Zoom, London, N/A, United Kingdom; +44 (0)2071048208; stanmore.rec@hra.nhs.uk), ref: 25/LO/0256

Study design

Randomized controlled trial

Primary study design

Interventional

Study type(s)

Quality of life, Treatment, Safety, Efficacy

Health condition(s) or problem(s) studied

Multiple sclerosis

Interventions

This study will involve randomising participants to one of two groups (1:1), to compare the REFUEL-MS app, a digital, healthcare professional (HCP) supported self-management treatment for MS-related fatigue, with usual care (treatment-as-usual; TAU) for a period of 16 weeks. Participants in the two groups will complete assessments of fatigue (primary), physical activity, mood, and quality of life at 4, 6, and 12 months. In addition, a qualitative interview study will be conducted with a diverse sample of pwMS who trialed REFUEL-MS and the HCPs supporting the intervention. This should inform our understanding of the factors impacting engagement with REFUEL-MS, perceptions of its effectiveness and potential implementation in routine MS care.

Participant Selection:

The target total sample size of 378 (189 randomly allocated per arm) people living with MS (pwMS) who meet the eligibility criteria will be recruited through the NHS and the UK MS Register (UKMSR). To address the lack of representativeness of previous trials of fatigue interventions, we also aim to recruit a percentage of people from minoritised or traditionally underserved groups. If we are unable to recruit sufficient people from these groups through the UKMSR and NHS, we aim to recruit through targeted community groups.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Refuel MS

Primary outcome(s)

Fatigue severity measured by the Chalder Fatigue Questionnaire (CFQ) at 6-months post-randomisation

Key secondary outcome(s))

Current secondary outcome measures as of 27/08/2025:

1. Fatigue impact measured by the Fatigue Severity Scale (FSS) that captures the impact of fatigue on daily functioning at 4, 6 and 12 months post-randomisation
2. Clinically meaningful improvement in fatigue severity, defined as a reduction of >2.3 points from baseline in the total CFQ score, consistent with estimates of the minimum clinically

- important difference (binary outcome) at 4 and 12 months post-randomisation
3. Clinically meaningful improvement in fatigue impact, defined as a reduction of ≥ 0.45 points from baseline in the mean FSS score (binary outcome)
 4. Depression severity using the Patient Health Questionnaire (PHQ-9) at 4, 6 and 12 months post-randomisation
 5. Anxiety severity using the Generalised Anxiety Disorder scale (GAD-7) at 4, 6 and 12 months post-randomisation
 6. General quality of life captured by the EQ-5D-5L at 4, 6 and 12 months post-randomisation
 7. MS-specific quality of life captured by the MSIS v29 at 4, 6 and 12 months post-randomisation
 8. Physical Activity using the International Physical Activity Questionnaire short form (IPAQ-SF) at 4, 6 and 12 months post-randomisation
 9. Health and social care utilisation using a Modified Adult Service Use Schedule (ADSUS) at 6- and 12-month post-randomisation
 10. Safety, assessed through collection of Adverse Events and Serious Adverse Events throughout the trial (monthly until 6 months then again at 12 months post-randomisation)

Previous secondary outcome measures:

1. Fatigue impact measured by the Fatigue Severity Scale (FSS) that captures the impact of fatigue on daily functioning at 4, 6 and 12 months post-randomisation
2. Clinically meaningful improvement in fatigue severity, defined as a reduction of > 2.3 points from baseline in the total CFQ score, consistent with estimates of the minimum clinically important difference (binary outcome) at 4 and 12 months post-randomisation
3. Clinically meaningful improvement in fatigue impact, defined as a reduction of ≥ 0.45 points from baseline in the mean FSS score (binary outcome)
4. Depression severity using the Patient Health Questionnaire (PHQ-9) at 4, 6 and 12 months post-randomisation
5. Anxiety severity using the Generalised Anxiety Disorder scale (GAD-7) at 4, 6 and 12 months post-randomisation
6. General quality of life captured by the EQ-5D-5L at 4, 6 and 12 months post-randomisation
7. MS-specific quality of life captured by the MSIS v29 at 4, 6 and 12 months post-randomisation
8. Health and social care utilisation using a Modified Adult Service Use Schedule (ADSUS) at 6- and 12-month post-randomisation
9. Safety, assessed through collection of Adverse Events and Serious Adverse Events throughout the trial (monthly until 6 months then again at 12 months post-randomisation)

Completion date

01/02/2027

Eligibility

Key inclusion criteria

People living with MS will be eligible if they:

1. Are 18 years of age and over
2. Able to read and communicate in English
3. Are a resident in England, Wales or Scotland
4. Have a confirmed diagnosis of MS

5. Have sufficient vision and manual abilities to use a smartphone or tablet
6. Experience clinical levels of fatigue, scoring ≥ 4 on the Chalder Fatigue Questionnaire (CFQ), when using bimodal scoring

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

99 years

Sex

All

Key exclusion criteria

Potential participants will be excluded if they:

1. Currently undertaking another behavioural or exercise/balance fatigue management programme, other behavioural treatments*
2. Have started on a new disease-modifying treatment for their MS within the last 6 months**
3. Have started a new antidepressant or fatigue medication within the past 3 months**
4. Are currently experiencing severe mental health problems, including psychosis, bipolar disorder or active thoughts of self-harm that are not being appropriately managed, assessed by self-report
5. Score of 11 or under out of 15 on the Mini Montreal Cognitive Assessment, which denotes moderate or severe cognitive impairment (MoCA)
6. Are unable to give informed consent (for example, due to reduced mental capacity)

*These participants will have the option of being recontacted by the trial team once they have completed their current treatment to be rescreened for entry into the trial.

**These participants will have the option of being recontacted by the trial team once they have been on their treatment for sufficient time to be rescreened for entry into the trial.

Please note, participants will only be recontacted up until the end of the recruitment period (likely October 2025), as this is the last possible timepoint for enrolment on the trial in order to complete 12-month data collection.

Date of first enrolment

21/07/2025

Date of final enrolment

01/02/2026

Locations

Countries of recruitment

United Kingdom

England

Scotland

Wales

Study participating centre

Guy's and St Thomas NHS Foundation Trust

Guy's Hospital

Great Maze Pond

London

United Kingdom

SE1 9RT

Study participating centre

King's College London

Health Psychology Section

Bermondsey Wing

Guy's Campus

Great Maze Pond

London

United Kingdom

SE1 9RT

Sponsor information

Organisation

King's College London

ROR

<https://ror.org/0220mzb33>

Organisation

Guy's and St Thomas' NHS Foundation Trust

ROR

Funder(s)

Funder type

Government

Funder Name

National Institute for Health and Care Research

Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Funder Name

Multiple Sclerosis Society

Alternative Name(s)

Multiple Sclerosis Society of Great Britain and Northern Ireland, The MS Society, MS Society UK, Multiple Sclerosis Society UK, MS Society

Funding Body Type

Private sector organisation

Funding Body Subtype

Associations and societies (private and public)

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

Data-sharing statement to be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Study website	Study website	11/11/2025	11/11/2025	No	Yes