# Study into the accuracy of a new non-invasive device (Endosure test, EndoSure, Inc) for the diagnosis of endometriosis (ADDEND study)

Submission date	Recruitment status	<ul><li>[X] Prospectively registered</li><li>[X] Protocol</li></ul>		
15/12/2024	Recruiting			
Registration date	Overall study status	Statistical analysis plan		
17/12/2024	Ongoing	Results		
Last Edited	Condition category	Individual participant data		
13/08/2025	Urological and Genital Diseases	[X] Record updated in last year		

# Plain English summary of protocol

Background and study aims

We are conducting a pilot study to test a new non-invasive device called the Endosure test, which aims to diagnose endometriosis without surgery. Endometriosis is a condition where tissue similar to the lining inside the uterus grows outside it, causing pain and other symptoms.

#### Who can participate?

We are looking for three groups of women to participate:

Women scheduled for laparoscopic surgery due to pelvic pain (suspected endometriosis).

Women scheduled for laparoscopic surgery for other non-cancerous conditions.

Healthy female volunteers with no pelvic pain.

Participants must be pre-menopausal, aged 18-50 years, have no previous surgical detection or treatment of endometriosis, and no known cancer. They must also be willing to follow certain pre-test requirements.

What does the study involve?

Participants will:

Attend an additional one-hour research clinic.

Confirm they have followed pre-test requirements.

Complete a pelvic pain questionnaire.

Undergo the Endosure test, which is performed by trained staff.

For those undergoing surgery, standardized images will be taken during the procedure. Eight weeks after surgery, they will return for another clinic visit to repeat the questionnaire and Endosure test.

What are the possible benefits and risks of participating?

There are no risks associated with participating in this study. The potential benefit is helping to validate a device that could diagnose endometriosis without the need for invasive surgery.

Where is the study run from?
Worcestershire Acute Hospitals NHS Trust (UK)

When is the study starting and how long is it expected to run for? February 2024 to August 2027

Who is funding the study?
British Society for Gynaecology Endoscopy

Who is the main contact?
Donna Ghosh, donna.ghosh@nhs.net

# Contact information

#### Type(s)

Public, Scientific, Principal investigator

#### Contact name

Miss Donna Ghosh

#### Contact details

Obstetrics & Gynaecology department, Worcester Royal Hospital, Charles Hastings Way Worcester United Kingdom WR5 1DD +44 7753171100 donna.ghosh@nhs.net

# Additional identifiers

#### Clinical Trials Information System (CTIS)

Nil known

# Integrated Research Application System (IRAS)

346375

# ClinicalTrials.gov (NCT)

Nil known

#### Protocol serial number

BSGE grant application ref 36

# Study information

#### Scientific Title

Pilot study to investigate the Accuracy and potential clinical application of a non-invasive Diagnostic Device, EVG Clinical Decision Tool (Endosure test, EndoSure Inc), in the diagnosis and management of ENDometriosis (ADDEND Study)

#### **Acronym**

**ADDEND** 

#### **Study objectives**

GIMA can be adopted as a non-invasive biomarker in NHS in UK with good diagnostic results.

#### Ethics approval required

Ethics approval required

#### Ethics approval(s)

approved 30/04/2025, London - City & East Research Ethics Committee (2 Redman Place, Stratford, London, E20 1JQ, United Kingdom; +44 2071048171; cityandeast.rec@hra.nhs.uk), ref: 25/LO/0341

#### Study design

Interventional pilot study

#### Primary study design

Interventional

#### Study type(s)

Efficacy

#### Health condition(s) or problem(s) studied

Non Invasive diagnosis of endometriosis

#### **Interventions**

Study Arms and Methodology:

Study Arm 1: Suspected Endometriosis Patients

Treatment Given: Participants will undergo the Endosure test (EVG Clinical Decision Tool) before and 8 weeks after laparoscopic surgery.

Total Duration of Treatment and Follow-Up: 8 weeks post-surgery.

#### Study Arm 2: Surgical Control Group

Treatment Given: Participants will undergo the Endosure test before and 8 weeks after laparoscopic surgery for benign conditions (e.g., laparoscopic sterilisation, cystectomy, fertility procedures).

Total Duration of Treatment and Follow-Up: 8 weeks post-surgery.

Study Arm 3: Healthy Volunteers (Non-Surgical Control Group)

Treatment Given: Participants will undergo the Endosure test at baseline and 8 weeks later.

Total Duration of Treatment and Follow-Up: 8 weeks.

#### Summary of Procedures:

Pre-Test Requirements: All participants must omit opioid medication for 7 days and prokinetic or antispasmodic medication for 3 days before the test. They must also fast for 8 hours prior to the test.

Endosure Test: Conducted by trained staff, involving a standardized EVG with a water load satiety test (WLST).

Surgery (for Arms 1 and 2): Standardized laparoscopic procedures with captured operative

images for later review.

Follow-Up: 8 weeks post-surgery or post-initial test, participants will repeat the Endosure test and complete a pain questionnaire.

#### Intervention Type

Device

#### Phase

Not Applicable

#### Drug/device/biological/vaccine name(s)

Endosure

#### Primary outcome(s)

- 1. Presence of endometriosis is measured using Endosure test at baseline and 8 weeks postsurgery
- 2. Severity of endometriosis is measured using Endosure test at baseline and 8 weeks postsurgery
- 3. Absence of endometriosis is measured using Endosure test at baseline and 8 weeks postsurgery

#### Key secondary outcome(s))

- 1. Pain levels are measured using EHP-30 questionnaire at baseline and 8 weeks post-surgery
- 2. Gastrointestinal myoelectrical activity is measured using Electroviscerogram with WLST at baseline and 8 weeks post-surgery
- 3. Surgical confirmation of endometriosis is measured using laparoscopic images at baseline
- 4. Diagnostic accuracy is measured using comparison of Endosure test results with surgical findings at baseline and 8 weeks post-surgery
- 5. Sensitivity and specificity of Endosure test are measured using statistical analysis of test results at baseline and 8 weeks post-surgery
- 6. Patient adherence to pre-test requirements is measured using patient self-report at baseline
- 7. Patient satisfaction with diagnostic process is measured using patient feedback questionnaire at 8 weeks post-surgery

# Completion date

01/08/2027

# **Eligibility**

# Key inclusion criteria

- 1. Ages 18 50 years
- 2. Acceptable to patient to omit:
- 2.1. opioid medication (eg. Codeine, Morphine, etc) 7 days before test
- 2.2. prokinetic or antispasmodic medication (eg. Erythromycin, Domperidone etc) 3 days before test

# Participant type(s)

Healthy volunteer, Patient, Health professional, Employee, All

# Healthy volunteers allowed

### Age group

Mixed

# Lower age limit

18 years

# Upper age limit

50 years

#### Sex

**Female** 

#### Key exclusion criteria

- 1. Ages < 18 and > 50 years
- 2. Known malignant disease
- 3. Confirmed menopause
- 4. BMI >  $35 \text{ kg/m}^2$

#### Date of first enrolment

01/08/2025

#### Date of final enrolment

01/08/2026

# Locations

#### Countries of recruitment

**United Kingdom** 

England

# Study participating centre Worcestershire Acute Hospitals NHS Trust

Worcestershire Royal Hospital Charles Hastings Way Worcester United Kingdom WR5 1DD

# Sponsor information

#### Organisation

British Society For Gynaecological Endoscopy

# Funder(s)

#### Funder type

Hospital/treatment centre

#### **Funder Name**

Worcestershire Acute NHS Hospital Trust

# **Results and Publications**

#### Individual participant data (IPD) sharing plan

The data will be owned by The Worcestershire Endometriosis Research Group, who will analyse the data and prepare the final report. The datasets generated during and/or analysed during the current study are available from the corresponding author on reasonable request: donna. ghosh@nhs.net

#### IPD sharing plan summary

Stored in non-publicly available repository, Available on request

#### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	version 1.0	26/11/2024	17/12/2024	No	Yes
<u>Protocol file</u>	version 1.0	15/12/2024	17/12/2024	No	No