Patient Education Programme for Multiple Sclerosis (MS) Immunotherapy

Submission date	Recruitment status No longer recruiting	Prospectively registered		
27/03/2010		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
14/04/2010	Completed	[X] Results		
Last Edited	Condition category	Individual participant data		
13/04/2016	Nervous System Diseases			

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Christoph Heesen

Contact details

Institute of Neuroimmunology and Clinical MS Research (INIMS) Martinistr. 52 Hamburg Germany 20246

heesen@uke.uni-hamburg.de

Additional identifiers

Protocol serial number

1

Study information

Scientific Title

Effectiveness of a patient education programme on immunotherapy in multiple sclerosis - a multicentre controlled trial

Acronym

PEPIMS

Study objectives

The study aims to assess the effects of an inter-active evidence based patient education programme on disease modifying therapy (immunotherapy) in multiple sclerosis (MS). We hypothesise that the educational programme:

- 1. Increases relevant disease-related risk-knowledge and promotes informed choice
- 2. Increases decision autonomy and satisfaction
- 3. As a result leads to an altered, i.e., more rational approach to immunotherapies
- 4. Reduces anxiety and depression

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics Committee of the Hamburg Chamber of Physicians, 03/12/2009, ref: PV3385

Study design

Multicentre controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Multiple sclerosis

Interventions

1. Experimental intervention:

Patient education programme based on the principles of evidence-based patient information comprising an educational booklet on MS immunotherapy and a two-part 2- and 4-hour small group educational programme.

2. Control intervention:

Standard information leaflet on MS immunotherapy alongside standard rehabilitation programme.

Both interventions will be provided during patients' stay in the rehabilitation clinic (duration: usually 3 to 4 weeks).

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Informed choice (IC) about initiation or continuation of immunotherapies after 6 months of follow-up using an adaptation of the Multidimensional Measure of Informed Choice (MMIC), comprising appropriate disease-related risk-knowledge and consistency between attitude and decision

Key secondary outcome(s))

- 1. Autonomy preference assessed in the first week of rehabilitation (before the intervention) and after 6 months using a previously used scale based on the Control Preference Scale (CPS)
- 2. Risk knowledge after 6 months
- 3. Decision conflict and satisfaction with the decision assessed after 6 months using the Decisional Conflict Scale (DCS)
- 4. Anxiety and depression assessed in the third or fourth weeks of rehabilitation (after the intervention) using the Hospital Anxiety and Depression Scale (HADS)
- 5. Number of newly initiated and discontinued immunotherapies (participants on immunotherapy after 6 months) assessed at baseline and by telephone interview after 3 and 6 months using a standardised protocol used in earlier trials
- 6. Disease related resource use (costs) assessed at baseline and by telephone interview after 3 and 6 months using a standardised protocol used in earlier trials
- 7. Self-efficacy assessed at baseline and after 6 months using the RIGBY scale
- 8. Fatigue assessed at baseline and after 6 months using the Würzburg Fatigue Inventory for Multiple Sclerosis (WEIMuS) Scale

Assessment of safety:

- 9. Disease progression assessed at baseline and after 6 months with a validated German version of the United Kingdom Disability Scale (UNDS) instrument
- 10. Health-related quality of life assessed at baseline and after 6 months using the 36-item Short Form Health Survey (SF36) instrument

Completion date

30/09/2011

Eligibility

Key inclusion criteria

- 1. Possible or definite MS following revised McDonald criteria
- 2. Attending rehabilitation programme in participating rehab centres during study period
- 3. Aged 18 65 years, either sex

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. Major cognitive deficit
- 2. Inability to independently fill in questionnaires, e.g., due to ataxia

Date of first enrolment

01/04/2010

Date of final enrolment

30/09/2011

Locations

Countries of recruitment

Germany

Study participating centre

Institute of Neuroimmunology and Clinical MS Research (INIMS)

Hamburg Germany 20246

Sponsor information

Organisation

Association for the Advancement of Rehabilitation Research in Schleswig-Holstein (VFFR) (Germany)

Funder(s)

Funder type

Research organisation

Funder Name

Association for the Advancement of Rehabilitation Research in Schleswig-Holstein (Verein zur Förderung der Rehabilitationsforschung in Schleswig-Holstein e.V. [VFFR]) (Germany)

Funder Name

National Multiple Sclerosis Society

Alternative Name(s)

National MS Society, The National Multiple Sclerosis Society, The National MS Society, National Multiple Sclerosis Society, Inc., Association for Advancement of Research on Multiple Sclerosis, Sociedad Nacional de Esclerosis, Sociedad Nacional de Esclerosis Múltiple, NMSS

Funding Body Type

Government organisation

Funding Body Subtype

Associations and societies (private and public)

Location

United States of America

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created Date added	Peer reviewed?	Patient-facing?
Results article	results	12/04/2016	Yes	No
Participant information sheet	Participant information sheet	11/11/2025 11/11/2025	No	Yes