Bioavailability of oral curcumin ingestion

Submission date	Recruitment status	Prospectively registered
16/03/2017	No longer recruiting	<pre>Protocol</pre>
Registration date	Overall study status	Statistical analysis plan
21/03/2017	Completed	Results
Last Edited	Condition category	[] Individual participant data
31/07/2018	Other	Record updated in last year

Plain English summary of protocol

Background and study aims

Curcumin, a bright yellow spice, is widely grown in South-East Asian countries. It has a long history of use in food as a spice, mainly as an ingredient in many varieties of curry powders and sauces. Curcumin is widely used to colour many foods. Several forms of curcumin are available on the market but their absorption by the body has not been studied for all of the forms. The aim of this study is to measure the absorption of two different curcumin supplements in healthy volunteers.

Who can participate? Healthy volunteers aged between 18 and 55

What does the study involve?

Participants are randomly allocated to take either a standard curcumin supplement or a new supplement with a glass of water. On the morning of the study, participants arrive having fasted for at least 10 hours. Blood samples are taken before they take the supplement and after 15 minutes, 30 minutes, 1, 2, 3, 4, 5, 6, 8, 12, and 24 hours. Participants record their diet for 3 days before and on the day of the study. A meal not containing curcumin is provided for lunch and dinner on the day of the study. Participants return 7 days later and the process is repeated with the other supplement. Blood samples are tested for levels of curcumin substances and are also stored for potential future testing.

What are the possible benefits and risks of participating?

The results of this study will help people to choose the right supplement for better absorption. A possible risk is pain during the collection of the blood sample.

Where is the study run from?

- 1. Texas Christian University (USA)
- 2. University of North Texas Health Science Center at Fort Worth (USA)

When is the study starting and how long is it expected to run for? June 2016 to August 2017

Who is funding the study?
OmniActive Health Technologies Ltd (India)

Contact information

Type(s)

Scientific

Contact name

Dr Vijaya Juturu

ORCID ID

https://orcid.org/0000-0002-7397-715X

Contact details

67 East Park Place Suite 500 Morristown United States of America 07960

Additional identifiers

Protocol serial number

CUR004-16

Study information

Scientific Title

A randomized, double-blind, parallel study to compare the relative absorption of UltraSOL Curcumin and Curcumin reference product

Study objectives

Despite its demonstrated effects, the benefit of curcumin is limited by its poor solubility, low absorption from the gut, rapid metabolism and rapid systemic elimination. While the major portion of ingested curcumin is excreted through the feces unmetabolized, the small portion that is absorbed is extensively converted to its water-soluble metabolites, glucuronides and sulfate, and excreted. The purpose of this study was to assess the bioavailability of two different oral curcumin formulations: a curcumin reference (standard) and a new, natural curcumin formulation (UltraSOL Curcumin (OmniActive) over the course of 24 hours (0, 1, 2, 3, 4, 5, 6, 8, 12, 24 hours).

Ethics approval required

Old ethics approval format

Ethics approval(s)

Texas Christian University institutional review board, 07/08/2016, ref: 1605-071-1607

Study design

Single-dose randomized double-blind crossover design

Primary study design

Interventional

Study type(s)

Other

Health condition(s) or problem(s) studied

Bioavailability of two different oral curcumin formulations

Interventions

Subjects will be randomised to receive one of two curcumin supplements: Curcumin standard formulation (1800 mg) or UltraSOL Curcumin (376 mg), administered with a glass of water. After a 7-day washout period, this process will be repeated with the other supplement for the two remaining study visits.

On the morning of supplementation, subjects will arrive having fasted for at least 10 hours. A baseline blood sample will be drawn prior to ingestion of supplement (0 hours). Thereafter, blood will be sampled at 15 minutes, 30 minutes, 1, 2, 3, 4, 5, 6, 8, 12, and 24 hours postingestion. Subjects will record dietary intake for 3 days prior to and on the day of experimental protocol. A non-turmeric containing meal will be provided for lunch and dinner on the day of experimentation. Subjects will return 7 days after first experimental protocol to participate under alternative treatment. Blood from timepoints (0, 1, 2, 3, 4, 5, 6, 8, 12, 24 hours) will subsequently be measured for curcuminoids (curcumin, demethoxycurcumin, bisdemethoxycurcumin, tetrahydrocurcumin) by HPLC. Blood from timepoints 15 minutes and 30 minutes, as well as additional samples from all other time points will be stored for potential future analysis of free curcuminoids (without the addition of glucuronidase). Descriptive statistics (mean, standard deviation) will be calculated. Area under the curve will be calculated in accordance with the trapezoidal method from 0 to 12 h and 0 to 24 h. Concentration max (Cmax) will be identified as the maximum concentration achieved over the 24 h period with corresponding time (tmax).

Intervention Type

Supplement

Primary outcome(s)

Plasma levels of major curcuminoids (curcumin, demethoxycurcumin, bisdemethoxycurcumin and tetrahydrocurcumin) will be evaluated at 0, 1, 2, 3, 4, 5, 6, 8 and 12 hours and 24 h. Peak plasma concentrations (TMax), areas under the plasma concentration-time curves (AUC0-6h, AUC0-12h and AUC0-24h), CMax and t max will be calculated. Relative absorption at 24h time point is helpful to observe normalization and safety of the product

Key secondary outcome(s))

None

Completion date

30/08/2017

Eligibility

Key inclusion criteria

- 1. Normal healthy individuals
- 2. Age 18-55
- 3. Males and females
- 4. Must be able to perform required testing
- 5. Participants agreed to sign an informed consent form

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

55 years

Sex

All

Key exclusion criteria

- 1. Pregnancy
- 2. Use of prescription medications
- 3. Gastrointestinal conditions
- 4. Diabetics
- 5. Alcohol and/or substance abuse history, and/or allergies to turmeric or curcumin
- 6. Subjects consuming any foods or supplements containing curcumin

Date of first enrolment

25/08/2016

Date of final enrolment

30/10/2016

Locations

Countries of recruitment

United States of America

Study participating centre Texas Christian University

Harris College of Nursing & Health Sciences Department of Kinesiology TCU Box 297730 Fort Worth United States of America 76129

Study participating centre
University of North Texas Health Science Center at Fort Worth
Fort Worth
United States of America

Sponsor information

Organisation

OmniActive Health Technologies Ltd

ROR

https://ror.org/03fxrgb29

Funder(s)

Funder type

Industry

Funder Name

OmniActive Health Technologies

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

United States of America

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from Dr Jonathan Oliver or Dr Vijaya Juturu

IPD sharing plan summary

Available on request

Study outputs

Output type Details Date created Date added Peer reviewed? Patient-facing?

Participant information sheet
Participant information sheet
11/11/2025 No Yes