

Photodynamic versus white light-guided treatment of non-muscle invasive bladder cancer

Submission date 25/07/2014	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 25/07/2014	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 27/11/2025	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

<https://www.cancerresearchuk.org/about-cancer/find-a-clinical-trial/a-trial-white-light-blue-light-surgery-people-bladder-cancer-photo>

Contact information

Type(s)

Scientific

Contact name

Mr Steven Penegar

Contact details

Clinical Trials & Statistics Unit at the Institute of Cancer Research (ICR-CTSU)

The Institute of Cancer Research

London

United Kingdom

SM2 5NG

-

PHOTO-icrctsu@icr.ac.uk

Additional identifiers

Protocol serial number

17055

Study information

Scientific Title

PHOTOdynamic versus white light-guided treatment of non-muscle invasive bladder cancer: randomised trial of clinical and cost-effectiveness

Acronym

PHOTO

Study objectives

Bladder cancer is a high priority area for research into clinical and cost-effective management and the findings from the PHOTO trial are likely to remain highly relevant and important to the needs of the NHS over the next 20 years, the expected life span of the equipment for the PDD technology. A further compelling reason for the study is the current piecemeal adoption of PDD within the NHS, resulting in variation in provision of PDD service. This gives further urgent need for better quality evidence to guide providers of bladder cancer services and the relevant practice guidance authorities to make early decisions around wholesale adoption or disinvestment in PDD technology.

Ethics approval required

Old ethics approval format

Ethics approval(s)

NRES Committee North East - Newcastle & North Tyneside 2, 16/07/2014, ref: 14/NE/1062

Study design

Randomised; Interventional; Design type: Treatment

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Topic: Cancer; Subtopic: Bladder Cancer; Disease: Bladder (superficial)

Interventions

Randomisation will be undertaken centrally using either the secure web-based or the 24-hour Interactive Voice Response randomisation system at the Centre for Healthcare Randomised Trials (CHaRT) in Aberdeen, using minimisation by centre and gender, to allocate participants 1:1 to the control and experimental groups. The minimisation algorithm will incorporate a random element in order to prevent deterministic treatment allocation.

Guidance on treatment and follow up of NMIBC, developed by the European Association of Urology (EAU), recommend that patients who have high risk disease, or where there are indications that the TURBT may not have been complete, should have a further resection of the original disease site 26 weeks after initial treatment. This reresection is intended to ensure that the initial resection was as complete as possible and to check that muscle invasive disease, which would require further radical treatment, has not been missed. Following initial or reresection, patients in both intermediate and high risk groups are recommended to receive further (adjuvant) intravesical treatment with the aim of reducing the risk of future recurrence and progression. Patients in the intermediate risk group are usually given further treatment with chemotherapy once a week for 6 weeks. Patients in the high risk group are treated with

intravesical immunotherapy weekly for 6 weeks and may have further treatments every few months for up to 3 years. Patients will have 3 monthly cystoscopies to check for any sign of recurrence for 2 years, then 6 monthly to five years, after which they will continue to be followed up annually.

PHOTO follow-up schedule

All participants will be followed up according to EAU guidelines, with regular cystoscopies initially 3 monthly following surgery (either initial TURT or second TURT for those who have one). The PHOTO trial will collect the following information at the 3,6,9,12,18,24 and 36 month routine visits:

1. Outcome of cystoscopy
2. Adverse event information

Participants will be asked to complete quality of life and health service utilisation questionnaires 3, 6, 12, 18, 24 and 36 months post randomisation. Participants will also be asked to complete a patient costs questionnaire 30 months after randomisation. Questionnaires will be posted to patients' homes by CHaRT.

Added 27/11/2025:

Additional Data Linkage Information:

Participants from this trial will also be included in the INTERACT project which will link to their data held by NHS England. For more information, please see the INTERACT website: <https://www.icr.ac.uk/interact>.

Intervention Type

Other

Primary outcome(s)

1. To compare time to recurrence, for each of the two treatment strategies, with a principal point of interest at 3 years.
2. To evaluate cost effectiveness by the incremental cost for recurrence avoided and cost utility as the incremental cost per quality adjusted life year (QALY) gained at three years.

Key secondary outcome(s)

Secondary objectives will further explore clinical and cost effectiveness of photo dynamic surgery:

Clinical effectiveness:

1. Measure relative rate of disease progression at 3 years
2. Measure relative harms and safety
3. Measure health-related quality of life (HRQoL) and cancer specific survival

Completion date

23/06/2021

Eligibility

Key inclusion criteria

1. Adult men and women aged ≥ 16 years
2. First suspected diagnosis of bladder cancer
3. Visual/ultrasound/CT diagnosis of intermediate/high risk NMIBC
 - 3.1. White light visual appearances of intermediate or high risk disease (\Rightarrow 3cm, two or more tumours, or flat velvety erythematous changes alerting a clinical suspicion of CIS).

- 3.2. Suspicion of papillary bladder tumour > 3cm based on ultrasound or computerized tomography (CT) scanning (without hydronephrosis)
4. Written informed consent for participation prior to any study specific procedures
5. Willing to comply with lifestyle guidelines

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

16 years

Upper age limit

100 years

Sex

All

Total final enrolment

538

Key exclusion criteria

1. Visual evidence of low risk NMIBC (solitary tumour < 3cm)
2. Visual evidence of MIBC on preliminary cystoscopy, i.e. nonpapillary or sessile mass (attached directly by its base without a stalk)
3. Imaging evidence of MIBC CT/USS (this includes the presence of hydronephrosis, which may be present despite clear imaging of MIBC in the bladder)
4. Upper tract (kidney or ureteric) tumours on imaging
5. Any other malignancy in the past 2 years (except: nonmelanomatous skin cancer cured by excision, adequately treated carcinoma in situ of the cervix, DCIS/LCIS of the breast or prostate cancer in patients who have a life expectancy of >5 years upon trial entry)
6. Evidence of metastases
7. Porphyria or known hypersensitivity to porphyrins
8. Known pregnancy (based on history and without formal testing, in keeping with day-to-day NHS practice of PDD use)
9. Any other conditions that in the Principal Investigators opinion would contraindicate protocol treatment
10. Unable to provide informed consent
11. Unable or unwilling to complete follow up schedule (including questionnaires)

Date of first enrolment

23/10/2014

Date of final enrolment

14/02/2018

Locations

Countries of recruitment

United Kingdom

England

Scotland

Wales

Study participating centre

Freeman Hospital

Freeman Road
Newcastle upon Tyne
England
NE7 7DN

Study participating centre

Royal Devon and Exeter Hospital

Barrack Road
Exeter
England
EX2 5DW

Study participating centre

Churchill Hospital

Old Road
Oxford
England
OX3 7LE

Study participating centre

Ninewells Hospital and Medical School

-
Dundee
Scotland
DD2 1UB

Study participating centre

University College Hospital London
235 Euston Road
London
England
NW1 2BU

Study participating centre
Princess Of Wales Hospital
Coity Road
Bridgend
Wales
CF31 1RQ

Study participating centre
St Peter's Hospital
Guildford Road
Chertsey
England
KT16 0PZ

Study participating centre
Western General Hospital
Crewe Road South
Edinburgh
Scotland
EH4 2XU

Study participating centre
Castle Hill Hospital
Castle Road
Cottingham
England
HU16 5JQ

Study participating centre
Basingstoke and North Hampshire Hospital
Aldermaston Road
Basingstoke
England
RG24 9NA

Study participating centre
James Cook University Hospital
Marton Road
Middlesbrough
England
TS4 3BW

Study participating centre
Charing Cross Hospital
Fulham Palace Road
London
England
W6 8RF

Study participating centre
Darent Valley Hospital
Darent Wood Road
Dartford
England
DA2 8DA

Study participating centre
Southampton General Hospital
Tremona Road
Southampton
England
SO16 6YD

Study participating centre
St James's University Hospital
Beckett Street
Leeds
England
LS9 7TF

Study participating centre
Morrison Hospital
Heol Maes Eglwys
Swansea

Wales
SA6 6NL

Study participating centre
Royal Stoke University Hospital
Newcastle Road
Stoke-on-Trent
England
ST4 6QG

Study participating centre
Salisbury District Hospital
Odstock Road
Salisbury
England
SP2 8BJ

Study participating centre
Aberdeen Royal Infirmary
Foresterhill
Aberdeen
Scotland
AB25 2ZN

Study participating centre
Royal Derby Hospital
Uttoxeter Road
Derby
England
DE22 3NE

Study participating centre
Barnet General Hospital
Wellhouse Lane
Barnet
England
EN5 3DJ

Study participating centre

Lister Hospital
Coreys Mill Lane
Stevenage
England
SG1 4AB

Sponsor information

Organisation

Newcastle upon Tyne Hospitals NHS Foundation Trust (UK)

ROR

<https://ror.org/05p40t847>

Funder(s)

Funder type

Government

Funder Name

National Institute for Health Research

Alternative Name(s)

National Institute for Health Research, NIHR Research, NIHRresearch, NIHR - National Institute for Health Research, NIHR (The National Institute for Health and Care Research), NIHR

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		02/09/2022	27/09/2022	Yes	No
Results article		01/10/2022	28/10/2022	Yes	No
Protocol article	protocol	03/09/2019	05/10/2020	Yes	No
HRA research summary			28/06/2023	No	No