Clinical trial of fluoride varnish in preventing dental caries of Sjögren's syndrome patients

Submission date	Recruitment status No longer recruiting	Prospectively registered		
08/09/2016		☐ Protocol		
Registration date	Overall study status Completed	Statistical analysis plan		
09/09/2016		[X] Results		
Last Edited	Condition category	[] Individual participant data		
26/09/2016	Oral Health			

Plain English summary of protocol

Background and study aims

Sjögren's syndrome is an autoimmune disorder where the body's immune system attacks glands that secrete fluid, such as the salivary glands. This leads to a reduced production of saliva, making patients more prone to tooth decay (caries). Fluoride varnish is commonly applied onto their teeth for caries prevention. The aim of this study is to investigate the effectiveness of fluoride varnish in caries prevention in this group of patients.

Who can participate?

Sjögren's syndrome patients aged 18 or over with eight or more natural teeth.

What does the study involve?

Participants are randomly allocated to one of two groups. Participants in one group have their teeth treated with fluoride varnish quarterly and participants in the other group have their teeth treated with a placebo (dummy) gel quarterly. Their teeth are assessed for caries at the start of the study and after 12 and 24 months, along with the amount of Candida (a fungus) and lactobacilli (bacteria) in the mouth.

What are the possible benefits and risks of participating

Participants are provided with free-of-charge dental examinations, oral hygiene instructions, dental treatment (restorations and prostheses), and periodontal (gum) treatment if needed. There is a temporary effect of fluoride varnish as it leaves a yellow film on the teeth for several hours after application unless it is removed by brushing.

Where is the study run from?

Prince Philip Dental Hospital, Faculty of Dentistry, The University of Hong Kong (Hong Kong)

When is the study starting and how long is it expected to run for? January 2009 to October 2013

Who is funding the study Research Grants Council of Hong Kong (Hong Kong)

Contact information

Type(s)

Scientific

Contact name

Dr Katherine Leung

ORCID ID

https://orcid.org/0000-0003-3703-8232

Contact details

Prosthodontics
Prince Philip Dental Hospital
34 Hospital Road
Sai Ying Pun
Hong Kong
Hong Kong

Additional identifiers

Protocol serial number

N/A

Study information

Scientific Title

A randomized, double-blind, placebo-controlled clinical trial of fluoride varnish in preventing dental caries of Sjögren's syndrome patients

Study objectives

Quarterly applied fluoride varnish can prevent caries development in Sjögren's syndrome patients.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Institutional Review Boards of the University of Hong Kong/Hospital Authority Hong Kong West and Kowloon Central and East Clusters, 23/04/2008, refs: UW 08-167 and KC/KE-10-0014/ER-2

Study design

Randomized double-blind placebo-controlled trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Caries development in Sjögren's syndrome patients

Interventions

Sjögren's syndrome patients were randomly assigned to receive either professionally applied fluoride varnish or placebo gel quarterly. Development and arrest of caries at the coronal and root surfaces were recorded at 12 months and 24 months and compared to that of the baseline. Effect of fluoride varnish on oral Candida and lactobacilli colonization was explored by comparing baseline oral microbiological assessments to data obtained at 12 months and 24 months.

Intervention Type

Other

Primary outcome(s)

Caries at the coronal and root surface evaluated using the International Caries Detection and Assessment System (ICDAS) at 12 months and 24 months

Key secondary outcome(s))

Counts of lactobacilli and Candida (expressed as colony forming units per milliliter (CFU/ml) in salivary samples and colony forming units per gram in dental plaque samples) evaluated at 12 months and 24 months

Completion date

30/10/2013

Eligibility

Key inclusion criteria

- 1. Clinical diagnosis of Sjögren's syndrome established using the American-European Consensus Group (AECG) criteria at least 6 months before the commencement of this study
- 2. Age 18 or above
- 3. Had 8 or more natural teeth present

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. Severe periodontal disease (e.g., periodontal pockets were deeper than 6 mm) at two or more sextants
- 2. Received therapeutic irradiation to the head and neck region
- 3. Had concurrent systemic illness (except connective tissue disorder associated with secondary Sjögren's syndrome)
- 4. Taking medication that altered salivary flow
- 5. Had participated in a clinical trial within 6 months before commencement of this trial

Date of first enrolment

11/06/2009

Date of final enrolment

31/12/2009

Locations

Countries of recruitment

Hong Kong

Study participating centre Prince Philip Dental Hospital

Faculty of Dentistry
The University of Hong Kong
34 Hospital Road
Sai Ying Pun
Hong Kong

Sponsor information

Organisation

Research Grants Council of Hong Kong

ROR

https://ror.org/00djwmt25

Funder(s)

Funder type

Research council

Funder Name

Research Grants Council, University Grants Committee

Alternative Name(s)

,,,,

Funding Body Type

Private sector organisation

Funding Body Subtype

Universities (academic only)

Location

Hong Kong

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created Date added	Peer reviewed?	Patient-facing?
Results article	results	23/09/2016	Yes	No
Participant information sheet	Participant information sheet	11/11/2025 11/11/2025	No	Yes