A personal electronic health record (PEPA)

Submission date	Recruitment status No longer recruiting	Prospectively registered			
11/12/2015		☐ Protocol			
Registration date	Overall study status	Statistical analysis plan			
23/12/2015	Completed	[X] Results			
Last Edited	Condition category	[] Individual participant data			
17/08/2020	Cancer				

Plain English summary of protocol

Background and study aims

The Federal Ministry of Education and Research (BMBF) has funded the development of a patient controlled "Personal Electronic Health Record" (PEPA) as part of their current INFOPAT project. PEPA allows for the exchange of medical data between all interested groups, including the patients thenselves. A PEPA contains medical reports and findings including, for example, x-rays, CT scans and MRIs. The patients can safeguard their information and access all content. The aim of this study is to test the PEPA-prototype for cancer patients being treated at the National Center for Tumor Diseases (NCT) in Heidelberg.

Who can participate?

Adult colorectal cancer patients being treated at the National Center for Tumor Diseases (NCT) in Heidelberg.

What does the study involve?

There are two part to this study. The first part involves focus groups, in which a group of people are asked their opinion and attitudes towards, for example, an idea, product or service. Here, focus groups are set up that involve the patients, doctors and other health professionals to discuss current problems with the coordination of care offered to cancer patients, as well as discuss what people want to get from using PEPA (i.e. user requirements). The PEPA-prototype is then developed taking into account the conclusions from the focus groups. In the second part of the study, patients are encouraged to use the PEPA-prototype to prepare and follow up meetings with their physicians.

What are the possible benefits and risks of participating? Not provided at time of registration.

Where is the study run from?

National Center for Tumor Diseases (NCT) in Heidelberg (Germany)

When is the study starting and how long is it expected to run for? December 2015 to December 2016

Who is funding the study?

Federal Ministry for Education and Research (BMBF) (Germany)

Contact information

Type(s)

Scientific

Contact name

Dr Dominik Ose

ORCID ID

https://orcid.org/0000-0002-5079-2152

Contact details

Voßstr. 2, Geb. 37 Heidelberg Germany 69115

Additional identifiers

Protocol serial number

S-462/2015

Study information

Scientific Title

A personal electronic health record (PEPA) – feasibility study on implementation in real health care setting

Study objectives

Use of of a personal electronic health record can improve self-efficacy in patients with colorectal cancer.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Medical Faculty of the University Heidelberg, 12/11/2015, ref: S-462/2015

Study design

Prospective 3-months open-label before and after trial

Primary study design

Interventional

Study type(s)

Other

Health condition(s) or problem(s) studied

Colorectal cancer

Interventions

Within the study a number of patients will be asked to use the PEPA within their personal care setting. Furthermore, it is envisaged to involve not only the NCT but also selected general practitioners (GP's) who treat the participating patients.

All patients will be motivated to use the PEPA in order to prepare and follow-up meetings with their physicians. Patients who are treated because of recurrence for example have appointments for chemotherapy at the NCT approximately every two weeks. For those appointments they have to have their up-to-date blood test results ready.

Intervention Type

Device

Primary outcome(s)

Current primary outcome measures as of 03/05/2016:

Patient self-efficacy, German version of the Cancer Behaviour Inventory – Brief Version (CBI-B-G) at Baseline and after 12 weeks

Previous primary outcome measures:

Patient self-efficacy, measured using the Communication and Attitudinal Self-Efficacy scale for cancer (CASE-cancer) at Baseline and after 12 weeks

Key secondary outcome(s))

Current secondary outcome measures as of 03/05/2016:

- 1. Control Preference, measured using the Control Preference Scale at Baseline and after 12 weeks
- 2. Psychosocial distress, measured using the Distress Thermometer at Baseline and after 12 weeks
- 3. Utilization of medical services, measured using the Mannheimer Modul Ressourcenverbrauch at Baseline and after 12 weeks
- 4. Involvement in care, measured using the Patients' perceived involvement in care (PICS) at Baseline and after 12 weeks
- 5. Usability of PEPA-prototype, measured using the System Usability Scale (SUS) at Baseline and after 12 weeks

Previous secondary outcome measures:

- 1. Control Preference, measured using the Control Preference Scale at Baseline and after 12 weeks
- 2. Psychosocial distress, measured using the Distress Thermometer at Baseline and after 12 weeks
- 3. Quality of life, measured using the EQ-5D index at Baseline and after 12 weeks
- 4. Hope, measured using the Herth Hope Index (HHI) at Baseline and after 12 weeks
- 5. Depression severity, measured using the Whooley Depression Scale at Baseline and after 12 weeks
- 6. Utilization of medical services, measured using the Mannheimer Modul Ressourcenverbrauch at Baseline and after 12 weeks
- 7. Involvement in care, measured using the Patients' perceived involvement in care (PICS) at Baseline and after 12 weeks

8. Usability of PEPA-prototype, measured using the System Usability Scale (SUS) at Baseline and after 12 weeks

Completion date

01/12/2016

Eligibility

Key inclusion criteria

- 1. Inclusion criterial for patients:
- 1.1. Patients eligible for participation in the pre-implementation and implementation study have to be diagnosed with colorectal cancer (ICD-10: C18, C19, C20)
- 1.2. They either should be receiving chemotherapy with curative approach at the NCT after their primary surgery (at least for 2 months remains) or chemotherapy after relapse with symptom relieving approach at the NCT as well
- 1.3. The participants must be 18 years of age or older and their disease status has to be classified with UICC-stadium III-IV

If the recruitment of a sufficient number of colorectal cancer patients should not be possible, the inclusion of other cancer diagnoses such as gallbladder ICD-10: C23.9, C24.0, C 24.1) or stomach (ICD-10: C16) will be envisaged.

Within the pre-implementation study also patients with diabetes mellitus type 2 (ICD-10: E11) are possible participants for the usability test because of their chronic disease.

2. Inclusion criteria for health care professionals:

The group of health care professionals is sub-classified into:

- 2.1. Clinicians of the NCT,
- 2.2. Other HCP's like nursing staff, social worker, stoma-therapists, nutritionists that are connected to the NCT as well as
- 2.3. General practitioners (GP's) according to German regulations and their
- 2.4. Medical assistants.

To be eligible for participation in the study the clinicians and other HCP's of the NCT have to cooperate closely with the included patients with colorectal cancer during their treatment at the NCT. The GP's can be both, single and group practices. For the implementation study they have to be the attending physician of the included patients with colorectal cancer and they should have their practices in a distance of 20 to 30 km to the NCT. Additionally the GP's have to have an internet access in their practices and an option to scan documents.

3. Inclusion criteria for stakeholder:

To be eligible for participation in the study, the stakeholders have to be directly affected by or involved in the implementation process of a PEPA. The final selection of the stakeholder is based on:

- 3.1. Relevant organizations for the implementation process
- 3.2. The position/reputation of specific actors and
- 3.3. The potential influence and participation that actors have by relevant decision making and general acting concerning the implementation process of a PEPA

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

31

Key exclusion criteria

- 1. Patients, who do not fulfill the inclusion criteria will be excluded
- 2. Additional exclusion criteria are:
- 2.1. Severe acute psychiatric disorders (for example, schizophrenia, schizotypal and delusional disorders)
- 2.2. Dementia
- 2.3. Mental and behavioural disorders due to psychoactive substance use
- 2.4. Insurmountable language and communication problems and emergent cases

HCP's (health care professionals) and stakeholders, who do not fulfill the inclusion criteria will be excluded.

Date of first enrolment

01/12/2015

Date of final enrolment

01/06/2016

Locations

Countries of recruitment

Germany

Study participating centre University Hospital Heidelberg

Voßstr. 2, Geb. 37 Heidelberg Germany 69115

National Center for Tumor Disease

German Cancer Research Center Im Neuenheimer Feld 280 Heidelberg Germany 69120

Sponsor information

Organisation

University Hospital Heidelberg - Department of General Practice and Health Services Research

ROR

https://ror.org/038t36y30

Funder(s)

Funder type

Government

Funder Name

Bundesministerium für Bildung und Forschung

Alternative Name(s)

Federal Ministry of Education and Research, BMBF

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Germany

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	13/07/2020	17/08/2020	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes