Hereditary angioedema (HAE) multi-national survey study

Submission date	Recruitment status	Prospectively registered		
31/10/2022	No longer recruiting	[X] Protocol		
Registration date	Overall study status	Statistical analysis plan		
31/10/2022	Completed Condition category	Results		
Last Edited		Individual participant data		
31/10/2022	Circulatory System	Record updated in last yea		

Plain English summary of protocol

Background and study aims

Takeda (a pharmaceutical company sponsoring this study) is conducting this study to understand the impact of hereditary angioedema (HAE; a disorder characterized by recurrent episodes of severe swelling) on patients and their caregivers and the burden of illness for individuals with HAE and their caregivers.

Who can participate?

Adult patients with any type of HAE, caregivers of adult patients, or caregivers of pediatric patients.

What does the study involve?

HAE Patients - If you agree to participate, you will complete an online survey. Patients will be asked questions about their experiences living with HAE as well as questions regarding socio-demographic background and clinical history. These questions give us some basic information about you (e.g. age, employment status, highest level of education), in addition to obtaining more specific information about your clinical condition (e.g. symptoms, type of diagnosis, current medications, etc.). The survey will take approximately 40 minutes to complete.

Caregivers of Adults - If you agree to participate, you will complete an online survey. Caregivers will be asked questions about their experiences as a caregiver to an adult patient diagnosed with HAE, as well as questions regarding your socio-demographic background (e.g. age, employment status, highest level of education). These questions give us some basic information about you. The survey will take approximately 30 minutes to complete.

Caregivers of Children - If you agree to participate, you will complete an online survey. Caregivers will be asked questions about their child/adolescent's experiences living with HAE as well as questions about your experiences as a caregiver, as well as questions regarding socio-demographic background. These questions give us some basic information about you (e.g. age, employment status, highest level of education). The survey will take approximately 30 minutes to complete.

What are the possible benefits and risks of participating?

There are no known physical risks to participating in this study. There may be questions that make you uncomfortable while completing the online survey. This is not a test—there are no "right" or "wrong" answers; however, if you are uncomfortable answering a question you can leave it blank. There is little risk of loss of confidentiality since we will not collect any identifying information from you on the survey.

Where is the study run from? Takeda Pharmaceuticals (Switzerland)

When is the study starting and how long is it expected to run for? September 2019 to February 2023.

Who is funding the study? Takeda Pharmaceuticals (Switzerland)

Who is the main contact?

Dr Niall Conlon, conlonn1@tcd.ie

Contact information

Type(s)

Scientific

Contact name

Mrs Marie de la Cruz

Contact details

4131 Parklake Ave.
Suite 600
Raleigh
United States of America
27612
+1 240-243-3299
Marie.delaCruz@iconplc.com

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

ICON 0238-0556

Study information

Scientific Title

Burden of hereditary angioedema (HAE) and impact on quality of life: a multi-national survey of patients and caregivers

Study objectives

Non-interventional cross-sectional web-based survey of 1) adult (≥18 years of age) patients with a self-reported diagnosis of HAE; 2) caregivers of pediatric patients (≤17 years of age) diagnosed with HAE; and 3) caregivers of adult (≥18 years of age) patients diagnosed with HAE in the following countries: Argentina, Brazil, Colombia, Croatia, Denmark, Hungary, Ireland, Norway, Poland, Portugal, Romania, and Sweden.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 05/09/2022, SJH/TUH Research Ethics Committee (Tallaght University Hospital, Tallaght, Dublin 24, D24NR0A; +353 (01) 414 2199; researchethics@tuh.ie), ref: 1067

Study design

Non-interventional cross-sectional web-based survey

Primary study design

Observational

Study type(s)

Quality of life

Health condition(s) or problem(s) studied

Hereditary angioedema quality of life for patients and caregivers

Interventions

ICON, on behalf of Takeda, is conducting an online survey assessing the quality of life of patients with hereditary angioedema and their caregivers.

The HAE multi-national survey study is an online survey and will target at least 300 adult persons with a self-reported diagnosis of HAE (type I, II, normal functioning C1-INH, and unknown) and up to 250 caregivers of pediatric HAE patients and up to 200 caregivers of adult HAE patients (type I, II, normal functioning C1-INH, and unknown) combined in the following countries: Argentina, Brazil, Colombia, Croatia, Denmark, Hungary, Ireland, Norway, Poland, Portugal, Romania, and Sweden.

Intervention Type

Other

Primary outcome(s)

Measured using an online survey at a single time point:

- 1. Perceived control of angioedema measured with the Angioedema Control Test (AECT)
- 2. Quality of Life measured with the Angioedema Quality-of-Life Questionnaire (AE-QoL)
- 3. Work impacts measured with the Work Productivity and Activity Impairment Questionnaire General Health (WPAI-GH)
- 4. Overall health measured with the Medical Outcomes Study Short Form 12-Item Questionnaire

(SF-12)

- 5. Anxiety and Depression measured with the Hospital Anxiety and Depression Scale (HADS)
- 6. De novo questions about HAE attacks, medications used, and life impacts of the condition

Key secondary outcome(s))

There are no secondary outcome measures

Completion date

28/02/2023

Eligibility

Key inclusion criteria

- 1. Self-reported diagnosis of HAE (Types I, II, normal functioning C1-INH, or unknown type)
- 2. Age 18 years or older
- 3. Experienced at least 1 episode of angioedema or prodromal symptoms within the last year
- 4. Has been treated with a prescription medication for an angioedema attack within the last 2 years
- 5. Able to understand and provide consent
- 6. Willing to complete an web-based survey
- 7. Adequate fluency in the target language in which the survey is designed:
- 7.1. Spanish (Argentina & Colombia)
- 7.2. Brazilian Portuguese (Brazil)
- 7.3. Croatian (Croatia)
- 7.4. Danish (Denmark)
- 7.5. Hungarian (Hungary)
- 7.6. English (Ireland)
- 7.7. Norwegian (Norway)
- 7.8. Polish (Poland)
- 7.9. Portuguese (Portugal)
- 7.10. Romanian (Romania)
- 7.11. Swedish (Sweden)

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

Does not meet inclusion criteria

Date of first enrolment 01/08/2022

Date of final enrolment 31/01/2023

Locations

Countries of recruitment Argentina Brazil Colombia Croatia Denmark Germany Hungary Ireland Norway Poland Portugal Romania Sweden

Study participating centre Consultorio Privado Dr. Zwiener R. Caamaño 1060

Buenos Aires Argentina B1631BUV

Study participating centre Fundação do ABC - Centro Universitário FMABC

Av.Lauro Gomes, 2000. Prédio CEPES. 1º Andar. Sala 60. Vila Sacadura Cabral.

Santo André/SP Brazil CEP 09060-870

Study participating centre Clínica San José

Cl. 13 #5-86, Cúcuta, Norte de Santander San José de Cúcuta Colombia 540001

Study participating centre St James Hospital

James Street Dublin Ireland DO8 NHY1

Study participating centre Centro Hospitalar Universitário Lisboa Norte

Av. Prof. Egas Moniz MB Lisbon Portugal 1649-028

Study participating centre Semmelweis Egyetem; Belgyógyászati és Hematológiai Klinika Szentkirályi utca 46. Budapest

Hungary

1088

Study participating centre University of Southern Denmark

Hudklinikken Kolding, Buen 3 Kolding Denmark 6000

Study participating centre General Hospital Sibenik

Ul. Stjepana Radića 83 Šibenik Croatia 22000

Study participating centre University of Stavanger, Faculty of Health Sciences

Hudavdelningen Helse Stavanger HF Stavanger Universitetssykehus Postboks 8100 Stavanger Norway 4068

Study participating centre Cabinet Medical Alergologie si imunologie clinica

Strada Teiului 14 Timișoara Romania 300681

Study participating centre

Wojskowy Instytut Medyczny Klinika Chorób Wewnętrznych, Pneumonologii, Alergologii i Immunologii Klinicznej

Ul. Szaserów 128 Warszawa Poland 04-141

Study participating centre HZRM Hämophilie-Zentrum Rhein Main GmbH

Hessenring 13a, Geb. G Mörfelden Walldorf Germany 64546

Study participating centre General Hospital in Falun

Falu lasarett Hudavdelningen

Sponsor information

Organisation

Takeda (Switzerland)

ROR

https://ror.org/002ysmy84

Funder(s)

Funder type

Industry

Funder Name

Takeda Pharmaceutical Company

Alternative Name(s)

Takeda, Takeda Pharmaceutical Company Limited, Chobei Takeda & Co., Ltd., Takeda Pharmaceutical Industries, Ltd., Takeda Chemical Industries, Ltd., , Takeda Yakuhin Kōgyō kabushiki gaisha, TPC

Funding Body Type

Government organisation

Funding Body Subtype

For-profit companies (industry)

Location

Japan

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are not expected to be made available due to the data being the proprietary information of Takeda Pharmaceuticals.

IPD sharing plan summary

Not expected to be made available

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
<u>Protocol file</u>	version 2.0	25/03/2022	31/10/2022	No	No