Multiple daily exercise snacks can improve obesity by breaking sedentary habits

Submission date	Recruitment status	Prospectively registered	
17/04/2024 Registration date	No longer recruiting Overall study status	[_] Protocol	
		[] Statistical analysis plan	
20/04/2024	Completed	[X] Results	
Last Edited 30/06/2025	Condition category Nutritional, Metabolic, Endocrine	Individual participant data	

Plain English summary of protocol

Background and study aims

Obesity caused by long-term sedentary lifestyle is an important factor that endangers human health, affecting more than 10% of the world's population and has become a major health problem faced by countries around the world. The ectopic deposition of abdominal visceral fat and epicardial fat will further increase the risk of a series of metabolic complications such as hypertension, diabetes, fatty liver and cardiovascular disease. As a non-drug intervention therapy, exercise can play a positive role in reducing obesity and regulating body metabolism by increasing energy expenditure and promoting the secretion of lipolytic hormones. Based on metabonomics, this study will explore the effect of 12 week "exercise snacks" intervention on the composition of obese adults. The aim is to provide more convenient and practical exercise prescription for obese people who are often in a sedentary state and provide the theoretical basis for the intervention of "exercise snacks" for relevant researchers.

Who can participate?

Daily energy expenditure <4 metabolic equivalents (METs), as measured by a continuous physical activity questionnaire (IPAQ)) adults, with a BMI over 25 kg/m2

What does the study involve?

This study is a single blind randomized controlled trial. Participants who met the inclusion criteria were randomly assigned to the Snack group for stair sprint exercise and the Control group by flipping a coin, and the supervisory personnel were unaware of any information from the other groups. Within one week prior to intervention, measure systemic and regional fat mass, epicardial adipose tissue (EAT), abdominal visceral (AVFA) and subcutaneous (ASFA) fat area, plasma metabolomics data, and maximum oxygen uptake. The snack group needs to engage in 12 weeks of stair climbing and sprinting exercise, with 4 days of exercise per week. The above indicators need to be tested again one week after the intervention is completed.

What are the possible benefits and risks of participating?

Participants can lose weight by participating in this study and get their own exercise prescription. The risk mainly includes delayed muscle soreness after exercise. Researchers will protect the safety of the whole sports meeting.

Where is the study run from? Ocean University of China

When is the study starting and how long is it expected to run for? From January 2021 to January 2023

Who is funding the study? Investigator initiated and funded

Who is the main contact? Wenbing yu, haiyangyuwenbing@163.com

Contact information

Type(s) Public, Scientific, Principal Investigator

Contact name Prof Wenbing Yu

Contact details 238 Songling Road Laoshan District Qingdao China 266101 +86 (0)15731114483 haiyangyuwenbing@163.com

Additional identifiers

EudraCT/CTIS number Nil known

IRAS number

ClinicalTrials.gov number Nil known

Secondary identifying numbers OUC-HM-2021023

Study information

Scientific Title

Effects of breaking up prolonged sitting with exercise snacks on body composition and plasma metabonomics among sedentary obese adults

Study objectives Exercise snacks improve body composition and metabolomics among obese adults

Ethics approval required

Ethics approval required

Ethics approval(s)

Approved 15/10/2021, Ocean University of China (238 Songling Road, Laoshan District, Qingdao, 266101, China; +86 15231509262; 21211913076@ouc.edu.cn), ref: OUC-HM-2021023

Study design

Randomized controlled trial

Primary study design Interventional

Secondary study design Randomised controlled trial

Study setting(s) Fitness/sport facility

Study type(s) Efficacy

Participant information sheet

Health condition(s) or problem(s) studied Obesity

Interventions

Participants who met the inclusion criteria were randomly assigned to the Snack group for stair sprint exercise and the Control group by flipping a coin, and the supervisory personnel were unaware of any information from the other groups. From 3 weeks before the intervention to the end of the intervention, all participants are required to record their daily food intake and physical activity to monitor habitual energy intake and expenditure separately. Within one week prior to intervention, measure systemic and regional fat mass, epicardial adipose tissue (EAT), abdominal visceral (AVFA) and subcutaneous (ASFA) fat area, plasma metabolomics data, and maximum oxygen uptake. The snack group needs to engage in 12 weeks of stair climbing and sprinting exercise, with 4 days of exercise per week. The above indicators need to be tested again one week after the intervention is completed.

The intervention time was 12 weeks, and the randomization was performed by flipping a coin.

Intervention Type

Behavioural

Primary outcome measure

1. Dual energy X-ray method was used to measure the body fat rate at baseline and after 12 weeks of intervention.

2. The areas of epicardial fat, abdominal visceral fat and subcutaneous fat were measured by computed tomography at baseline and after 12 weeks of intervention.

Secondary outcome measures

Plasma metabolites were measured by liquid chromatography-mass spectrometry at baseline and after 12 weeks of intervention.

Overall study start date

01/01/2021

Completion date 01/01/2023

Eligibility

Key inclusion criteria

Daily energy expenditure <4 metabolic equivalents (METs), as measured by a continuous physical activity questionnaire (IPAQ)

Participant type(s)

Learner/student

Age group Adult

Lower age limit 18 Years

Upper age limit 26 Years

Sex Both

Target number of participants 14

Total final enrolment 28

Key exclusion criteria Diseases such as cardiovascular disease that are not suitable for exercise

Date of first enrolment 16/10/2021

Date of final enrolment 25/10/2021

Locations

Countries of recruitment

Study participating centre Ocean University of China 238 Songling Road Laoshan District Qingdao China 266101

Sponsor information

Organisation Ocean University of China

Sponsor details 238 Songling Road Laoshan District Qingdao China 266101 +86 18203218267 Shiming.Li@ouc.edu.cn

Sponsor type University/education

Website http://eweb.ouc.edu.cn/

ROR https://ror.org/04rdtx186

Funder(s)

Funder type Government

Funder Name Natural Science Fund of Shandong Province

Results and Publications

Publication and dissemination plan

Plan to publish articles in highly influential journals

Intention to publish date

01/12/2024

Individual participant data (IPD) sharing plan

The datasets generated and analysed during the current study will be published as a supplement to the results publication.

IPD sharing plan summary

Published as a supplement to the results publication

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		14/11/2024	30/06/2025	Yes	No