Autologous Transfusion In Surgery: a randomised clinical trial

Recruitment status	Prospectively registered
Stopped	☐ Protocol
Overall study status	Statistical analysis plan
Stopped	☐ Results
Condition category	☐ Individual participant data
Last Edited Condition category 21/01/2010 Circulatory System	Record updated in last year
	Stopped Overall study status Stopped Condition category

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Charles McCollum

Contact details

Academic Surgery Unit
2nd Floor ERC
University Hospital of South Manchester
Southmoor Road
Manchester
United Kingdom
M23 9LT
+44 (0)161 291 5853
cnmcc@manchester.ac.uk

Additional identifiers

Protocol serial number RHC18069

Study information

Scientific Title

Acronym

ATIS

Study objectives

Does autologous transfusion reduce the use of homologous stored blood?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Cardiovascular diseases: Peripheral arterial disease

Interventions

- 1. Autologous transfusion: acute normovolaemic haemodilution and intragerative cell salvage
- 2. Homologous transfusion: homologous blood if required

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

Blood transfusion requirements, haematological and haemostatic parameter, post-operative infection, morbidity and hospital stay, economic analysis

Key secondary outcome(s))

Not provided at time of registration

Completion date

01/10/1999

Reason abandoned (if study stopped)

Lack of funding/sponsorship

Eligibility

Key inclusion criteria

All patients undergoing elective surgery for either occlusive or aneurysmal arterial disease will be asked to give written informed consent:

- 1. Both men and women aged 30-85
- 2. Considered fit for aortic surgery without any of the exclusion criteria
- 3. Pre-operative haemoglobin >11 g/dl and platelet count >150 x 10^9/1
- 4. Adequate cardiac and pulmonary function clinically

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Αll

Key exclusion criteria

Any patient unfit for aortic surgery, unable for any reason to receive either autologous or standard transfusion therapy, or undergoing emergency surgery for suspected rupture of an aneurysm.

Date of first enrolment

01/10/1997

Date of final enrolment

01/10/1999

Locations

Countries of recruitment

United Kingdom

England

Study participating centre Academic Surgery Unit

Manchester United Kingdom M23 9LT

Sponsor information

Organisation

NHS R&D Regional Programme Register - Department of Health (UK)

Funder(s)

Funder type

Government

Funder Name

NHS Executive North West (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration