# Phase I study of S 78454 in combination with a fixed dose infusion of cisplatin in patients with advanced solid tumours

Submission date	Recruitment status No longer recruiting	<ul><li>Prospectively registered</li></ul>		
04/10/2013		☐ Protocol		
Registration date 09/12/2013	Overall study status Completed	Statistical analysis plan		
		[X] Results		
Last Edited	Condition category	[] Individual participant data		
18/04/2018	Cancer			

# Plain English summary of protocol

Not provided at time of registration and not expected to be available in the future

# Contact information

# Type(s)

Scientific

#### Contact name

**Dr Anthony Goncalves** 

#### Contact details

Institut Paoli Calmettes Oncologie Médicale 232 Boulevard Sainte Marguerite Marseille Cedex 9 France 13273

# Additional identifiers

**EudraCT/CTIS** number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

CL1-78454-008

# Study information

#### Scientific Title

Phase I dose-escalation study of oral administration of the Histone Deacetylase (HDAC) Inhibitor S 78454 given in combination with a fixed dose infusion of Cisplatin in patients with advanced solid tumours

#### Study objectives

To establish the safety profile and the recommended Phase II dose of S 78454 in combination with a fixed dose infusion of cisplatin

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Ethic approval was obtained before recruitment of the first participants

#### Study design

National multicentric non-randomised open-label dose escalation Phase I study

#### Primary study design

Interventional

#### Secondary study design

Randomised controlled trial

#### Study setting(s)

Hospital

## Study type(s)

Treatment

#### Participant information sheet

# Health condition(s) or problem(s) studied

Advanced solid tumours

#### **Interventions**

- 1. Capsules containing 20 mg and 100 mg of S 78454 / Oral use / Treatment duration is at the discretion of the investigator
- 2. Fixed dose of i.v. infusion of cisplatin at 75 mg/m $^2$  / Cisplatin administration for up to 6 cycles, S 78454 could be maintained beyond

## Intervention Type

Drug

#### **Phase**

Phase I

# Drug/device/biological/vaccine name(s)

#### Primary outcome measure

- 1. DLTs and MTDs within the cycle 1 Methods used: blood samples (biochemistry, haematology, coagulation analysis), physical examination and vital signs assessment, urinary analysis, ECG, clinical neurological examination, audiometric test
- 2. Safety profile of the combination at each visit

#### Secondary outcome measures

- 1. Pharmacokinetic evaluation on cycle 1 by blood sample
- 2. Circulating Tumour Cells measurements every 2 cycles by blood sample
- 3. Tumour response evaluation every 2 cycles according to RECIST criteria

#### Overall study start date

05/04/2012

#### Completion date

05/02/2014

# Eligibility

#### Key inclusion criteria

- 1. Male or female patient aged > or equal to 18 years
- 2. Any histological confirmed diagnosis of advanced solid tumours that have relapsed or is refractory to conventional standard forms of therapy
- 3. Ability to swallow oral capsule(s)
- 4. Estimated life expectancy > 12 weeks
- 5. ECOG performance status < or equal to 1
- 6. Adequate haematological, renal and hepatic functions

#### Participant type(s)

**Patient** 

#### Age group

Adult

#### Lower age limit

18 Years

#### Sex

Both

#### Target number of participants

Up to 50 patients

#### Key exclusion criteria

- 1. Major surgery within previous 4 weeks
- 2. Chemotherapy within previous 3 weeks (6 weeks for nitroso-ureas)
- 3. Hormonotherapy within 2 weeks (6 weeks for bicalutamide)
- 4. Any other prior therapy directed at the solid tumours within 3 weeks

- 5. Radiotherapy within previous 4 weeks (except for palliative radiotherapy at localised lesions)
- 6. Cumulative radiation therapy involving > 25 % of total bone marrow
- 7. Pregnant or breast-feeding women, women of childbearing potential or men without effective contraception
- 8. Peripheral Neuropathy > grade 1
- 9. Hearing impairment/tinnitus > grade 2
- 10. Prior treatment with cisplatin reaching a cumulative dose of 300 mg/m<sup>2</sup>
- 11. Concomitant uncontrolled infection or severe systemic disease
- 12. Symptomatic or progressive brain metastasis
- 13. Patients with pre-existing gastrointestinal disorders
- 14. Concurrent therapeutic anticoagulation by AVK
- 15. Patient with impaired cardiac function
- 16. Patients with pre-existing gastro-intestinal disorders
- 17. Uncontrolled diabetes mellitus

#### Date of first enrolment

05/04/2012

#### Date of final enrolment

05/02/2014

# Locations

# Countries of recruitment

France

#### Study participating centre Institut Paoli Calmettes

Marseille Cedex 9 France 13273

# Sponsor information

# Organisation

Institut de Recherches Internationales Servier (France)

# Sponsor details

50 rue Carnot Suresnes France 92284

## Sponsor type

Industry

#### Website

http://www.servier.com/

#### **ROR**

https://ror.org/034e7c066

# Funder(s)

#### Funder type

Industry

#### **Funder Name**

Institut de Recherches Internationales Servier (France)

# **Results and Publications**

# Publication and dissemination plan

Publication plan:

Summary results are published in https://clinicaltrials.servier.com.

# Intention to publish date

# Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from https://clinicaltrials.servier.com if a Marketing Authorisation has been granted after 1st January 2014.

# IPD sharing plan summary

Available on request

# **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results				No	No