

Does furosemide improve renal function in patients stopping renal replacement therapy?

Submission date 30/09/2004	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 30/09/2004	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 02/02/2017	Condition category Urological and Genital Diseases	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Neil Soni

Contact details
Magill Dept of Anaesthetics, 3rd Floor, D Lift
Chelsea & Westminster Hospital
369 Fulham Road
London
United Kingdom
SW10 9NH
+44 (0)20 8237 2763
n.soni@imperial.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
N0060110642

Study information

Scientific Title

Does furosemide improve renal function in patients stopping renal replacement therapy?

Study objectives

Does furosemide improve renal function in patients stopping renal replacement therapy?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial parallel design

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Urological and Genital Diseases: Renal function

Interventions

Furosemide vs no furosemide

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Furosemide

Primary outcome measure

Change in creatinine clearance after 24 hours of receiving, or not, furosemide infusion

Secondary outcome measures

Other outcome measures include rate of resumption of renal replacement therapy, peak creatinine, requirement for mineral replacement

Overall study start date

11/02/2002

Completion date

31/07/2007

Eligibility**Key inclusion criteria**

50 patients. 1 per week.

Participant type(s)

Patient

Age group

Not Specified

Sex

Not Specified

Target number of participants

50

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

11/02/2002

Date of final enrolment

31/07/2007

Locations**Countries of recruitment**

England

United Kingdom

Study participating centre

Chelsea & Westminster Hospital
London
United Kingdom
SW10 9NH

Sponsor information

Organisation

Department of Health

Sponsor details

Richmond House
79 Whitehall
London
United Kingdom
SW1A 2NL

Sponsor type

Government

Website

<http://www.dh.gov.uk/Home/fs/en>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Chelsea and Westminster Healthcare NHS Trust (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration