# Cognitive behaviour therapy for co-morbid obsessive compulsive disorder in autism spectrum disorder

Submission date	<b>Recruitment status</b> No longer recruiting	<ul><li>Prospectively registered</li></ul>		
06/01/2008		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
21/04/2008	Completed	[X] Results		
Last Edited	Condition category	Individual participant data		
18/11/2013	Mental and Behavioural Disorders			

## Plain English summary of protocol

Not provided at time of registration

## Contact information

## Type(s)

Scientific

#### Contact name

Miss Ailsa Russell

#### Contact details

Po 77 Institute of Psychiatry Kings College London Denmark Hill London United Kingdom SE5 4AF +44 (0)20 7848 0655 a.russell@iop.kcl.ac.uk

## Additional identifiers

**EudraCT/CTIS** number

**IRAS** number

ClinicalTrials.gov number

Secondary identifying numbers

# Study information

#### Scientific Title

Is cognitive behaviour therapy an effective treatment for obsessive compulsive disorder in people with high functioning autism spectrum disorders?

#### **Study objectives**

That cognitive behaviour therapy (CBT) will prove more effective in ameliorating obsessive compulsive disorder (OCD) symptoms in people with autism spectrum disorder (ASD) than an alternative treatment - stress management.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Ethics approval received from the Joint South London and Maudsley and the Institute of Psychiatry NHS Research Ethics Committee on the 10/08/2006 (ref: 06/Q0706/22)

#### Study design

Randomised controlled trial

#### Primary study design

Interventional

## Secondary study design

Randomised controlled trial

#### Study setting(s)

Not specified

#### Study type(s)

Treatment

#### Participant information sheet

Information sheet for young people age 14-16 years, for their parents, and for adult participants all available on request at the contact details below.

## Health condition(s) or problem(s) studied

Disabling obsessions and compulsions in autism spectrum disorders

#### **Interventions**

Intervention treatment: CBT for obsessive compulsive disorder (OCD)

Control treatment: Stress management

Both treatments contain a significant psycho-educational component about anxiety. The CBT for OCD treatment comprises cognitive and behavioural treatments for OCD including exposure and response prevention. Those participants allocated to the 'control' treatment will be permitted to crossover.

Average duration of each session is 1 hour. Both treatments comprise up to 20 sessions of individual therapy. There is no minimum number of sessions as participants are free to leave the study at any time they wish. In general, the participants receive 1 session per week of treatment, although some participants have more intensive treatment (2 - 3 sessions per week). Therefore, the total duration of intervention depends on each participant.

#### Intervention Type

Other

#### Phase

**Not Specified** 

#### Primary outcome measure

The following will be assessed at baseline (pre-treatment), end of treatment, 1, 3 and 6 months follow-up:

- 1. The Dimensional Yale Brown Obsessive Compulsive Scale (D-YBOCS)
- 2. The Obsessive Compulsive Inventory Revised (OCI-R) or Childrens Obsessive Compulsive Inventory (CH-OCI)
- 3. Beck Depression and Anxiety Scales or Spence Children's Anxiety Scale
- 4. Clinical Global Impressions Scale

#### Secondary outcome measures

The following will be assessed at baseline (pre-treatment), end of treatment, 1, 3 and 6 months follow-up:

- 1. Liebowitz Social Anxiety Scale
- 2. Family Accommodation Scale
- 3. Work/School and Social adjustment scale
- 4. Parental CH-OCI

#### Overall study start date

01/03/2007

#### Completion date

01/03/2009

## **Eligibility**

#### Key inclusion criteria

- 1. Male and female, aged 14 years or older to a maximum of 65 years old
- 2. Verbal intelligence quotient (IQ) greater than 70
- 3. Diagnoses of ASD and co-morbid OCD

#### Participant type(s)

Patient

#### Age group

Adult

#### Sex

Both

## Target number of participants

40

#### Key exclusion criteria

- 1. Current acute symptoms of psychosis
- 2. Uncontrolled seizure disorder or substance misuse disorder

#### Date of first enrolment

01/03/2007

#### Date of final enrolment

01/03/2009

## Locations

#### Countries of recruitment

England

**United Kingdom** 

## Study participating centre Po 77 Institute of Psychiatry

London United Kingdom SE5 4AF

# Sponsor information

#### Organisation

Kings College London, Institute of Psychiatry (UK)

#### Sponsor details

PO 77

Denmark Hill

London

London

England

United Kingdom

SE5 4AF

#### Sponsor type

University/education

#### Website

http://www.iop.kcl.ac.uk/

#### **ROR**

https://ror.org/0220mzb33

# Funder(s)

### Funder type

Research organisation

#### Funder Name

Kings College London, Institute of Psychiatry (UK)

#### Funder Name

South London and Maudsley NHS Trust (UK)

## **Results and Publications**

## Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration

## **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/08/2013		Yes	No