Promoting evidence-informed breast cancer prevention

	[X] Prospectively registered
No longer recruiting	Protocol
Overall study status	Statistical analysis plan
Completed	Results
Condition category	Individual participant data
Cancer	Record updated in last year
	Completed Condition category

Plain English summary of protocol

Not provided at time of registration

Study website

http://www.health-evidence.ca

Contact information

Type(s)

Scientific

Contact name

Dr Maureen Dobbins

Contact details

1200 Main Street West HSC - 3N25G Hamilton Canada L8N 3Z5 +1 905 525 9140 ext. 22481 dobbinsm@mcmaster.ca

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

Study information

Scientific Title

Do tailored messages promote evidence-informed decision making in breast cancer prevention?

Study objectives

Breast cancer is the most common cancer affecting women in Canada and in women under 50 it is the most common cause of death from any cancer. The goal of this study is to evaluate a knowledge transfer and exchange strategy to improve the provision of public health services for breast cancer prevention and early detection.

Research questions:

- 1. Are tailored messages more effective than access to www.health-evidence.ca in facilitating evidence-informed decision making (EIDM) among public health professionals working in breast cancer prevention and early detection?
- 2. Are tailored messages more effective than access to www.health-evidence.ca in promoting the use of research evidence in program planning decisions among individual public health decision makers?
- 3. Is EIDM influenced by characteristics of the organisation, environment, and individual?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval submitted to the Hamilton Health Sciences/Faculty of Health Sciences Research Ethics Board on the 27th May 2008. REB to review on the 17th June 2008 meeting.

Study design

Interventional, mixed methods, single-site study consisting of a stratified randomised controlled trial and a descriptive, qualitative study.

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Prevention

Participant information sheet

Health condition(s) or problem(s) studied

Breast cancer

Interventions

A tailored messaging (TM) intervention will be implemented over one year and will be comprised of three distinct components:

1. An expert consensus panel:

Researchers, health care providers, policy-makers working in breast cancer prevention and early detection across Canada will be convened to identify the most effective and important public health-related interventions. A complete list of interventions shown to be effective in systematic reviews identified by the research team will be generated. Through a Delphi approach experts will identify those breast cancer prevention and early detection interventions for which there is the most convincing evidence of effectiveness and are most important to implement in public health.

2. Three one-day regional workshops:

Recommendations of the expert panel will be presented to decision makers in the TM group. The goal of the workshop is to:

- 2.1. Learn about effective interventions for breast cancer prevention and early detection, and
- 2.2. To discuss and debate how to apply this knowledge in their local settings

3. Tailored messaging (TM) activities:

TM will consist of electronically mailed recommendations from the expert panel, along with the citations, abstracts, summaries (written by the research team) and full text links/or PDF documents of rigorous systematic reviews. All decision makers in each health unit in the TM group will receive the materials and will have access to www.health-evidence.ca, (described under control, to follow) where all of the TM materials will be housed.

Control:

The control group will have access to www.health-evidence.ca, an on-line registry of literature reviews evaluating the effectiveness of public heath interventions. The registry is easily accessible, free of charge, and easy to navigate. In addition to identifying the citation, participants will also be able to access the published abstracts of reviews, the research teams rating of the methodological quality of the review, and short summaries of the reviews written by the research team. Launched in March 2005, www.health-evidence has as many as 200 hits per day (greater than 20,000 per year), primarily from public health decision makers in Canada. Participants in the control group will be able to access the same materials used in the TM intervention on www.health-evidence.ca. DMs will also receive materials promoting use of the site.

Total duration of the intervention being implemented is one year. Total duration of follow up data collection will be three months.

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

The primary outcome will be the percentage change in the number of evidence-based interventions from baseline and will be calculated as the outcome variable (this variable can be either negative or greater than 100). Then, the value of this variable will be tabulated per

province/territory. For each province/territory multiple measurements for the TM and control groups will be available. If the number of health units for the TM or control group is less than three for a particular province/territory, the data for that province/territory will be amalgamated with the neighboring province/territory. A fixed effect meta-analytic approach will be used to compare the difference between the control group and treatment group. This technique will permit us to report treatment effect size and the corresponding 95% confidence interval.

Secondary outcome measures

- 1. To assess whether TMs are more effective than access to www.health-evidence.ca in promoting the use of research evidence in program planning decisions, a multi-level mixed effect regression analysis will be used to compare the perceived self-reported incorporation of research evidence on breast cancer prevention and early detection into decision makers' program planning decision-making. Using this technique we will be able to examine the difference between intervention and control while adjusting for the possible effects of the organisational, the individual and the environment (province/territory).
- 2. To determine whether EIDM influenced by characteristics of the organisation, environment, and individual, the outcome variable will be the number of breast cancer prevention and early detection interventions implemented by each health unit. A multilevel log-linear model will assess the difference between the TM and control groups while adjusting for characteristics of the organisation, individual, and the environment (province/territory).

Overall study start date

01/07/2008

Completion date

01/07/2010

Eligibility

Key inclusion criteria

Study participants include public health professionals responsible for making policy or program decisions related to breast cancer prevention directly (e.g. screening, physical activity, healthy eating), including program managers, directors, and medical officers of health working in public health units in Canada.

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

Approximately 94 health units recruited with approximately 300 participants in total (allowing for 3 - 5 participants per health unit)

Key exclusion criteria

- 1. No responsibility for and/or involvement in decision making related to breast cancer prevention
- 2. Not currently working in a public health unit

Date of first enrolment

01/07/2008

Date of final enrolment

01/07/2010

Locations

Countries of recruitment

Canada

Study participating centre 1200 Main Street West

Hamilton Canada L8N 3Z5

Sponsor information

Organisation

McMaster University (Canada)

Sponsor details

School of Nursing 1200 Main Street West Hamilton Canada L8N 3Z5

Sponsor type

University/education

Website

http://www-fhs.mcmaster.ca/nursing/

ROR

https://ror.org/02fa3aq29

Funder(s)

Funder type

Research organisation

Funder Name

Canadian Breast Cancer Foundation - Ontario Region (Canada)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration