# Exploratory pilot trial of Help4Mood

Submission date	Recruitment status  No longer recruiting	Prospectively registered		
21/10/2013		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
17/12/2013	Completed	[X] Results		
<b>Last Edited</b> 19/10/2016	Condition category  Mental and Behavioural Disorders	[] Individual participant data		
17/10/2010	Mentarana benayiyara Disorders			

#### Plain English summary of protocol

Background and study aims

The aim of the Help4Mood project is to develop an interactive computer based system for upporting the treatment of people with major depressive disorder in the community. Help4Mood is designed to facilitate recovery from depression through monitoring activity, mood and thoughts, and by using this information to help patients and their clinicians work together. The current system of Help4mood has already been tested via focus groups and case studies with non-patients as well as with patients who have experienced depression (but are recovered from it). The aim of this initial study is to test the feasibility of the online Help4Mood system with a small number of people who currently have depression and to help design a larger study.

Who can participate?

Participants aged up to 30 and treated for depression.

What does the study involve?

Participants will be randomly allocated to one of two groups: a treatment as usual group and a treatment as usual plus Help4Mood intervention.

Participants allocated to the treatment as usual plus the Help4Mood intervention will be asked to use Help4Mood system every day for 4 weeks (for example to log details about their mood, thoughts, quality of sleep etc).

What are the possible benefits and risks of participating? Nor provided at time of registration

Where is the study run from? A total of 18 participants in Scotland will be recruited.

When is the study starting and how long is it expected to run for? November 2013 to March 2014.

Who is funding the study? European Commission

Who is the main contact? Prof Brian McKinstry

#### Study website

http://help4mood.info/site/default.aspx

### **Contact information**

#### Type(s)

Scientific

#### Contact name

**Prof Brian McKinstry** 

#### Contact details

Centre for Population Health Sciences University of Edinburgh Room 216b, Doorway 3 Old Medical School Teviot Place Edinburgh United Kingdom EH8 9AG

## Additional identifiers

**EudraCT/CTIS** number

**IRAS** number

ClinicalTrials.gov number

### Secondary identifying numbers

Version 1.0

## Study information

#### Scientific Title

Exploratory pilot trial of Help4Mood: randomised controlled trial

#### Acronym

Help4Mood T6.8

#### **Study objectives**

The aim of this study is to evaluate the feasibility and acceptability of a randomised controlled trial of Help4Mood for patients with major depressive disorder in primary care.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

South East Scotland Ethics Committee 01, 14/11/2013, REC reference: 13/SS/0207

#### Study design

Two centre feasibility study. Blocked randomization (1:1) for each site (e.g. GP practice) with variable sized blocks (2 or 4). Concealed allocation. The study is not blinded.

#### Primary study design

Interventional

#### Secondary study design

Randomised controlled trial

#### Study setting(s)

**GP** practice

#### Study type(s)

Treatment

#### Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

#### Health condition(s) or problem(s) studied

Depression

#### Interventions

Help4Mood + Treatment as usual will be compared to Treatment as usual.

The duration of the intervention is 4 weeks.

The duration of the follow up is 1 day post intervention.

Help4Mood has been designed as an intervention to support clinical management of depression which has persisted after initial treatment, potentially while awaiting more specialised care. It aims to extend CBT-based guided self help by:

- 1. Providing a more interactive interface
- 2. Breaking CBT tasks into smaller daily chunks rather than longer workbook sessions
- 3. Adding additional data on physical activity, sleep and speech delivery (though not content)
- 4. Compiling data from interactions with the system into an easily readable and informative report for the patient and their usual clinicians

The Help4Mood System consists of a laptop or computer with some special software on it. The laptop and the data on it are completely secure. No one apart from the participant's doctor and the researcher on the study will be able to see any information about participants which is in it. Participants will be asked to use the Help4Mood system on the computer every day for 4 weeks. This involves doing the following activities:

- 1. Doing a mood check (daily)
- 2. Evaluating any negative and positive thoughts (daily)
- 3. Rate sleep quality (daily)
- 4. Wearing an activity monitor which can be worn on the wrist or the waist
- 5. To choose a rewarding activity (weekly) and report on whether they have done it (twice a

#### week)

- 6. To do a relaxation exercise (twice a week)
- 7. To provide a speech sample of up to one minute in length (up to three times a week)
- 8. To do a depression questionnaire PHQ-9 (once a week)

Participants will be asked to make an appointment to see their usual doctor where they can discuss the results from the Help4Mood system. The Help4Mood system will generate a one-page report that will be emailed to their doctor.

#### Intervention Type

Other

#### Phase

Not Applicable

#### Primary outcome measure

To evaluate the feasibility and acceptability of a randomised controlled trial of Help4Mood for patients with major depressive disorder in primary care.

#### Secondary outcome measures

To examine:

- 1. The demographic characteristics (age, sex, working and domestic status) of trial participants
- 2. The baseline depression characteristics (severity, duration of current episode, number of past episodes, past and current treatment) of these individuals
- 3. The acceptability, to clinicians and patients of the identification, recruitment, randomisation and related trial procedures
- 4. Adherence to the intervention and trial protocol among pilot study participants, specifically:
- 4.1. Proportion in the active arm who use the Help4Mood system regularly (daily)
- 4.2. Patterns of less frequent use / cessation among those in the active arm
- 4.3. Completion of baseline and short term follow up measures in both arms
- 5. Changes in the proposed outcome measures while this study will not be powered to show statistical significance, these data will be used to power a full trial
- 6. Subjective experiences and opinions of participants including:
- 6.1. Personal experience of using Help4Mood during the pilot study
- 6.2. Perceived effects of Help4Mood on thoughts or behaviour
- 6.3. Effect of using Help4Mood on relationship between patients and healthcare providers from the point of view of the patient
- 6.4. Suggestions for modification either of Help4Mood or study procedures

#### Overall study start date

15/11/2013

#### Completion date

28/03/2014

## **Eligibility**

Key inclusion criteria

- 1. Aged up to 30 years old inclusive
- 2. Under the supervision of a clinician and being treated with antidepressant medication which has not been changed (dose or agent) in the four weeks prior to recruitment
- 3. Patients prescribed additional hypnotics or anxiolytics for symptom relief will also be eligible

#### Participant type(s)

**Patient** 

#### Age group

Adult

#### Sex

Both

#### Target number of participants

18

#### Key exclusion criteria

- 1. A Beck Depression Inventory (BDI) II score indicative of severe depression (≥30)
- 2. Significant risk of self harm or suicide based on either clinical assessment or item 9 of BDI -II (excluded answers I would like to kill myself and I would kill myself if I had the chance)
- 3. Current or recent (last month) self-harm behaviour
- 4. Current or past bipolar disorder
- 5. Current or past psychotic disorder
- 6. Current panic disorder
- 7. Current substance abuse, organic brain syndrome or mental learning difficulty
- 8. Augmented antidepressant treatment (multiple antidepressants, concurrent antipsychotic drug or lithium)
- 9. Currently receiving psychological therapy (e.g. structured CBT, but not including general psychological supportive treatment)

#### Date of first enrolment

15/11/2013

#### Date of final enrolment

28/03/2014

### Locations

#### Countries of recruitment

Scotland

United Kingdom

#### Study participating centre

#### Centre for Population Health Sciences

Edinburgh United Kingdom EH8 9AG

## Sponsor information

#### Organisation

The University of Edinburgh (UK)

#### Sponsor details

Queen's Medical Research Institute 47 Little France Crescent Edinburgh Scotland United Kingdom EH16 4TJ +44 (0)131 242 6226 ray.french@ed.ac.uk

#### Sponsor type

University/education

#### **ROR**

https://ror.org/01nrxwf90

## Funder(s)

#### Funder type

Government

#### **Funder Name**

European Commission (Belgium) Ref: 24765

#### Alternative Name(s)

European Union, Comisión Europea, Europäische Kommission, EU-Kommissionen, Euroopa Komisjoni, Ευρωπαϊκής Επιτροπής, Εвροπεйската комисия, Evropské komise, Commission européenne, Choimisiúin Eorpaigh, Europskoj komisiji, Commissione europea, La Commissione europea, Eiropas Komisiju, Europos Komisijos, Európai Bizottságról, Europese Commissie, Komisja Europejska, Comissão Europeia, Comisia Europeană, Európskej komisii, Evropski komisiji, Euroopan komission, Europeiska kommissionen, EC, EU

#### **Funding Body Type**

Government organisation

### Funding Body Subtype

National government

#### Location

## **Results and Publications**

### Publication and dissemination plan

Planned publication in a peer reviewed journal.

## Intention to publish date

01/09/2016

Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

### **Study outputs**

Output type	<b>Details</b> results	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		01/09/2016		Yes	No
HRA research summary			28/06/2023	No	No