A phase II/III, observer-blind, randomised, active controlled study to compare the safety and immunogenicity of a meningococcal A conjugate vaccine (PsA-TT) with meningococcal ACWY polysaccharide vaccine administered in healthy subjects 2 to 29 years of age

Submission date	Recruitment status No longer recruiting	[X] Prospectively registered		
14/08/2007		☐ Protocol		
Registration date	Overall study status	Statistical analysis plan		
14/08/2007	Completed	[X] Results		
Last Edited	Condition category	[] Individual participant data		
05/03/2019	Infections and Infestations			

Plain English summary of protocol

Not provided at time of registration

Study website

http://www.meningvax.org

Contact information

Type(s)

Scientific

Contact name

Dr Marie-Pierre Preziosi

Contact details

Initiative for Vaccine Research
World Health Organization (WHO)
Department of Immunisation, Vaccines and Biologicals (IVB)
20 Avenue Appia
Geneva-27
Switzerland
CH-1211
+41 (0)22 791 3744
preziosim@who.int

Type(s)

Scientific

Contact name

Dr Samba Sow

Contact details

Centre pour les Vaccins en Developpement (CVD) Mali Centre National d'Appui a la lutte contre la Maladie (CNAM) Ministere de la Sante Ex-Institut Marchoux Bamako Mali BP 251 +223 (0)674 8947 ssow@medicine.umaryland.edu

Type(s)

Scientific

Contact name

Dr Brown Okoko

Contact details

Medical Research Council (MRC) Laboratories **PO Box 273** Fajara Gambia

+220 (0)779 2510 bokoko@mrc.gm

Type(s)

Scientific

Contact name

Dr Aldiouma Diallo

Contact details

Institut de Recherche pour le Développement (IRD) BP 1386 Dakar Senegal CP 18524 +220 (0)654 1333 diallo@ird.sn

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

RPC217; PsA-TT-003

Study information

Scientific Title

A phase II/III, observer-blind, randomised, active controlled study to compare the safety and immunogenicity of a meningococcal A conjugate vaccine (PsA-TT) with meningococcal ACWY polysaccharide vaccine administered in healthy subjects 2 to 29 years of age

Study objectives

To compare the immunogenicity of a single dose of the PsA-TT vaccine with that of the Meningococcal A component of the PsACWY vaccine at 28 days after vaccination.

Ethics approval required

Old ethics approval format

Ethics approval(s)

- 1. The Gambia Government/Medical Research Council (MRC) Laboratories Joint Ethic Committee, 30/07/2007, ref: L2007.56
- 2. Ethics committee of the National Center for Scientific Research (Centre National de la Recherche Scientifique [CNRS]), 08/08/2007, ref: 127MSPM/DS/CNRS
- 3. Ethics committee of the Faculty of Medicine Pharmacy and Odonto-stomatology (Faculte de Medecine de Pharmacie et d'Odonto-Stomatologie [FMPOS]), 23/07/2007, ref: 0750/FMPOS

Study design

Phase II/III observer-blind randomised active-controlled study

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Prevention

Participant information sheet

Not available in web format, please use contact details to request a participant information sheet

Health condition(s) or problem(s) studied

Bacterial meningitis

Interventions

- 1. One 0.5 ml dose out of a decadose vial of PsA-TT vaccine will be injected intramuscularly (IM) in the right deltoid
- 2. One 0.5 ml dose of PsACWY vaccine will be injected IM in the right deltoid

Intervention Type

Biological/Vaccine

Phase

Phase II/III

Drug/device/biological/vaccine name(s)

PsA-TT, PsACWY

Primary outcome measure

The percentage of subjects who show a seroconversion for anti-Meningococcal Polysaccharide A (MenPsA) antibodies, i.e. a four-fold increase in post-immunisation serum titre with respect to pre-immunisation serum titre, at 28 days after a single vaccine dose, as measured by rabbit complement Serum Bactericidal Assay (rSBA).

Secondary outcome measures

Safety:

- 1. The percentage of subjects with local and systemic post-immunisation reactions during the first four days, adverse events and Serious Adverse Events (SAEs), as measured at 4 and 28 days after vaccination (reactogenicity and short-term safety)
- 2. The percentage of subjects with SAEs during the entire study duration, as measured at 182 days (6 months) and 364 days (1 year) (long-term safety)

Immunogenicity:

- 1. The percentage of subjects with anti-MenPsA titre greater than or equal to 1:8 (defined as seroprotection to MenA) at 28 days after a single vaccine dose, as measured by rSBA assay. The percentage of subjects with anti-MenPsA titer greater than or equal to 1:128 (defined as long-term seroprotection to MenA) will be also considered
- 2. Geometric Mean Titres (GMTs) for anti-MenPsA antibodies at 28 days after a single vaccine dose, as measured by rSBA assay
- 3. Evaluation of reverse cumulative distribution curves for MenPsA antibody titres at 28 days after a single vaccine dose, as measured by rSBA assay
- 4. The percentage of subjects who show a seroconversion for anti-MenPsA total Immunoglobulin G (IgG), i.e. a two-fold increase in post-immunisation serum concentration with respect to pre-immunisation serum concentration, at 28 days after a single vaccine dose, as measured by Enzyme-Linked Immunosorbent Assay (ELISA). The percentage of subjects with a four-fold increase in post-immunisation serum concentration with respect to pre-immunisation serum concentration will be also considered

Overall study start date

20/08/2007

Completion date

20/09/2008

Eligibility

Key inclusion criteria

A subject will be eligible for inclusion if ALL of the following apply at the time of enrolment:

- 1. Age 2 to 29 years of age (both included)
- 2. Written informed consent obtained from the subject (for subjects equal to 18 years of age) /parents or legal guardian (for subjects less than 18 years of age)
- 3. Written informed assent from the subject if and as appropriate within the participating community (e.g., for subjects equal to 13 years of age in the Malian site, for subjects equal to 15 years of age in the Senegal site or for subjects equal to 12 years of age in the Gambia site)
- 4. Free of obvious health problems as established by medical history including physical examination and clinical judgement of the investigator
- 5. Subject/parents, or legal guardian capable and willing to come/bring their child or to receive home visits for all follow-up visits
- 6. Residence in the study area
- 7. Fully vaccinated according to the local Expanded Program on Immunisation (EPI) schedule (for subjects 2 to 3 years of age only)

Participant type(s)

Patient

Age group

Mixed

Sex

Both

Target number of participants

900

Key exclusion criteria

Subjects with any of the following criteria at study entry will not be eligible for participation:

- 1. Previous vaccination against Neisseria meningitidis during the six previous years
- 2. Known exposure to Neisseria meningitidis during the three previous months
- 3. History of allergic disease or known hypersensitivity to any component of the two study vaccines and/or following administration of vaccines included in the local program of immunisation
- 4. Administration of any other vaccine within 60 days prior to administration of study vaccines or planned vaccination during the first 28 days after the study vaccination
- 5. Use of any investigational or non-registered drug within 90 days prior to the administration of study vaccines
- 6. Administration of immunoglobulins and/or any blood products within 30 days prior to the administration of study vaccines or planned administration during the study period
- 7. Chronic administration (defined as more than 14 days) of immunosuppressants or other immune-modifying agents within 90 days prior to the administration of study vaccines (Including systemic corticosteroids, this means prednisone, or equivalent, greater than 0.5 mg/kg/day; topical steroids including inhaled steroids are allowed)
- 8. A family history of congenital or hereditary immunodeficiency
- 9. History of meningitis or seizures or any neurological disorder
- 10. Major congenital defects or serious chronic illness, including malnutrition (as per investigator's judgement)

- 11. Acute disease at the time of enrolment (acute disease is defined as the presence of a moderate or severe illness with or without fever) is a temporary exclusion
- 12. Acute or chronic, clinically significant pulmonary, cardiovascular, hepatic, or renal functional abnormality, as determined by medical history, physical examination or laboratory tests, which in the opinion of the investigator, might interfere with the study objectives
- 13. Any condition or criteria that in the opinion of the investigator might compromise the well being of the subject or the compliance with study procedures or interfere with the outcome of the study
- 14. Non residence in the study area or intent to move out within one year
- 15. Pregnancy or lactation (a negative pregnancy test will be required before vaccination for all women of childbearing potential)
- 16. Previous inclusion of five family members in the study (i.e., subjects belonging to the same family biological father, mother, child, and brothers and sisters may be included up to a maximum of five members from the same family)

Date of first enrolment 20/08/2007

Date of final enrolment 20/09/2008

Locations

Countries of recruitment

Gambia

Mali

Senegal

Switzerland

Study participating centre Initiative for Vaccine Research Geneva Switzerland CH-1211

Sponsor information

Organisation

Serum Institute of India Limited (SIIL)

Sponsor details

212/2, Hadapsar Pune India 411 028

Sponsor type

Industry

Website

http://www.seruminstitute.com/

Organisation

Program for Appropriate Technology in Health (PATH)

Sponsor details

1455 NW Leary Way Seattle United States of America WA 98107

Sponsor type

Research organisation

Organisation

Serum Institute of India (India)

Sponsor details

Sponsor type

Not defined

Website

http://www.seruminstitute.com/

ROR

https://ror.org/04jk2xb11

Funder(s)

Funder type

Charity

Funder Name

Bill and Melinda Gates Foundation (USA)

Alternative Name(s)

Bill & Melinda Gates Foundation, Gates Foundation, BMGF, B&MGF, GF

Funding Body Type

Government organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United States of America

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	16/06/2011		Yes	No
Results article	results	15/11/2015		Yes	No
Results article	results	15/11/2015		Yes	No
Results article	results	15/11/2015		Yes	No
Results article	results	15/11/2015		Yes	No
Results article	results	15/11/2015		Yes	No