

# **SALT STUDY: Effect of varying sodium intake and activity on plasma concentrations of N-Terminal BNP in normal subjects and patients with prior Q-wave myocardial infarction (MI)**

<b>Submission date</b> 30/09/2005	<b>Recruitment status</b> Stopped	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 30/09/2005	<b>Overall study status</b> Stopped	<input type="checkbox"/> Protocol
<b>Last Edited</b> 19/07/2013	<b>Condition category</b> Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## **Plain English summary of protocol**

Not provided at time of registration

## **Contact information**

### **Type(s)**

Scientific

### **Contact name**

Prof J G F Cleland

### **Contact details**

Academic Cardiology Department  
Cardiology  
Castle Hill Hospital  
Hull  
United Kingdom  
HU16 5JQ  
+44 (0)1482 624083  
J.G.Cleland@hull.ac.uk

## **Additional identifiers**

### **Protocol serial number**

N0084160159

## **Study information**

## **Scientific Title**

### **Acronym**

SALT STUDY

### **Study objectives**

To determine the effects of altering dietary sodium intake or daily physical activity on plasma concentrations of N-Terminal BNP in normal subjects and patients who have had a prior Q-wave MI.

### **Ethics approval required**

Old ethics approval format

### **Ethics approval(s)**

Not provided at time of registration

### **Study design**

Randomised controlled trial

### **Primary study design**

Interventional

### **Study type(s)**

Quality of life

### **Health condition(s) or problem(s) studied**

Sodium intake

### **Interventions**

The results of this trial will be used to inform clinical decision making based on NT\_BNP results. Other areas involved: Cardiology, Nuclear Medicine Department.

The study is an open-label, randomised trial comparing the effects of varying dietary sodium and level of daily activity in 30 normal subjects patients recruited from General Practice and 30 patients with prior Q-wave myocardial infraction at the Nuclear Medicine Department at Hull Royal Infirmary.

### **Intervention Type**

Other

### **Phase**

Not Applicable

### **Primary outcome(s)**

Brain Natriuretic Peptides (BNP)

### **Key secondary outcome(s))**

Not provided at time of registration

**Completion date**

09/04/2007

**Reason abandoned (if study stopped)**

Lack of staff/facilities/resources

## Eligibility

**Key inclusion criteria**

1. 30 normal subjects over 60 years old
2. 30 mobile patients over 60 years old who have had a Q-wave MI and left ventricular ejection fraction (LVEF) less than 45%

**Resources/Patient:**

1. Electrocardiogram (ECG)
2. Echocardiography
3. Treadmill exercise with VO2 measurement for each patient

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Senior

**Sex**

All

**Key exclusion criteria**

1. No angina
2. No heart failure
3. Not receiving diuretics
4. No renal impairment

**Date of first enrolment**

09/02/2005

**Date of final enrolment**

09/04/2007

## Locations

**Countries of recruitment**

United Kingdom

England

**Study participating centre**  
**Academic Cardiology Department**  
Hull  
United Kingdom  
HU16 5JQ

## **Sponsor information**

**Organisation**  
Department of Health

## **Funder(s)**

**Funder type**  
Government

**Funder Name**  
The North and South Bank Research and Development Consortium (UK)

**Funder Name**  
NHS R&D Support Funding (UK)

## **Results and Publications**

**Individual participant data (IPD) sharing plan**

**IPD sharing plan summary**  
Not provided at time of registration