

Lifestyle intervention in men with advanced prostate cancer receiving androgen suppression therapy

Submission date 23/08/2010	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 03/09/2010	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 17/12/2014	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr Derek Rosario

Contact details
STH Teaching Hospitals,
The University of Sheffield,
School of Medicine and Biomedical Sciences,
Academic Urology Unit,
K Floor,
Royal Hallamshire Hospital,
Glossop Road,
Sheffield
United Kingdom
S11 7FE
-
d.j.rosario@sheffield.ac.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

STH 14639

Study information

Scientific Title

Lifestyle intervention in men with advanced prostate cancer receiving androgen suppression therapy: a randomised control trial

Study objectives

1. Patients undergoing androgen suppression therapy (AST) randomised to a lifestyle intervention increase their total physical activity levels in comparison to a usual care control group over the period of the intervention and at six months of follow up.
2. Patients undergoing AST randomised to a pragmatic lifestyle intervention experience improvements in health-related outcomes in comparison to a usual care control group over the period of the intervention and at six months of follow up.
3. Patients undergoing AST randomised to a lifestyle intervention demonstrate improvements in biomarkers associated with disease progression in comparison to a usual care control group.

As of 03/05/2012, the following changes were made on the record.

Anticipated end date has been updated from 01/09/2009 to 01/01/2013.

Target number of participants has been updated from 50 to 100.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethical approval and research governance approval for this study was granted by South Sheffield Research Ethics Committee and the Sheffield Teaching Hospitals research department on the 22nd of June 2007 (ref: 07/Q2305/3)

Study design

Prospective randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Men with advanced prostate cancer receiving androgen suppression therapy

Interventions

A 12 week pragmatic, combined exercise and diet advice intervention (a "lifestyle" intervention) compared with usual clinical care controls.

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

Current primary outcome measures as of 12/07/2013:

To be measured at baseline, 12 and 26 weeks:

1. Quality of life measured using the FACTP questionnaire
2. Diastolic blood pressure measured using an automated sphygmomanometer

Previous primary outcome measures:

1. Exercise behaviour measured using the Godin Leisure Score Index questionnaire at baseline, 12 weeks and 6 months of follow-up
2. Dietary intake measured using three day diet diaries over the intervention period

Secondary outcome measures

Current secondary outcome measures as of 12/07/2013:

To be measured at baseline, 12 and 26 weeks:

1. Fatigue measured using the FACT-F questionnaire
2. Aerobic exercise tolerance measured using the Bruce treadmill protocol
3. Body mass measured using balance beam scales
4. Systolic blood pressure measured using an automated sphygmomanometer
5. Exercise behaviour measured using the Godin leisure score index questionnaire and heart rate monitoring

To be measured at baseline and 12 weeks:

1. Dietary macro- and micro-nutrients measured using three-day diet diaries and Netwisp software
2. PSA measured using an immunoenzymatic assay
3. Serum lipid profile measured using an enzymatic colorimetric assay
4. Serum androgen profile measured using an electrochemiluminescence assay
5. Arterial health measured using flow-mediated dilatation

Previous secondary outcome measures:

1. Quality of life measured using the FACT-P questionnaire
2. Fatigue measured using the FACT-F questionnaire
3. Body Mass Index (BMI) and waist-to-hip ratio
4. Aerobic exercise tolerance measured using the Bruce treadmill protocol
5. Lower limb strength measured using isokinetic dynamometry

6. Functional capacity measured using the chair sit-to-stand test

Above outcomes measured at baseline, 12 weeks and at six months of follow-up.

7. Biomarkers associated with disease progression were assessed at baseline and after the intervention period.

Overall study start date

22/06/2007

Completion date

01/01/2013

Eligibility

Key inclusion criteria

1. Histologically confirmed, non-localised prostate cancer (PCa)
2. Stable disease (stable prostate specific antigen [PSA])
3. Receiving Androgen suppression therapy (AST) for a minimum period of six months
4. A willingness to comply with the randomised allocation to intervention and willing to undertake the requirements of the allocated intervention. If allocated to the exercise intervention, willing to aim to achieve 80% compliance to the exercise intervention.

Participant type(s)

Patient

Age group

Other

Sex

Male

Target number of participants

100

Key exclusion criteria

1. Participation in regular physical activity (defined as purposeful physical activity of a moderate intensity for 30 minutes three or more times per week in the previous six months)
2. Unstable angina, uncontrolled hypertension, recent myocardial infarction, pacemakers
3. Uncontrolled painful or unstable bone lesions
4. Less than two months post surgical treatment
5. Any physical, neurological or psychiatric impairment or disease such as dementia, multiple sclerosis, severe arthritis or other condition that would limit the ability to understand and complete the study exercises and complete the required questionnaires, recall and record of dietary information

Date of first enrolment

22/06/2007

Date of final enrolment

01/01/2013

Locations

Countries of recruitment

England

United Kingdom

Study participating centre

STH Teaching Hospitals

Sheffield

United Kingdom

S11 7FE

Sponsor information

Organisation

Sheffield Teaching Hospitals NHS Foundation Trust (UK)

Sponsor details

Research Department

1st Floor

11 Broomfield Road

Sheffield

England

United Kingdom

S10 2SE

-

brenda.zinober@sth.nhs.uk

Sponsor type

Hospital/treatment centre

ROR

<https://ror.org/018hjpz25>

Funder(s)

Funder type

University/education

Funder Name

Sheffield Hallam University (UK)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	feasibility study results	01/04/2011		Yes	No
Results article	results	14/11/2012		Yes	No
Results article	results	01/05/2014		Yes	No