

The effectiveness of new bioresorbable coronary stents in the treatment of patients with acute coronary syndromes

Submission date 09/05/2021	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 12/05/2021	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 13/09/2021	Condition category Circulatory System	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Acute coronary syndromes are a range of conditions associated with suddenly reduced blood flow to the heart. They can be treated with percutaneous coronary intervention (PCI), where a tube-shaped device called a coronary stent is placed in the coronary arteries that supply blood to the heart to keep them open. There is little evidence about the effectiveness and safety of magnesium-based bioresorbable (naturally-dissolving) coronary stents in patients with acute coronary syndromes. The aim of this study is to compare the bioresorbable Magmaris stent with the drug-eluting (drug-releasing) Xience stent in patients with acute coronary syndromes undergoing PCI.

Who can participate?

Patients with acute coronary syndromes

What does the study involve?

Participants are randomly allocated to undergo PCI with either a bioresorbable stent or a drug-eluting stent. Participants in both groups are followed for 12 months with heart scans at 12 months.

What are the possible benefits and risks of participating?

The study will provide information about the effects of the coronary intervention at 12 months. There is a small risk (mainly minimal bleeding) with respect to repeat invasive imaging at 12 months.

Where is the study run from?

University Hospital Kralovske Vinohrady (Czech Republic)

When is the study starting and how long is it expected to run for?

March 2017 to January 2021

Who is funding the study?

1. University Hospital Kralovske Vinohrady (Czech Republic)
2. Charles University in Prague (Czech Republic)

Who is the main contact?

Petr Tousek

petr.tousek@fnkv.cz

Contact information

Type(s)

Public

Contact name

Mr Petr Tousek

ORCID ID

<https://orcid.org/0000-0002-2598-3635>

Contact details

Srobarova 50

Praha 10

Czech Republic

10034

+420 (0)267162621

petr.tousek@fnkv.cz

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

EK-VP-29-0-2017

Study information

Scientific Title

Bioresorbable magnesium-based sirolimus-eluting stent versus permanent metallic everolimus-eluting stent in patients with acute coronary syndromes

Acronym

PRAGUE-22

Study objectives

The bioresorbable magnesium-based sirolimus-eluting stent has similar 12-months efficacy compared to the everolimus-eluting metallic stent in patients with acute coronary syndromes.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 28/06/2017, University Hospital Kralovske Vinohrady Ethics Committee (Srobarova 1150/50, 100 34 Prague, Czech Republic; +420 (0)267 16 2272; eticka.komise@fnkv.cz), ref: EK-VP-29-0-2017

Study design

Two-centre investigator-initiated academic randomized study

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use contact detail to request a participant information sheet

Health condition(s) or problem(s) studied

Acute coronary syndromes

Interventions

Participants are randomised using the envelope method into two arms. Both groups undergo percutaneous coronary intervention (PCI): one arm undergoes bioresorbable stent implantation (Magmaris stent) and the other group second-generation drug-eluting stent (XIENCE) implantation. Participants in both groups are followed for 12 months with control angiography and optical coherence tomography (OCT) imaging at 12 months.

Intervention Type

Device

Phase

Phase IV

Primary outcome measure

Late lumen loss assessed by quantitative coronary angiography (QCA) and optical coherence tomography (OCT) at 12 months follow-up

Secondary outcome measures

1. Device and procedural success (devices implanted by physician with optimal expansion, time) recorded at the time of the procedure
2. Clinical combined endpoints (death, stent thrombosis, target vessel myocardial infarction, clinically driven target lesion failure), measured at 12 months
3. Magmaris resorption assessed by OCT at 12 months
4. Healing state assessed by OCT at 12 months

Overall study start date

01/03/2017

Completion date

31/01/2021

Eligibility

Key inclusion criteria

Patients were included if they presented with:

1. ST-elevation myocardial infarction (STEMI) <24 hours since the onset of symptoms or
2. Non-ST-elevation myocardial infarction (non-STEMI) or
3. Unstable angina caused by thrombotic acute coronary stenosis and coronary artery with stenosis diameter suitable for implantation of both investigated types of stents (vessel diameter between 2.7 and 3.7 mm)

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

50

Total final enrolment

50

Key exclusion criteria

1. Cardiogenic shock or pulmonary oedema
2. Expected survival less than 3 years due to severe comorbidities
3. Contraindication of 12 months dual antiplatelet treatment including an indication to treatment with peroral anticoagulants
4. Diffuse calcifications or extreme tortuosity of the target vessel
5. In-stent restenosis or stent thrombosis as the culprit lesion
6. Left main stenosis

Date of first enrolment

01/07/2017

Date of final enrolment

20/01/2020

Locations**Countries of recruitment**

Czech Republic

Study participating centre

University Hospital Kralovske Vinohrady

Srobarova 50

Prague

Czech Republic

10034

Study participating centre

AGEL

Cardiology Department

Kyjevská 44

Pardubice

Czech Republic

53203

Sponsor information**Organisation**

Fakultní nemocnice Královské Vinohrady

Sponsor details

Srobarova 1150/50

Prague

Czech Republic

100 34

+420 (0)26716111

kardsekr@fnkv.cz

Sponsor type

Hospital/treatment centre

Website

<https://www.fnkv.cz>

ROR

Funder(s)

Funder type

University/education

Funder Name

Univerzita Karlova v Praze

Alternative Name(s)

Charles University, Charles University in Prague, Univerzita Karlova, Karls-Universität zu Prag, UK

Funding Body Type

Government organisation

Funding Body Subtype

Universities (academic only)

Location

Czech Republic

Funder Name

University Hospital Kralovske Vinohrady, Intercardis project EU Nr. CZ.02.1.01/0.0/0.0/16_026/0008388

Results and Publications

Publication and dissemination plan

Results will be presented in late-breaking clinical trials during EuroPCR 2021

Intention to publish date

01/10/2021

Individual participant data (IPD) sharing plan

Participant level data will be available upon request to principal investigator Petr Tousek (petr.tousek@fnkv.cz). Data are already available, will be available for 5 years, and are anonymized. Participant consent was not obtained for sharing other data.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		10/09/2021	13/09/2021	Yes	No