

The Aberdeen Behaviour Change (ABC) Weight Loss Study

Submission date
17/11/2009

Recruitment status
No longer recruiting

☐ Prospectively registered

☐ Protocol

Registration date
16/03/2010

Overall study status
Completed

☐ Statistical analysis plan

☒ Results

Last Edited
03/01/2012

Condition category
Nutritional, Metabolic, Endocrine

☐ Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Falko Sniehotta

Contact details
University of Aberdeen
William Guild Building
Aberdeen
United Kingdom
AB24 2UB

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
V2 30 June 2009

Study information

Scientific Title

Feasibility study for a randomised controlled trial of a behavioural intervention to reduce weight in obese adults with additional risk factors for chronic disease

Acronym

ABC weight loss study

Study objectives

The purpose of the proposed study is to test the feasibility and acceptability of the intervention, measurement and trial procedures for a Randomised Controlled Trial (RCT) of a newly developed behaviour change intervention in a sample of obese adults with additional risk factors for disease recruited from GP practice lists.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved by North of Scotland Research Ethical Committee (REC) (ref: 09/S0801/54)

Study design

Pilot single centre single-blinded randomised active controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

GP practice

Study type(s)

Quality of life

Participant information sheet

Not available in web format, please use contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Obesity with additional risk factors

Interventions

Participants will be randomised to a group based manual based intervention or a leaflet control condition in accordance to a 2:1 allocation ratio.

1. Intervention group (Nurse-led 6 session group intervention):

The group intervention focuses on changing activity and dietary behaviours, and in turn weight and waist/hip ratio, in a sample of obese participants with additional risk factors. It is based on a comprehensive systematic review and a systematic intervention development process.

An experienced nurse will deliver six group sessions (five weekly sessions in the beginning of the intervention and a refresher session 3 weeks after session 5). The nurse will be trained and instructed in delivering the intervention in accordance with a detailed manual consisting of

behaviour change techniques that have been identified as successful in terms of weight loss in our systematic review. Groups will include up to ten participants. The introduction of behaviour change techniques will follow a logical pattern with the introduction of action planning and self-monitoring in the first few sessions, followed by the introduction of subsequent techniques on a weekly basis concluding with relapse prevention towards the end of the intervention. In addition, participants in the intervention group will receive brief encouraging letters if they miss sessions, offering to send additional study materials (e.g. self-monitoring or goal setting sheets) and the leaflets 'So you want to lose weight... for good - A guide to losing weight for men and women' and 'Get Active' issued by the British Heart Foundation. Intervention sessions will be recorded and anonymously transcribed.

2. Control group (standard care plus written information from the British Heart Foundation): Participants in the control group will receive the leaflets 'So you want to lose weight... for good - A guide to losing weight for men and women' and 'Get Active' issued by the British Heart Foundation.

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

Acceptability and feasibility for the pilot trial

Secondary outcome measures

1. Changes in physical activity, diet (kcal/fat intake) and weight at 3 and 6 months (these will be primary outcomes for the main trial)
2. Changes in psychological predictors of physical activity and dietary behaviours

Overall study start date

15/09/2009

Completion date

30/08/2010

Eligibility

Key inclusion criteria

Current inclusion criteria as of 05/04/2011:

1. Adult patients from the lists of GP practices in Grampian
2. BMI \geq 30
3. Co-morbidities such as type 2 diabetes, impaired glucose tolerance or hypertension.

Previous inclusion criteria:

1. Adult patients from the lists of GP practices in Grampian
2. BMI \geq 35
3. Co-morbidities such as type 2 diabetes, impaired glucose tolerance or hypertension.

Participant type(s)

Patient

Age group

Adult

Sex

Both

Target number of participants

90

Key exclusion criteria

1. Insufficient knowledge of the English language to take part in group interventions and use written materials
2. Conditions preventing participants from engagement in mild-moderate physical activities such as walking

Date of first enrolment

15/09/2009

Date of final enrolment

30/08/2010

Locations

Countries of recruitment

Scotland

United Kingdom

Study participating centre

University of Aberdeen

Aberdeen

United Kingdom

AB24 2UB

Sponsor information

Organisation

University of Aberdeen (UK)

Sponsor details

King's College

Aberdeen

Aberdeen

Scotland
United Kingdom
AB24 3FX
e.rattray@abdn.ac.uk

Sponsor type

University/education

Website

<http://www.abdn.ac.uk>

ROR

<https://ror.org/016476m91>

Funder(s)

Funder type

Government

Funder Name

Scottish Government, Chief Scientist Office (UK) (Ref: CZG/2/390)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/01/2011		Yes	No