# The effects of an m-health application for exercising the mouth and facial muscles in patients with sleep obstructive syndrome

Submission date	<b>Recruitment status</b> No longer recruiting	<ul><li>Prospectively registered</li></ul>		
16/05/2020		[X] Protocol		
Registration date	Overall study status Completed	Statistical analysis plan		
19/05/2020		[X] Results		
Last Edited	Condition category	Individual participant data		
03/11/2020	Nervous System Diseases			

# Plain English summary of protocol

Background and study aims

Obstructive sleep apnea is a potentially serious sleep disorder. It causes breathing to repeatedly stop and start during sleep.

There are several types of sleep apnea, but the most common is obstructive sleep apnea. This type of apnea occurs when your throat muscles intermittently relax and block your airway during sleep.

The classic treatment of this disease is based on dietary measures, losing weight, and exercise, and the use of a continuous positive airway pressure (CPAP) machine (a device that reduces collapsibility of the upper airway by emitting a flow of air). Other options are upper airway surgery treating the obstacle of the airway or correcting the muscles that do not perform their function properly, and mandibular advancement devices (MAD), which push the tongue forward to avoid it falling backward and collapsing the airway.

Myofunctional therapy (MT) has become one of the newest treatments for sleep-disordered breathing. MT is based on daily exercises of the throat muscles in an attempt to strength them and facilitate opening of the airway.

Who can participate?

Patients diagnose with sleep apnea and aged between 18 – 75 years.

What does the study involve?

Participants will be randomly allocated to either use of the 'Airway gym' smartphone app or treatment as usual for three months. The airway gym app provides instructions on how to perform exercises to strengthen the throat muscles and also reminds participants to perform the exercises for 20 minutes per day. Each month participants will be assessed at the clinic.

What are the possible benefits and risks of participating? Benefits: Curing sleep apnea syndrome. There are no signficant risks for participants. Where is the study run from? Hospital Quironsalud Marbella (Spain)

When is the study starting and how long is it expected to run for? October 2018 to November 2020

Who is funding the study? Investigator initiated and funded

Who is the main contact?
Dr Carlos O'Connor Reina, coconnor@us.es

# Contact information

# Type(s)

Scientific

#### Contact name

Dr Carlos O'Connor Reina

#### **ORCID ID**

https://orcid.org/0000-0002-1670-4235

#### Contact details

Avenida Menendez y Pelayo 44 5c Sevilla Spain 41003 +34 658059669 coconnor@us.es

# Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

AWGAPN-2019-01

# Study information

#### Scientific Title

Effects of myofunctional therapy with an m-health application airway gym in severe apnea /hypopnea sleep obstructive syndrome. A randomized multicentre control trial

#### Acronym

#### **Study objectives**

The periodical use of the app 'Airway Gym' designed to perform and increase adherence in Myofunctional therapy (MT), improve obstructive sleep apnea/hypopnea syndrome (OSAHS) in patients with severe disease (AHI>30) increasing the tone of the upper airway muscles.

#### Ethics approval required

Old ethics approval format

#### Ethics approval(s)

Approved 01/02/19, Ethical Committee Costa del Sol Hospital (Comité de Ética de Investigación Área Costa del Sol, Hospital Costa del Sol Autovía del Mediterráneo, Km 187, 29603, Marbella (Málaga), Spain; +34 951976620; cto@hcs.es), ref: 81-01-2019

#### Study design

Interventional prospective multicentre trial with consecutive random assignment

### Primary study design

Interventional

# Study type(s)

Treatment

## Health condition(s) or problem(s) studied

Severe sleep apnea/hypopnea syndrome

#### **Interventions**

Experimental group: Myofunctional exercises based on a mHealth App AirwayGym daily performed during 3 months 20 minutes a day. Control group: No intervention.

Patients will be randomized consecutively.

## Intervention Type

Behavioural

# Primary outcome(s)

At baseline and 3 months:

- 1. Severity of apnea measured using The Apnea–Hypopnea Index
- 2. Saturation O2 and Nadir O2 measured using oximeter
- 3. Tongue strength measured using the Iowa Oral Performance Instrument (IOPI)

# Key secondary outcome(s))

Measured each month for 3 months:

- 1. Sleep quality measured using Pittsburgh Sleep Quality Index (PSQI)
- 2. Sleepiness measured using Epworth sleepiness scale
- 3. BMI (kg/m²)
- 4. Neck and waist circumference (cm)

#### Completion date

# **Eligibility**

#### Key inclusion criteria

- 1. Age between 18-75 years
- 2. Recently diagnosed with severe sleep apnea and do not have any previous experience or information with this pathology
- 3. Consent signed

#### Participant type(s)

**Patient** 

#### Healthy volunteers allowed

No

#### Age group

Adult

#### Lower age limit

18 years

#### Upper age limit

75 years

#### Sex

All

#### Total final enrolment

40

#### Key exclusion criteria

- 1. IMC (BMI) >40 kg/m<sup>2</sup>
- 2. Inability to fill up questionnaires
- 3. Severe drug or alcohol abuse
- 4. Hypnotic medication
- 5. Not controlled coronary disease
- 6. Decompensated Heart failure
- 7. Stroke
- 8. Systemic Disease associated with inflammatory diagnosed entity (arthritis, sarcoidosis, vasculitis, lupus...)
- 9. Neuromuscular disease (like Duchenne)
- 10. Craniofacial deformities.
- 11. Active oncologic process.
- 12. Any antecedents of MT treatment or other treatment for sleep apnea could affect study results of the study (surgery, DAM or CPAP).

Once the patient accepted and signed consent and met inclusion criteria, they will be attended by Ent specialist to rule out:

13. Severe upper airway obstruction (Complete nose obstruction, Tonsills grade IV/IV)

14. Presence of tongue tie (Marchesani Protocole) with limitation of tongue movements

15. Antecedents or presence of temporomandibular joint disorders

#### Date of first enrolment

01/02/2019

#### Date of final enrolment

15/09/2020

# Locations

#### Countries of recruitment

Spain

## Study participating centre Hospital Quironsalud Marbella

Avda Severo Ochoa 22 Marbella Spain 29603

# Study participating centre Hospital Quironsalud Campo de Gibraltar

Edificio Artysur PE Las Marismas de Palmones Palmones-Los Barrios Spain 11379

# Sponsor information

# Organisation

Hospital Quironsalud Marbella

# Funder(s)

#### Funder type

Other

#### **Funder Name**

investigator initiated and funded

# **Results and Publications**

# Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are not expected to be made available due to confidentiality.

Previous publication and dissemination plan:

We will try to publish in high impact factor journals of sleep and pulmonology research.

## IPD sharing statement:

The datasets generated during and/or analysed during the current study are not expected to be made available due to confidentiality.

## IPD sharing plan summary

Not expected to be made available

#### **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	09/11/2020	03/11/2020	Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes
Protocol file		19/05/2020	08/06/2020	No	No