

Diagnostic blockade of sacroiliac joint in patients with pseudoradicular low back pain

Submission date 27/01/2006	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 27/01/2006	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 06/07/2009	Condition category Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Karolina Szadek

Contact details
VU University Medical Center
Department of Anesthesiology
P.O. Box 7057
Amsterdam
Netherlands
1007 MB

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers
NTR435

Study information

Scientific Title

Acronym

SI diagnostic blockade

Study objectives

1. In patients with non-specific low back pain, 10 ml lidocaine 2% reduces the pain more than 2 cm at the BOX-score compared to the placebo group
2. In patients with non-specific low back pain, 9 ml lidocaine 2% with 1 ml corticosteroid (40 mg methylprednisolone) reduces pain more than 2 cm at the BOX-score compared to the placebo group
3. In patients with non-specific low back pain, 9 ml lidocaine 2% with 1 ml corticosteroid (40 mg methylprednisolone) reduces pain more than 2 cm at the BOX-score compared to the lidocaine group

Ethics approval required

Old ethics approval format

Ethics approval(s)

Received from local medical ethics committee

Study design

Randomised, double blind, placebo controlled, parallel group trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Not Specified

Participant information sheet

Health condition(s) or problem(s) studied

Sacroiliac joint pain

Interventions

Patients will undergo diagnostic blockade of sacroiliac joint. Due to randomization individual will get lidocaine, lidocaine with corticosteroid or placebo.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

lidocaine, methylprednisolone

Primary outcome measure

The effect of the diagnostic blockade is evaluated through a 10 items BOX-score (box 1 represents no pain, box 10 represents the worst imaginable pain). Patients will fill the BOX-score (diary) in at home 3 times a day, for at least 4 weeks after a blockade.

Secondary outcome measures

With the Roland Disability questionnaire and Oswestry Low Back Pain Disability Index the limitation caused by low back pain will be assessed. Global health will be assessed using the short form (SF)-36 and COOP-Wonca questionnaire. Additionally the duration of a pain free period and daily pain medication use will be reviewed.

Overall study start date

01/09/2005

Completion date

01/09/2007

Eligibility

Key inclusion criteria

1. Pseudoradicular character of pain
2. Pain below L5
3. Pain localized above sulcus sacralis
4. Unilateral pain
5. Age 18-70
6. Three or more positive provocation tests for sacroiliac joint pain
7. Patient has to speak Dutch
8. Informed consent is required

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Upper age limit

70 Years

Sex

Not Specified

Target number of participants

Key exclusion criteria

1. Allergy to iodine, lidocaine or corticosteroid
2. Pregnancy
3. General contraindications for invasive treatment
4. Appearance of a specific cause of low back pain (red flags)
5. Participation in another study

Date of first enrolment

01/09/2005

Date of final enrolment

01/09/2007

Locations**Countries of recruitment**

Netherlands

Study participating centre

VU University Medical Center

Amsterdam

Netherlands

1007 MB

Sponsor information**Organisation**

VU University Medical Center, Department of Anesthesiology (Netherlands)

Sponsor details

P.O. Box 7057

Amsterdam

Netherlands

1007 MB

Sponsor type

Hospital/treatment centre

ROR

<https://ror.org/00q6h8f30>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Pain Knowledge Center (cooperation funds) (Netherlands)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration