

# Randomised comparison of nicotine replacement therapy and bupropion in the treatment of tobacco dependence

**Submission date**  
06/08/2003

**Recruitment status**  
No longer recruiting

Prospectively registered

Protocol

**Registration date**  
07/08/2003

**Overall study status**  
Completed

Statistical analysis plan

Results

**Last Edited**  
06/05/2014

**Condition category**  
Injury, Occupational Diseases, Poisoning

Individual participant data

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Mr John Stapleton

### Contact details

Institute Of Psychiatry

Kings College London

Postal Box P075

4 Windsor Walk

London

United Kingdom

SE5 8AF

+44 (0)20 7848 0450

j.stapleton@iop.kcl.ac.uk

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

## Secondary identifying numbers

G0200455

# Study information

## Scientific Title

## Acronym

ZORN

## Study objectives

To compare effectiveness of the three treatments in routine National Health Service (NHS) care.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Not specified

## Study type(s)

Treatment

## Participant information sheet

## Health condition(s) or problem(s) studied

Tobacco dependence

## Interventions

Group and individual specialist counselling over six weeks, plus NRT, bupropion or both

## Intervention Type

Drug

## Phase

Not Specified

## Drug/device/biological/vaccine name(s)

Bupropion

**Primary outcome measure**

Smoking status at four weeks and 12 months

**Secondary outcome measures**

Not provided at time of registration

**Overall study start date**

01/05/2004

**Completion date**

30/06/2007

## **Eligibility**

**Key inclusion criteria**

All smokers eligible to use Nicotine Replacement Therapy (NRT) and bupropion who present for help to stop smoking

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Both

**Target number of participants**

1800

**Key exclusion criteria**

Those with contraindications for NRT or bupropion

**Date of first enrolment**

01/05/2004

**Date of final enrolment**

30/06/2007

## **Locations**

**Countries of recruitment**

England

United Kingdom

**Study participating centre**  
**Institute Of Psychiatry**  
London  
United Kingdom  
SE5 8AF

## **Sponsor information**

### **Organisation**

King's College London (UK)

### **Sponsor details**

Institute of Psychiatry  
De Crespigny Park  
London  
England  
United Kingdom  
SE5 8AF

### **Sponsor type**

University/education

### **Website**

<http://www.iop.kcl.ac.uk/>

### **ROR**

<https://ror.org/0220mzb33>

## **Funder(s)**

### **Funder type**

Government

### **Funder Name**

Department of Health (UK)

## **Results and Publications**

### **Publication and dissemination plan**

Not provided at time of registration

### **Intention to publish date**

## Individual participant data (IPD) sharing plan

### IPD sharing plan summary

Not provided at time of registration

### Study outputs

| Output type                     | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|---------------------------------|---------|--------------|------------|----------------|-----------------|
| <a href="#">Results article</a> | results | 01/12/2013   |            | Yes            | No              |