ISRCTN91534629 https://doi.org/10.1186/ISRCTN91534629

Computer therapy versus usual stimulation for people with long standing aphasia

Submission date
21/05/2010

Registration date
21/05/2010

Last Edited
27/10/2022

Recruitment status
No longer recruiting

Overall study status
Completed

Condition category
Signs and Symptoms

[_] Prospectively registered

[_] Protocol

[_] Statistical analysis plan

[X] Results

[_] Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Rebecca Palmer

Contact details
University of Sheffield
107 Innovation centre
217 Portobello
Sheffield
United Kingdom
S1 4DP
-
r.l.palmer@sheffield.ac.uk

Additional identifiers

Protocol serial number
7203

Study information

Scientific Title

Evaluating the cost effectiveness of computer therapy compared with usual stimulation for people with long standing aphasia: a feasibility study [Previously known as Computerised Word Finding Therapy for Stroke]

Acronym
CACTUS

Study objectives
Aphasia is a communication disorder often caused by stroke. It can affect the ability to understand what is said, the ability to produce correct words and the ability to read and write. People with aphasia rarely receive treatment from NHS speech and language therapists for more than 3 months. It has been established that people with aphasia can continue to improve their communication with prolonged treatment (beyond 12 months). However this is rarely available. Surveys indicate that people with aphasia and their families often feel abandonned when therapy is discontinued and want to continue making efforts to improve (Stroke Survey 2006).

Step-by-Step is a computer program designed to help people to practise exercises to improve their ability to find the correct words when they are talking. This study aims to evaluate the feasibility of carrying out a large study to compare computer therapy with the usual stimulation provided for people with aphasia in stroke clubs or at home to see if use of computer software with assistance from a carer/volunteer can improve the ability of people with aphasia to talk. People who use the computers for treatment will be interviewed to find out how they found working with computers.

This research will test the methods for a randomised controlled trial to help establish whether people with aphasia can continue to improve their ability to talk after completion of traditional NHS therapy, and whether this can be achieved cost-effectively by offering computer treatment at home and in voluntary sector settings. Potential benefits to patients include the opportunity for continued treatment and thus improved ability to talk. It could also give patients independence and control over their therapy. The NHS would benefit by being able to support a long term aphasia treatment service without increasing demand on therapy resources.

Ethics approval required
Old ethics approval format

Ethics approval(s)
NHS Bradford Research Ethics Committee approved on the 15th April 2009 (ref: 09/H1302/20)

Study design
Multicentre randomised interventional treatment trial

Primary study design
Interventional

Study type(s)
Treatment

Health condition(s) or problem(s) studied
Topic: Stroke Research Network; Subtopic: Rehabilitation; Disease: Community study

Interventions

Thirty participants with aphasia will be recruited. Participants will be randomly allocated to computer treatment using Step-by-Step word finding software by Jane Mortley (group 1) or usual care (group 2). Group 1 will carry out computer exercises independent of a speech therapist for 5 months. Support will be provided only by stroke volunteers or carers. Structured interviews about the use of computers will be carried out with participants.

Study entry: single randomisation only

Intervention Type

Other

Phase

Phase II

Primary outcome(s)

Recruitment rate, measured at baseline, 5 months and 8 months.

Key secondary outcome(s))

Measured at baseline, 5 months and 8 months:
1. Acceptability of using computer based word finding therapy
2. Change in participation and wellbeing
3. Change in word retrieval
4. Estimation of effect size
5. Quality adjusted life years
6. Resource use data

Completion date

30/09/2010

Eligibility

Key inclusion criteria

1. Diagnosis of stroke and aphasia with word finding difficulties as one of the predominant features as assessed by the Comprehensive Aphasia Test (CAT)
2. No longer receiving treatment from a speech and language therapist so that the computer treatment can be better isolated and evaluated
3. First stroke and reported by close relatives/friends to have had no speech or language difficulty pre-stroke to isolate cause
4. Both male and female 18 years or above with no upper age limit

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

34

Key exclusion criteria

Severe visual or cognitive difficulties reducing ability to use the computer program, tested by the ability to see and perform a simple, non-verbally based computer game.

Date of first enrolment

30/10/2009

Date of final enrolment

30/09/2010

Locations

Countries of recruitment

United Kingdom

England

Study participating centre
University of Sheffield
Sheffield
United Kingdom
S1 4DP

Sponsor information

Organisation

Sheffield Teaching Hospitals NHS Foundation Trust (UK)

ROR

https://ror.org/018hjpz25

Funder(s)

Funder type

Government

Funder Name

National Insititute for Health Research (NIHR) (UK) - Research for Patient Benefit (RfPB)

Results and Publications

Individual participant data (IPD) sharing plan
Not provided at time of registration

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		01/07/2012		Yes	No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes