

# The effect of various combinations of naprapathic manual therapy for patients with neck pain and/or back pain

<b>Submission date</b> 04/02/2010	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 09/02/2010	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 11/10/2021	<b>Condition category</b> Musculoskeletal Diseases	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Dr Eva Skillgate

### Contact details

Karolinska Institutet  
Institute of Environmental Medicine  
Box 210  
Stockholm  
Sweden  
17177

-

eva.skillgate@ki.se

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

## Study information

### Scientific Title

The effect of various combinations of naprapathic manual therapy: a randomised controlled trial

### Acronym

The MInT Trial

### Study objectives

The main purpose of this study is to:

Examine the difference in treatment effect between different combinations of Naprapathic manual therapy including massage techniques, stretching (both as a treatment technique and a home exercise), spinal mobilisation and spinal manipulation, for patients with neck pain and/or back pain.

Secondary objectives are to provide answers to the following questions.

1. What is the prevalence of adverse reactions to treatment in the different combinations of naprapathic manual therapy, and what is the severity and duration of such symptoms post treatment?
2. Are there specific subgroups of patients who have greater benefit from the respectively treatment?

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

The regional Ethic Board in Stockholm (Regionala etikprövningsnämnden i Stockholm), 11/01/2010, Ref: 2009/1848-31/2

### Study design

Single-centre three-arm open-label randomized controlled trial

### Primary study design

Interventional

### Secondary study design

Randomised controlled trial

### Study setting(s)

Other

### Study type(s)

Treatment

### Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

## **Health condition(s) or problem(s) studied**

Non-specific neck and/or back pain

## **Interventions**

The treatment arms being evaluated are:

1. Naprapathic manual therapy (which includes a combination of various massage techniques, stretching (both as a treatment technique and a home exercise), spinal mobilisation and spinal manipulation.
2. Naprapathic manual therapy, except spinal manipulation.
3. Naprapathic manual therapy, except stretching (both as a treatment technique and as a advice for home exercise)

All patients in each arm will receive up to 6 treatment sessions within 6 weeks from inclusion in the trial. The total duration of follow up will be 12 months.

## **Intervention Type**

Other

## **Phase**

Not Applicable

## **Primary outcome measure**

1. Self rated pain and function with the use of Chronic Pain Questionnaire (CPQ) will be assessed at baseline, 7 weeks, 3, 6 and 12 months.
2. Prevalence, duration and intensity of adverse treatment reactions. This is measured with the use of a questionnaire including eight numerical rating scales (NRS 0-10) seven of which concern symptoms that has been reported in other studies after naprapathic treatment sessions or other manual therapy. The last question is other in case of other symptoms experienced by the patient. Patients will answer this questionnaire when coming back to the clinic for a new treatment session.

## **Secondary outcome measures**

1. Health related quality of life (Short-Form [SF-12])
  2. Perceived recovery (A 6-point Likert scale including Complete pain free and have no complaints from neck/back to Is much worse)
- Outcomes will be measured at baseline, 7 weeks, 3, 6 and 12 months.

## **Overall study start date**

15/03/2010

## **Completion date**

31/12/2012

## **Eligibility**

### **Key inclusion criteria**

Patients 18-65 years of age who seek naprapathic therapy for a new episode of non-specific episode of neck and/or back pain with a duration of at least one week, at the student clinic at The Scandinavian College of Naprapathic Manual Medicine

### **Participant type(s)**

Patient

**Age group**

Adult

**Lower age limit**

18 Years

**Upper age limit**

65 Years

**Sex**

Both

**Target number of participants**

1,050

**Key exclusion criteria**

1. Pain level < 2 on a 10 point numerical rating scale
2. Pregnancy
3. Not fluent in the Swedish language
4. Contraindication for spinal manipulation according to SOSFS 1996:16 (The regulations and general recommendations from the Swedish National Board of Health and Welfare), such as pain caused by trauma.
5. Treatment by a naprapath, chiropractor, osteopath or a physiotherapist in the past month.
6. Specific diagnoses such as
  - 6.1. Spondylitis
  - 6.2. Ankylosing spondylitis (Morbus Bechterew's disease)
  - 6.3. Disc herniation
  - 6.4. Red flags not included in the SOSFS, above
7. Other primary pain diagnosis according to the judgment made by the therapist at the time of inclusion

**Date of first enrolment**

15/03/2010

**Date of final enrolment**

31/12/2012

## **Locations**

**Countries of recruitment**

Sweden

**Study participating centre**

Karolinska Institutet

Stockholm

Sweden

17177

# Sponsor information

## Organisation

The Scandinavian College of Naprapathic Manual Medicine (Sweden)

## Sponsor details

Kräftriket 23A  
Stockholm  
Sweden  
11419  
+46 (0)8 160120  
info@nph.se

## Sponsor type

Hospital/treatment centre

## Website

<http://www.nph.se>

# Funder(s)

## Funder type

University/education

## Funder Name

The Scandinavian College of Naprapathic Manual Medicine (Sweden)

## Funder Name

Swedish Association of Naprapaths (Sweden)

# Results and Publications

## Publication and dissemination plan

Not provided at time of registration

## Intention to publish date

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	12/03/2014		Yes	No
<a href="#">Results article</a>	results	23/04/2016		Yes	No
<a href="#">Results article</a>	results	12/06/2019	23/01/2020	Yes	No
<a href="#">Results article</a>		08/10/2021	11/10/2021	Yes	No