

# Head injury evaluation and ambulance diagnosis to avoid hospital emergency admission: A HOME feasibility study

<b>Submission date</b> 13/09/2022	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
<b>Registration date</b> 11/01/2023	<b>Overall study status</b> Completed	<input checked="" type="checkbox"/> Protocol <input type="checkbox"/> Statistical analysis plan
<b>Last Edited</b> 25/06/2024	<b>Condition category</b> Injury, Occupational Diseases, Poisoning	<input type="checkbox"/> Results <input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Traumatic Brain Injury (TBI) is widely recognised as one of the most common causes of death and disability, primarily among young adults, and is getting more frequent in the older population. It is a widely held view that TBI is a pathophysiological heterogeneous condition that varies widely in terms of aetiology, severity, clinical presentation and outcomes. This spectrum of severity creates clinical challenges, as many patients with mild TBI may be admitted to a major trauma centre (MTC), resulting in overwhelming MTC resources with minor injuries.

Various validated clinical tools have been developed to determine the need for a CT scan to rule out intracranial lesions in adult patients with a minor head injury. Of these, the Canadian CT head rule (CCHR) was developed through a series of prospective studies involving thousands of patients to determine the need for neuroimaging. CCHR is a highly sensitive rule to assist clinicians in identifying patients with clinically significant head injuries who should undergo CT scanning.

To obtain precise estimates for the diagnostic accuracy of the CCHR that could be used to change clinical practice is likely to require a large, multi-centre study. This would be expensive and time-consuming. Successful delivery of the research would also depend heavily upon adherence to the study protocol, recruitment rate and attrition. Before embarking on such a large study, therefore, it is prudent to evaluate the feasibility of the intended study processes.

### Who can participate?

A convenience sample of adult patients with mild TBI

### What does the study involve?

Feasibility outcomes will be assessed using screening logs and case report forms completed by paramedics during the course of the study. At the receiving hospital, emergency physicians will assess the patients to determine whether a CT scan is necessary, which may involve using the CCHR. Clinicians at the receiving hospitals will be asked to assess the patients using the CCHR and record their findings to determine inter-observer reliability. We will evaluate the

acceptability of the CCHR among participating paramedics. Additionally, we will evaluate the acceptability of trial processes to patients and paramedics using a qualitative approach.

What are the possible benefits and risks of participating?

There are no immediate benefits for individuals who participate in this study. We anticipate that the findings of this study will help to improve the care we provide in the future by providing clinical evidence to conduct further studies in this area. It is unlikely that patients will be at high-risk during this study.

Where is the study run from?

Manchester Royal Infirmary (United Kingdom)

When is the study starting and how long is it expected to run for?

March 2022 to December 2023

Who is funding the study?

The University of Manchester (United Kingdom)

Who is the main contact?

Naif Alqurashi (United Kingdom)

naif.alqurashi@postgrad.manchester.ac.uk

## Contact information

### Type(s)

Principal investigator

### Contact name

Prof Richard Body

### Contact details

Emergency Department,  
Manchester Royal Infirmary  
Oxford Rd, Manchester  
United Kingdom  
M13 9WL  
01612765071  
richard.body@manchester.ac.uk

### Type(s)

Scientific

### Contact name

Mr Naif Alqurashi

### Contact details

Division of Cardiovascular Sciences, Faculty of Biology, Medicine, and Health  
Manchester  
United Kingdom

M13 9WL  
01612765071  
naif.alqurashi@postgrad.manchester.ac.uk

## Additional identifiers

**Integrated Research Application System (IRAS)**  
316547

**Protocol serial number**  
IRAS 316547

## Study information

### Scientific Title

Head injury evaluation and ambulance diagnosis to avoid HOspital eMErgency admission: A HOME feasibility study

### Acronym

HOME Study

### Study objectives

The purpose of this study is to establish the feasibility of a fully powered diagnostic test accuracy study to evaluate the accuracy of the Canadian CT head rule when applied by paramedics in the prehospital setting in patients with head injuries

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Approved 15/12/2022, North West – Greater Manchester (GM) South (3rd Floor Barlow House, 4 Minshull Street, HRA NRES Centre, Manchester, M1 3DZ, UK; +44 (0)207 104 8014; approvals@hra.nhs.uk, HCRW.approvals@wales.nhs.uk), ref: 22/NW/0358

### Study design

Prospective multi-centre feasibility study

### Primary study design

Observational

### Study type(s)

Screening

### Health condition(s) or problem(s) studied

Mild traumatic brain injury

### Interventions

The purpose of this study is to establish the feasibility of a fully powered diagnostic test accuracy study to evaluate the accuracy of the Canadian CT head rule (CCHR) when applied by paramedics in the prehospital setting in patients with head injuries.

The CCHR was developed through a series of prospective studies involving thousands of patients to determine the need for neuroimaging. It helps to identify clinically important brain injuries on CT scans that may require neurosurgical intervention. The rule consists of five high-risk clinical factors for neurosurgical intervention, and two medium-risk factors for predicting brain injury on a CT scan and takes into account a number of variables related to the patient's medical history and physical examination. All of the data required for the CCHR are available to paramedics in the prehospital environment. Therefore, it may be possible to apply the CCHR based on prehospital information obtained at the scene. Before embarking on such a large study, therefore, it is prudent to evaluate the feasibility of the intended study processes.

A prospective, multi-centre pilot feasibility diagnostic accuracy study will be conducted. A convenience sample of adult patients with mild traumatic brain injury will be transported to study site hospitals. Once the paramedics determine that a patient meets the inclusion criteria, they will be asked to assess the patients in the ambulance using the CCHR and record their interpretation of the decision aid using a paper CRF prior to arriving at a study site hospital. Emergency physicians at the receiving hospitals will be asked to assess the patients using the CCHR and record their findings to determine inter-observer reliability.

- Feasibility outcomes will be examined.

- We will measure paramedics' attitudes toward the CCHR will be used to evaluate the acceptability of the CCHR.

- We will evaluate the acceptability of trial processes to patients and paramedics using a qualitative approach to obtain their perspectives regarding their participation and experiences in the trial.

## **Intervention Type**

Other

## **Primary outcome(s)**

Feasibility outcomes:

1. Number of eligible patients approached measured using screening logs and case report forms throughout the enrolment period
2. Proportion of patients approached who consent to participate in the study measured using screening logs and case report forms throughout the enrolment period
3. Completeness of data collection measured using screening logs and case report forms throughout the enrolment period
4. Completeness of follow-up measured using case report forms following hospital discharge or death (if in-hospital)
5. Determination of the inter-observer reliability of the Canadian CT head rule completion between prehospital care providers (during the prehospital phase) and ED physicians (while patients are in the Emergency Department) measured using case report forms
6. Determination of the inter-observer reliability of each component of the Canadian CT head rule between prehospital care providers (in the prehospital phase) and ED physicians (while patients are in the ED) measured using case report forms
7. The diagnostic performance of the Canadian CT head rule, as assessed by paramedics in the prehospital phase, using patient records and case report forms
8. The acceptability of trial processes to patients and paramedics measured using a qualitative approach and clinical sensibility of the Canadian CT head rule measured using a survey method

## **Key secondary outcome(s)**

Presence of traumatic intracranial lesion requiring neurosurgical intervention, defined as any neurosurgical intervention and/or abnormal head CT findings and/or death within 7 days as a result of traumatic brain injury measured using medical records at 7 days after initial admission

**Completion date**

01/07/2024

## Eligibility

**Key inclusion criteria**

1. Adult patients aged 16 years old and over who receive an emergency ambulance response for a primary complaint of head injury
2. Glasgow coma scoring (GCS) of 13–15 at the time of assessment by treating paramedics
3. Patients who will be transported to the hospital as part of their routine clinical care

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

16 years

**Sex**

All

**Key exclusion criteria**

1. Already received care in hospital for their condition and who are undergoing secondary transfer to a specialist centre
2. Penetrating skull injury
3. Trauma to other body regions that would require transport to the hospital
4. Prisoners

**Date of first enrolment**

01/09/2023

**Date of final enrolment**

01/05/2024

## Locations

**Countries of recruitment**

United Kingdom

England

**Study participating centre**  
**North West Ambulance Trust Hq**  
Ladybridge Hall  
399 Chorley New Road  
Bolton  
United Kingdom  
BL1 5DD

**Study participating centre**  
**Manchester University NHS Foundation Trust - Comcov3 Covid19 Trials**  
Manchester Royal Infirmary  
Oxford Road  
Manchester  
United Kingdom  
M13 9WL

**Study participating centre**  
**Northern Care Alliance NHS Foundation Trust**  
Salford Royal  
Stott Lane  
Salford  
United Kingdom  
M6 8HD

## **Sponsor information**

**Organisation**  
University of Manchester

**ROR**  
<https://ror.org/027m9bs27>

## **Funder(s)**

**Funder type**  
University/education

**Funder Name**

University of Manchester

### Alternative Name(s)

University of Manchester in United Kingdom, University of Manchester UK, The University of Manchester, UoM

### Funding Body Type

Government organisation

### Funding Body Subtype

Universities (academic only)

### Location

United Kingdom

## Results and Publications

### Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date

### IPD sharing plan summary

Data sharing statement to be made available at a later date

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Protocol article</a>		11/06/2024	25/06/2024	Yes	No
<a href="#">HRA research summary</a>			28/06/2023	No	No
<a href="#">Participant information sheet</a>	version 2.0	20/11/2022	20/12/2022	No	Yes
<a href="#">Participant information sheet</a>	version 2.0	20/11/2022	20/12/2022	No	Yes