A Study Comparing CMF (Cyclophosphamide, Methotrexate, 5-fluorouracil) and MMM (Mitozantrone, Methotrexate, Mitomycin-C) Chemotherapy in Patients with Metastatic Breast Cancer

Submission date Recruitment status [] Prospectively regi	stered
19/08/2002 No longer recruiting [] Protocol	
Registration date Overall study status [] Statistical analysis	plan
19/08/2002 Completed [] Results	
Last Edited Condition category [Individual participal	ant data
07/04/2015 Cancer [] Record updated in	last year

Plain English summary of protocolNot provided at time of registration

Contact information

Type(s)

Scientific

Contact name

- -

Contact details

UKCCCR Register Co-ordinator MRC Clinical Trials Unit 222 Euston Road London United Kingdom NW1 2DA

Additional identifiers

Protocol serial number

Study information

Scientific Title

A Study Comparing CMF (Cyclophosphamide, Methotrexate, 5-fluorouracil) and MMM (Mitozantrone, Methotrexate, Mitomycin-C) Chemotherapy in Patients with Metastatic Breast Cancer

Study objectives

Not provided at time of registration

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Breast cancer

Interventions

Patients will be randomised to one of the following:

- 1. CMF Regimen: Chemotherapy with CMF (cyclophosphamide, methotrexate, 5-fluorouracil), a maximum of six cycles. Folinic acid to be given every 6 h for four doses commencing 24 h after chemotherapy.
- 2. MMM Regimen: Chemotherapy, MM (mitozantrone, methotrexate) alternating with MMM (mitozantrone, methotrexate, mitomycin-C), a maximum of six cycles in total. Folinic acid to be given every 6 h for four doses commencing 24 h after chemotherapy.

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

CMF (cyclophosphamide, methotrexate, 5-fluorouracil), MM (mitozantrone, methotrexate), MMM (mitozantrone, methotrexate, mitomycin-C)

Primary outcome(s)

Not provided at time of registration

Key secondary outcome(s))

Not provided at time of registration

Completion date

31/12/2005

Eligibility

Key inclusion criteria

- 1. Histologically proven breast cancer, metastatic or incurable locally recurrent disease
- 2. No other malignancy except adequately treated in situ carcinoma of cervix or non melanomatous skin cancer
- 3. Previous adjuvant chemotherapy or neo-adjuvant chemotherapy is acceptable, unless the disease free interval is <2 years following adjuvant CMF chemotherapy
- 4. Previous chemotherapy for metastatic disease is acceptable
- 5. Patients must be willing to complete quality of life questionnaire and be interviewed by a senior nurse
- 6. Normal liver function
- 7. Patients must be considered fit enough to receive either standard CMF or MMM chemotherapy

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Female

Key exclusion criteria

- 1. Patients are not eligible if they are eligible for a first line phase II study. Patients may become eligible at the time of progression
- 2. Patient are not eligible if they present with immediately life threatening disease for whom the physician considers an anthracycline based combination preferable

Date of first enrolment

01/01/2000

Date of final enrolment

31/12/2005

Locations

Countries of recruitment

United Kingdom

England

Study participating centre MRC Clinical Trials Unit London United Kingdom NW1 2DA

Sponsor information

Organisation

Cancer Research UK (CRUK) (UK)

ROR

https://ror.org/054225q67

Funder(s)

Funder type

Charity

Funder Name

Cancer Research UK

Alternative Name(s)

CR_UK, Cancer Research UK - London, Cancer Research UK (CRUK), CRUK

Funding Body Type

Private sector organisation

Funding Body Subtype

Other non-profit organizations

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary