

Geriatric- and physiatric-oriented rehabilitation after hip fracture to improve the ability to live independently

Submission date
10/03/2009

Recruitment status
No longer recruiting

☐ Prospectively registered

☐ Protocol

Registration date
07/04/2009

Overall study status
Completed

☐ Statistical analysis plan

☒ Results

Last Edited
10/07/2019

Condition category
Injury, Occupational Diseases, Poisoning

☐ Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Pekka Jalovaara

Contact details

Bo Box 5000
University of Oulu
Oulu
Finland
90014
+358 (0)8 5529275
pekka.jalovaara@oulu.fi

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

Study information

Scientific Title

Geriatric- and psychiatric-oriented rehabilitation after hip fracture to improve the ability to live independently: a randomised controlled trial

Study objectives

The aim here was to compare the impact of geriatric and psychiatric rehabilitation on the functional outcome and ability for independent living (versus institutionalisation) in home-dwelling hip fracture patients, using routine rehabilitation (the standard procedure after surgical treatment for hip fracture in Finland) as a control.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The study was approved by the Ethics Committee of University of Oulu.

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Other

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Hip fracture

Interventions

Intervention group 1: Psychiatric-oriented rehabilitation (mean number of days in the rehabilitation programme = 20.8 days)

Intervention group 2: Geriatric-oriented rehabilitation (mean number of days in the rehabilitation programme = 31.4 days)

Control group: Routine rehabilitation in health centre hospitals (mean number of days in the rehabilitation programme = 31.0 days)

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

The following were assessed at 4 and 12 months:

1. Residential status
2. Walking ability
3. Use of walking aids
4. Activities of daily living (ADL) functions
5. Mortality

Secondary outcome measures

No secondary outcome measures

Overall study start date

01/01/1997

Completion date

31/12/2000

Eligibility

Key inclusion criteria

1. Both males and females, aged 50 years or over
2. Patients who were living in their own home or in sheltered housing (comparable to a home of their own but controlled by a warden and with some assistance available) at the time of sustaining the fracture

Participant type(s)

Patient

Age group

Senior

Sex

Both

Target number of participants

600

Total final enrolment

538

Key exclusion criteria

1. Patients who were institutionalised
2. Patients who had pathological fracture
3. Patients who were aged under 49 years

Date of first enrolment

01/01/1997

Date of final enrolment

31/12/2000

Locations

Countries of recruitment

Finland

Study participating centre

Bo Box 5000

Oulu

Finland

90014

Sponsor information

Organisation

Finnish Office for Health Technology Assessment (Finland)

Sponsor details

Lintulahdenkuja 4

PL 30

Helsinki

Finland

00271

+358 (0)20 610 7297

finohta@thl.fi

Sponsor type

Government

Website

<http://finohta.stakes.fi/FI/index.htm>

Funder(s)

Funder type

Government

Funder Name

Finnish Office for Health Technology Assessment (Finland)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/09/2015	10/07/2019	Yes	No