Primary repair of colon injuries: a clinical study of non-selective aproach

Submission date	Recruitment status	Prospectively registered
06/09/2010	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
26/10/2010	Completed	[X] Results
Last Edited	Condition category	[] Individual participant data
06/04/2011	Digestive System	

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Ranko Lazovic

Contact details

Clinical Center of Montenegro Podgorica Montenegro 81000 drlazovic@t-com.me

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers N/A

Study information

Scientific Title

Primary repair of colon injuries: a comparison between a retrospective group managed by primary repair or two stage procedure and a prospective group managed by primary repair without using exclusion criteria

Study objectives

Primary repair of colon injuries is possible in most cases without increased mortality and morbidity.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics Committee of Clinical Centre of Montenegro approved on the 2nd March 2002

Study design

Interventional randomised comparison between retrospective and prospective groups

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Screening

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Colon trauma

Interventions

This study was designed as retrospective and prospective evaluation of primary repair procedures in colon trauma management. Retrospective (RS) group included 30 patients (25 males and 5 females) with colon injury, treated in the Clinical Centre of Montenegro (CCM), Podgorica, in period 1995 - 2000. All patients in this group had war injuries and in all cases selective approach was used for the decision about the method of repair. Prospective (PR) group included 33 patients (29 males and 4 females) managed by the same surgical team. In this group, exclusion criteria were not used, with intention for primary repair in every case.

Patients were followed up to 30 days and mortality and morbidity were recorded as primary and secondary end points.

Intervention Type

Other

Phase

Not Applicable

Primary outcome measure

Mortality, data collected 30 days after the operation

Secondary outcome measures

Morbidity, data collected 30 days after the operation

Overall study start date

01/01/1995

Completion date

31/12/2005

Eligibility

Key inclusion criteria

Patients greater than 18 years old (either sex) with colon injury

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

60

Key exclusion criteria

Patients less than 18 years old

Date of first enrolment

01/01/1995

Date of final enrolment

31/12/2005

Locations

Countries of recruitment

Montenegro

Study participating centre Clinical Center of Montenegro

Podgorica Montenegro 81000

Sponsor information

Organisation

Clinical Center of Montenegro (Montenegro)

Sponsor details

c/o Lazovic Ranko Podgorica Montenegro 81000 drlazovic@t-com.me

Sponsor type

Hospital/treatment centre

Funder(s)

Funder type

Other

Funder Name

Investigator initiated and funded trial (Montenegro)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output typeDetailsDate createdDate addedPeer reviewed?Patient-facing?Results articleresults02/12/2010YesNo