

Epidural versus intravenous analgesia in children: a double-blind randomized controlled trial.

Submission date 07/06/2006	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 07/06/2006	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 07/06/2006	Condition category Surgery	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof D. Tibboel

Contact details

Erasmus Medical Center
Sophia Children's Hospital
Department of Pediatric Surgical Intensive Care
Dr. Molewaterplein 60
Rotterdam
Netherlands
3015 GJ
+31 (0)10 4636567
j.illsley@erasmusmc.nl

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N/A

Study information

Scientific Title

Acronym

EVIAN

Study objectives

To investigate whether epidural analgesia provides a better postoperative pain control than intravenous (iv) opioid analgesia in children and whether epidural analgesia is associated with reduced postoperative morbidity.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Double-blind randomized controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Pain during thoracic and abdominal surgery

Interventions

Patient controlled intravenous analgesia versus patient controlled epidural analgesia

Intervention Type

Procedure/Surgery

Phase

Not Specified

Primary outcome measure

1. Pain intensity
2. Epidural or iv analgesics consumption
3. Side effects

Secondary outcome measures

Secondary hyperalgesia

Overall study start date

08/05/2006

Completion date

08/11/2006

Eligibility**Key inclusion criteria**

1. 6-18 years
2. American Society of Anesthesiologists (ASA) I or II

Participant type(s)

Patient

Age group

Child

Lower age limit

6 Years

Upper age limit

18 Years

Sex

Both

Target number of participants

60

Key exclusion criteria

1. Preoperative use of analgesics or opioids for (chronic) pain syndromes
2. Endocrine and neurological disorders
3. Psychiatric disorders
4. Peripheral neuropathy
5. Mental retardation
6. Medication influencing somatosensory function
7. Indifference or insensitivity to pain
8. Contraindications to epidural analgesia
9. Contraindications to self-administration of opioids

Date of first enrolment

08/05/2006

Date of final enrolment

08/11/2006

Locations

Countries of recruitment

Netherlands

Study participating centre

Erasmus Medical Center

Rotterdam

Netherlands

3015 GJ

Sponsor information

Organisation

Erasmus Medical Center, Department of Anesthesiology (The Netherlands)

Sponsor details

P.O. Box 2040

Rotterdam

Netherlands

3000 CA

Sponsor type

University/education

ROR

<https://ror.org/018906e22>

Funder(s)

Funder type

University/education

Funder Name

Erasmus Medical Center

Alternative Name(s)

Erasmus Medical Center, Erasmus MC, Erasmus Universitair Medisch Centrum, Erasmus University Medical Center, Universitair Medisch Centrum Rotterdam, Erasmus Universitair Medisch Centrum Rotterdam, EMC

Funding Body Type

Government organisation

Funding Body Subtype

Universities (academic only)

Location

Netherlands

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration