

Study of the immune cell function before and after freezing

Submission date 17/07/2025	Recruitment status Recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 22/07/2025	Overall study status Ongoing	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 18/07/2025	Condition category Other	<input type="checkbox"/> Individual participant data <input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

This study is looking at how freezing and thawing blood cells may affect immune cell functions. Immune cells are cells in our body that help fight infections. The study focuses on two types of immune cells: Natural Killer (NK) cells, which help kill infected cells; and Monocytes, which help "eat up" bacteria and other harmful things in the body. In future research, scientists want to study how stress affects our immune system. They will therefore analyze several parameters in the blood. But sometimes, blood samples can't be tested right away and need to be frozen. This is why this study is conducted: to check if freezing the cells changes their function too much compared to "fresh cells", and if letting them "rest" overnight after thawing helps them to recover.

Who can participate?

Healthy female or male volunteers aged 18 to 60 years inclusive at the time of the blood draw.

What does the study involve?

Participants will voluntarily give a blood sample (about 26 mL, or roughly five teaspoons) that will be analyzed in this study. There will be one single visit during which the volunteers will first discuss the study with the study personnel and sign an Informed Consent Form (document explaining the study and that is signed by the participant to confirm the willingness to participate in the study). Then, some demographic information from the participants will be collected and a blood sample will be drawn. The blood will be processed to separate plasma (the fluid remaining after removing the blood cells) and immune cells. Some cells will be tested immediately, while the others will be frozen and tested later. Researchers will compare the fresh versus frozen cells to see if they perform in a similar way. They'll also measure certain immune-related molecules (called cytokines) in the blood plasma.

What are the possible benefits and risks of participating?

No direct benefits are expected for participants. The goal is to improve future studies and research methods.

The only procedure is a blood draw, which is low risk. Minor issues like bruising or swelling may happen, and very rarely, infection or long-term marks might occur.

Where is the study run from?

This study is being led by Yakult Honsha European Research Center for Microbiology VOF, with help from Harmony Clinical Research (CRO) in Flanders, Belgium.

When is the study starting and how long is it expected to run for?

July 2025 to December 2025

Who is funding the study?

Yakult Honsha, Japan

Who is the main contact?

Mr Masatoshi Morikawa, masatoshi.morikawa@yher.be

Contact information

Type(s)

Public, Scientific, Principal Investigator

Contact name

Mr Masatoshi Morikawa

Contact details

Yakult Honsha European Research Center for Microbiology VOF

Technologiepark 94, BUS3

Gent-Zwijnaarde

Belgium

9052

+32 92241 11 37

masatoshi.morikawa@yher.be

Additional identifiers

EudraCT/CTIS number

Nil known

IRAS number

ClinicalTrials.gov number

Nil known

Secondary identifying numbers

Protocol ID: YHER25-PBC_study protocol_v3.0_02Jul2025

Study information

Scientific Title

Study for the impact of PBMC cryopreservation on the immune function assays

Acronym

Study objectives

Human peripheral blood mononuclear cells (PBMCs) are widely used in clinical studies as they can assess systemic immune function in a relatively minimally invasive manner. For an upcoming interventional study examining the link between psychological stress and upper respiratory tract infections (URTIs), PBMC-based assessments will be essential to elucidate the underlying mechanisms (Naito et al., 2025). However, immediate PBMC processing may not be feasible on all blood collection days. This study aims to evaluate the impact of cryopreservation of the PBMC cells on the outcome of the analysis of the immune function, particularly Natural Killer (NK) cell cytotoxicity and monocyte phagocytic activity. This pilot study is therefore designed to: (1) assess the effects of cryopreservation on NK cell cytotoxicity and monocyte phagocytic activity, (2) determine whether overnight recovery post-thaw improves functional readouts, and (3) validate methodological feasibility for future large-scale observational and interventional studies.

Ethics approval required

Ethics approval required

Ethics approval(s)

Approved 14/07/2025, Committee for Medical Ethics UZA-UA (Drie Eikenstraat 655, Edegem, 2650, Belgium; +32 3 821 38 97; ethisch.comite@uza.be), ref: 7759

Study design

Single-arm blood collection study

Primary study design

Observational

Secondary study design

Methodology validation

Study setting(s)

Laboratory, Workplace

Study type(s)

Other

Participant information sheet

Health condition(s) or problem(s) studied

To evaluate the impact of cryopreservation on immune functions

Interventions

Immune functions, focusing on cell-mediated responses such as NK cell cytotoxicity and monocyte phagocytic activity, were assessed under fresh, thawed, and recovered PBMC conditions.

This study involves a single-visit, non-interventional blood collection from healthy adult volunteers. After obtaining written informed consent, a total of 26 mL of venous blood is drawn from each participant. The blood samples are then processed to isolate peripheral blood

mononuclear cells (PBMCs) and plasma.

PBMCs are subjected to cryopreservation and subsequent immune functional assays, including:

- Natural Killer (NK) cell cytotoxicity assay using K562 cancer cell line
- Monocyte phagocytic activity assay using fluorescent bacteria

These functional assays are performed under three conditions: fresh, post-thaw (immediately after thawing), and post-thaw with recovery in culture. Plasma samples are stored for cytokine measurement using ELISA.

There is no follow-up for participants beyond the single blood collection visit. The total duration per participant is approximately 30 minutes.

Intervention Type

Other

Primary outcome measure

1. NK cell cytotoxicity, assessed by a flow cytometry-based assay using K562 target cells under fresh, post-thaw, and post-thaw with recovery conditions at one timepoint
2. Monocyte phagocytic activity, assessed by uptake of fluorescent bacteria via flow cytometry at one timepoint

Secondary outcome measures

1. Concentrations of IFN- γ and IL-12 measured using ELISA in cryopreserved plasma samples collected at the time of blood draw, in terms of assay feasibility, reproducibility, and sensitivity at one timepoint

Overall study start date

14/07/2025

Completion date

31/12/2025

Eligibility

Key inclusion criteria

1. A female or male participant aged 18 to 60 years inclusive at the time of the blood draw
2. Willing to participate in blood collection
3. A participant in good health, as confirmed by the participant (self-declaration)

Participant type(s)

Healthy volunteer

Age group

Adult

Lower age limit

18 Years

Upper age limit

60 Years

Sex

Both

Target number of participants

12

Key exclusion criteria

1. Difficulty providing blood samples
2. A history or evidence of immunodeficiency
3. Use of any prescription medication or NSAIDs within 14 days before blood draw, except for contraceptives
4. Fever at the time of the blood draw (body temperature $>38^{\circ}\text{C}$)
5. Recent vaccination (within the past 6 months)
6. Pregnancy

Date of first enrolment

28/07/2025

Date of final enrolment

29/10/2025

Locations

Countries of recruitment

Belgium

Study participating centre

Bio-incubator

Technologiepark 94 bus 3

Ghent-Zwijnaarde

Belgium

9052

Sponsor information

Organisation

Yakult Honsha European Research Center for Microbiology VOF

Sponsor details

Technologiepark 94, BUS3

Gent-Zwijnaarde

Belgium

9052

Sponsor type

Industry

Website

<https://institute.yakult.co.jp/en/europe/>

Funder(s)

Funder type

Industry

Funder Name

Yakult Honsha

Alternative Name(s)

Yakult

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

Japan

Results and Publications

Publication and dissemination plan

Planned publication in a peer-reviewed journal

Intention to publish date

31/12/2026

Individual participant data (IPD) sharing plan

No, individual participant data (IPD) will not be shared. This study involves a small sample size and sensitive immunological data from healthy volunteers. Due to privacy concerns and the nature of the internal research conducted by the sponsor, there is no plan to make individual-level data publicly available.

IPD sharing plan summary

Not expected to be made available