# A feasibility study evaluating a risk score for the management of blunt chest wall trauma

Submission date	Recruitment status  No longer recruiting	[X] Prospectively registered		
05/12/2016		[X] Protocol		
<b>Registration date</b> 05/12/2016	Overall study status Completed	Statistical analysis plan		
		[X] Results		
<b>Last Edited</b> 01/08/2019	Condition category Injury, Occupational Diseases, Poisoning	Individual participant data		

## Plain English summary of protocol

Background and study aims

In 2014, in Morriston Hospital in Swansea, 1038 patients with rib injuries (blunt chest trauma) visited Accident and Emergency (A&E). A total of 100 of these patients were admitted to hospital and 13 of these patients died. It can be difficult for doctors in A&E to manage patients who have injured their ribs. A patient will often develop respiratory infections such as pneumonia, but not until approximately 72 hours after they have injured themselves. Doctors need to be able to decide which patients can be sent straight home from A&E, or which patients need to go to a ward or to the Intensive Care Unit (ICU). If the doctor makes the wrong decision, the patient who was sent straight home may develop pneumonia. There would then be a delay in good patient care such as strong pain relief, antibiotics and physiotherapy. This might mean that the patient dies and this has been known to happen. Over the last six years, a simple risk model has been developed and validated that calculates a risk score that the doctors in A&E can then use to decide which patients will develop pneumonia. It also helps the doctor decide where the patient should be managed (for example should they be sent home or go to a ward or to ICU?). In the long term, the aim is to investigate the effectiveness of this risk score. In order to do this, it is necessary to assess whether it helps doctors make the right decisions for patients by making sure they are cared for in the most appropriate place and that they get better as quickly as possible, and if the score saves the NHS valuable resources and money. This aim of this study is to complete a small study to find out whether the different aspects of the main study would be feasible.

## Who can participate?

Adult patients with blunt chest trauma who go to A&E of a participating hospital.

## What does the study involve?

There are four hospitals taking part, each of whom will collect data for a number of months not using the risk model (just usual care) and then a number of months using the risk model. All patients will be recruited to the trial over a five month data collection period. In both periods, when a patient is admitted to A&E with blunt chest trauma they are asked by the doctor to take part in the study. The patient then is asked to complete a consent form and a short survey. The doctor then either does or does use the risk score to assess the patient (depending on which data collection period they are in). A research nurse then records information about the

patient's hospital stay (if they are admitted). At the end of the study, the number of participants that take part and how well doctors are able to use the risk score is recorded in order to see whether conducting a larger study would be feasible.

What are the possible benefits and risks of participating?
There are no direct benefits or risks involved with participating in this study.

Where is the study run from?

The study is run from Morriston Hospital, Swansea and Swansea Medical School, Swansea University, and takes place at:

- 1. Royal Gwent Hospital (UK)
- 2. Musgrove Park Hospital (UK)
- 3. Manchester Royal Infirmary (UK)
- 4. Salford Royal Hospital (UK)

When is the study starting and how long is it expected to run for? October 2016 to September 2018

Who is funding the study? Health and Care Research Wales (UK)

Who is the main contact? Dr Ceri Battle ceri.battle@wales.nhs.uk

## Contact information

## Type(s)

Public

#### Contact name

Dr Ceri Battle

#### **ORCID ID**

https://orcid.org/0000-0002-7503-1931

#### Contact details

Physiotherapy Department Morriston Hospital Morriston Swansea United Kingdom SA6 6NL +44 1792 703124 ceri.battle@wales.nhs.uk

## Additional identifiers

#### Protocol serial number

32652

# Study information

#### Scientific Title

A multi-centre randomised feasibility STUdy evaluating the impact of a prognostic model for Management of BLunt chest wall trauma patients: STUMBL Trial

#### Acronym

**STUMBL** 

## **Study objectives**

Over the last six years, the background research, development and external validation of a new prognostic model has already been completed and all work has been both published and presented internationally. The aim of this study is to establish the feasibility of the final definitive impact trial, which will ultimately determine whether the prognostic model can be used safely and effectively in clinical practice in Wales and the rest of the UK. If this feasibility trial progresses to the full impact trial, the new prognostic model could improve the prudent healthcare of blunt chest wall trauma patients, through the reduction in the number of postinjury complications, an improvement in quality of life at six weeks and an overall improvement in cost-effectiveness of patient management.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Wales Research Ethics Committe 6, 27/09/2016, ref: 16/WA/0290

## Study design

Multi-centre cluster randomised feasibility trial

## Primary study design

Interventional

## Study type(s)

**Treatment** 

## Health condition(s) or problem(s) studied

Specialty: Injuries and emergencies, Primary sub-specialty: Musculoskeletal Trauma; UKCRC code/ Disease: Injuries and Accidents/ Injuries to the thorax

#### Interventions

There will be four hospitals participating in the trial, which will be run using a stepped wedge design. In this design, all hospitals will commence data collection at the same time, as the control arm (usual care with no model). Every month, following the initial month's data collection period as controls, one hospital will be randomly assigned to become an intervention arm (using model) sequentially, until all hospitals are acting as interventions. The randomisation process applies to the hospitals (known as clusters) participating in the trial, rather than at a patient level. As there are four hospitals participating in the trial, all patient recruitment will be completed over a five month period. This trial design will test the feasibility of the classic stepped wedge design, to be used in the future definitive trial.

The only difference in interventions between the two study arms will be the use of the risk model, which will only be used in the treatment arm. In both arms, the following process will occur:

The patient will present to the ED with blunt chest trauma. They will be assessed for trial eligibility by the ED clinician and then recruited / consented to the trial as appropriate. Once informed consent is given, the patient will complete the quality of life survey on initial assessment in the ED. The doctor will then use the risk score to manage the patient (in the treatment arm only). A research nurse will then complete the data collection during the patient's hospital stay (if admitted only). This data collection will focus on patient outcomes such as admission location, length of stay, mechanical ventilation days and whether the patient develops any pulmonary complications or needs an upgrade in care). Patient follow up will occur at six weeks post-injury, when the patient will be asked to complete two short surveys. At that point, the patient's involvement in the trial will end.

## Intervention Type

Other

## Primary outcome(s)

Patient recruitment rate will be recorded as the number of eligible patients who consent to trial participation at the end of the five month data collection period, at each site.

## Key secondary outcome(s))

- 1. Clinician recruitment rate will be recorded as the number of eligible clinicians working within the participating ED who agree to take part in the study by the end of the five month data collection period, at each site
- 2. Response rate of follow up data (quality of life surveys) will be recorded as the number of patients returning postal surveys at the end of the five month data collection period, at each site
- 3. Clinicians Training Attendance rate will be recorded as the number of clinicians receive formal training in the use of the model, prior to the second data collection period (treatment arm), at each site
- 4. Compliance with use of model rate will be recorded as the number of times the clinician used the risk model for an eligible patient, at the end of the second month data collection period (treatment arm)
- 5. Overall mean quality of life as reported using the SF-12v2 survey for patients, at the end of the control (end of month two) and treatment (end of month five) data collection periods, at each participating site
- 6. Resource usage by patients as a results of the intervention as reported on the Client Service Receipt Inventory at six week follow-up

## Completion date

30/09/2018

# **Eligibility**

## Key inclusion criteria

- 1. Diagnosis of isolated blunt chest wall trauma
- 2. Aged 18 and over
- 3. Capable of giving consent to participation
- 4. Male or female
- 5. Presenting to the Emergency Department of participating hospital

## Participant type(s)

**Patient** 

## Healthy volunteers allowed

No

## Age group

Adult

## Lower age limit

18 years

#### Sex

All

#### Total final enrolment

176

#### Key exclusion criteria

- 1. Patients under the age of 18 years
- 2. Patients who lack capacity to give informed consent,
- 3. Patients with any immediately life-threatening injuries
- 4. Patients with any concurrent injury that will determine the patient's management (rather than the chest trauma)

#### Date of first enrolment

01/01/2017

#### Date of final enrolment

31/10/2017

## Locations

#### Countries of recruitment

United Kingdom

England

Wales

## Study participating centre Royal Gwent Hospital

Cardiff Road Newport United Kingdom NP20 2UB

## Study participating centre Musgrove Park Hospital

Parkfield Drive Taunton United Kingdom TA1 5DA

## Study participating centre Manchester Royal Infirmary

Grafton Street Manchester United Kingdom M13 9WL

## Study participating centre Salford Royal Hospital

Stott Lane Salford United Kingdom M6 8HD

# Sponsor information

## Organisation

ABMU Health Board

#### **ROR**

https://ror.org/04zet5t12

# Funder(s)

## Funder type

Government

#### Funder Name

Health and Care Research Wales

# **Results and Publications**

# Individual participant data (IPD) sharing plan

The current data sharing plans for the current study are unknown and will be made available at a later date.

## IPD sharing plan summary

Data sharing statement to be made available at a later date

## **Study outputs**

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	26/07/2019	01/08/2019	Yes	No
<u>Protocol article</u>	protocol	10/07/2017	01/08/2019	Yes	No
HRA research summary			28/06/2023		No
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes