Regenerative effects of erythropoietin in burn and scald injuries

Submission date Recruitment status [X] Prospectively registered 19/01/2007 No longer recruiting [X] Protocol [] Statistical analysis plan Registration date Overall study status 18/04/2007 Completed [X] Results [] Individual participant data **Last Edited** Condition category 18/02/2021 Injury, Occupational Diseases, Poisoning

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Hans-Günther Machens

Contact details

Clinic for Plastic Surgery and Hand Surgery University Hospital Rechts der Isar Technische Universitaet Munchen Ismaninger Str, 22 Munchen Germany 81675

Additional identifiers

EudraCT/CTIS number

2006-002886-38

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

UKSH-0506; 0506

Study information

Scientific Title

A multicentre study on regenerative effects of low-dose erythropoetin in burn and scald injuries

Acronym

EPO in burns

Study objectives

Current hypothesis as of 22/01/2009:

The study aim is to prove a cytoprotective and regenerative effect Erythropoietin in thermally injured patients in terms of reduced morbidity and mortality.

Initial information at time of registration:

The study aim is to prove a cyto-protective and regenerative effect of low-dose erythropoietin (LDE) in thermally injured patients in terms of reduced morbidity and mortality.

Please note that as of 22/01/2009 this record has been extensively amended. All updates can be found in the relevant section under the above update date. At this time, the anticipated start and end dates have also been amended. The initial trial dates were as follows:

Initial overall trial start date: 01/05/2007 Initial overall trial end date: 01/05/2010

Please also note that as of 22/01/2009 the sponsor has also changed. The initial sponsor at time of registration was:

University Medical Centre Schleswig-Holstein (Germany)

Campus Lübeck

Ratzeburger Allee 160

Lübeck

23538

Germany

Please note that as of 30/04/2013, the overall trial end date was changed from 01/02/2013 to 30/09/2013.

Ethics approval required

Old ethics approval format

Ethics approval(s)

University Medical Centre Schleswig-Holstein, 21/12/2006, ref: 06-177. An amendment was approved on 22/09/2008.

Study design

Randomised-controlled double-blind trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

Health condition(s) or problem(s) studied

Thermal injuries

Interventions

Current interventions as of 22/01/2009:

Erythropoietin 150 IU/kg body weight/application every second day. Subcutaneous drug administration every other day will be performed over 3 weeks.

Initial information at time of registration:

Erythropoietin 200 IE/kg body weight per week. Subcutaneous drug administration every other day will be performed over 4 weeks after injury.

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Erythropoietin

Primary outcome measure

Current outcomes as of 22/01/2009:

Time until complete re-epithelialisation of SGDS at a definite location on the lateral upper thigh.

Initial information at time of registration:

Time until complete re-epidermalisation of split skin donor sites at the right medial upper thigh.

Secondary outcome measures

Current outcomes as of 22/01/2009:

- 1. Time until complete wound healing of type 2a SDW
- 2. Time until complete wound healing of skin graft
- 3. Cellular and molecular regenerative effects in SGDS and type 2a SDW, endothelial progenitor cell (EPC) recruitment, EPO receptor upregulation, protein expression
- 4. Quality of scar formation in conservatively and operatively treated wound locations
- 5. Number of packed red cells units, which are transfused during the treatment interval
- 6. Laboratory parameters (differential blood cell count, iron storage, EPO)
- 7. Cardiopulmonary parameters
- 8. Quality of life 12 months after trauma

- 9. Mortality (within 21 days, hospital stay and 1 year)
- 10. Adverse events
- 11. Gender differences in monitored data

Initial information at time of registration:

- 1. Number of packed red cells units, which are transfused during the treatment interval
- 2. Laboratory parameters (differential blood cell count, iron storage, erythropoietin [EPO])
- 3. Cardiopulmonary and renal parameters
- 4. Time until complete wound healing of deep 2° thermal wounds is achieved
- 5. Scar formation in conservatively and operatively treated wound locations
- 6. Quality of life 12 months after hospital discharge
- 7. Mortality (within 28 days, hospital stay and 1 year)
- 8. Adverse effects

Overall study start date

01/08/2008

Completion date

30/09/2013

Eligibility

Key inclusion criteria

Current criteria as of 22/01/2009:

- 1. 2° and 3° burn and scald thermal injuries, which require operations including split skin harvesting and grafting
- 2. Men and women, aged greater than 18 and less than or equal to 75 years
- 3. Secure contraception

Initial information at time of registration:

- 1. Deep 2° and 3° burn and scald thermal injuries, which require operations including split skin harvesting and grafting
- 2. Aged greater than or equal to 18 years

Participant type(s)

Patient

Age group

Adult

Lower age limit

18 Years

Sex

Both

Target number of participants

150

Total final enrolment

Key exclusion criteria

Current exclusion criteria as of 30/04/2013:

- 1. Admission later than 24 hours after injury
- 2. Haematological disorders (anaemia, lymphoma, leukaemia, inborn coagulation diseases)
- 3. Pregnancy or breast-feeding
- 4. Estimated survival shorter than one week (Abbreviated Burn Severity Index [ABSI] greater than 12) in patient older than 40 years of age
- 5. Total burn surface area involved less than 60% in patients older than 40 years of age, in patients younger than 40 years of age no limitation of maximum burned body surface and no limitation of ABSI score will be considered
- 6. Body weight less than 50 kg or greater than 110 kg
- 7. Upper lateral thights of leg thermally injured
- 8. Subject is the investigator or any sub-investigator, research assistant, pharmacist, study coordinator, other staff or relative there of directly involved in the conduct of the protocol
- 9. Subject unlikely to comply with protocol, e.g., uncooperative attitude, inability to return for follow-up visits, and unlikelihood of completing the study
- 10. Treatment with any investigational product in the last 12 months before study entry
- 11. Treatment with any immunosuppressive therapy, cancer-related chemotherapy or radiation therapy in the past 12 months
- 12. History of hypersensitivity to the investigational products
- 13. Likelihood of requiring treatment during the study period with drugs not permitted by the clinical study protocol
- 14. Clinically relevant cardiovascular (s.p. cardiac infarction, coronary heart disease [CHD], thromboembolic disease, thromboembolic events shortly before admission), hepatic (Child B or C liver disease), endocrine (morbid obesity: body mass index [BMI] greater than 40) or systemic (cancer) disease (malignoma)
- 15. Epileptiform diseases
- 16. Phenylketonuria
- 17. Human immunodeficiency virus (HIV) disease, acquired immune-deficiency virus (AIDS)
- 18. Informed consent missing

Previous exclusion criteria as of 22/01/2009:

Subjects presenting with any of the following will not be included in the study:

- 1. Admission later than 24 hours after injury
- 2. Informed consent given later than 48 hours after trauma
- 3. Suicide attempt
- 4. Skin Graft Donor Site (SGDS) created later than 4 days after trauma
- 5. Begin of treatment with study drug less than 24 hours before creation of SGDS
- 6. Haematological disorders (anaemia, lymphoma, leukaemia, inborn coagulation diseases)
- 7. Pregnancy or breast-feeding
- 8. Estimated survival shorter than one week (Abbreviated Burn Severity Index [ABSI] greater than 12)
- 9. Total burn surface area involved less than 10% or greater than 50%
- 10. Body weight less than 50 kg or greater than 110 kg
- 11. Upper lateral thigh of leg thermally injured
- 12. Subject is the investigator or any sub-investigator, research assistant, pharmacist, study coordinator, other staff or relative thereof directly involved in the conduct of the protocol
- 13. Subject unlikely to comply with protocol, e.g., uncooperative attitude, inability to return for follow-up visits, and unlikelihood of completing the study

- 14. Treatment with any investigational product in the last 12 months before study entry
- 15. Treatment with any immunosuppressive therapy, cancer-related chemotherapy or radiation therapy in the past 12 months
- 16. History of hypersensitivity to the investigational products
- 17. Likelihood of requiring treatment during the study period with drugs not permitted by the clinical study protocol
- 18. Clinically relevant cardiovascular (s.p. cardiac infarction, coronary heart disease [CHD], thromboembolic disease, thromboembolic events shortly before admission), hepatic (Child B or C liver disease), endocrine (morbid obesity: body mass index [BMI] greater than 40 kg/m^2) or systemic (cancer) disease (malignoma)
- 19. Epileptiform diseases
- 20. Phenylketonuria
- 21. Human immunodeficiency virus (HIV) disease, acquired immune-deficiency virus (AIDS)
- 22. Informed consent missing

Initial information at time of registration:

- 1. Haematological disorders (e.g. leukaemia, inborn coagulation diseases)
- 2. Pregnancy or breast-feeding
- 3. Estimated survival shorter than one week (Abbreviated Burn Severity Index [ABSI] > 12)
- 4. Total burn surface area involved > 40 %
- 5. Upper lateral thigh of both legs thermally injured
- 6. Subject is the investigator or any subinvestigator, research assistant, pharmacist, study coordinator, other staff or relative thereof directly involved in the conduct of the protocol
- 7. Subject unlikely to comply with protocol, e.g. uncooperative attitude, inability to return for follow-up visits, and unlikelihood of completing the study
- 8. Treatment with any investigational product in the last 12 months before study entry
- 9. Treatment with any anti-cancer chemotherapy in the past 12 months
- 10. History of hypersensitivity to investigational products or drugs with similar chemical structures
- 11. Likelihood of requiring treatment during the study period with drugs not permitted by the clinical study protocol
- 12. Clinically relevant cardiovascular, hepatic, neurologic, endocrine, or other major systemic disease making implementation of the protocol or interpretation of the study results difficult (e. g. Marfans syndrome, Child B or C liver disease, Morbid obesity [Body Mass Index > 40])
- 13. Informed consent missing

Date of first enrolment 01/08/2008

Date of final enrolment 30/09/2013

Locations

Countries of recruitmentGermany

Study participating centre

Clinic for Plastic Surgery and Hand Surgery

Munchen Germany 81675

Sponsor information

Organisation

Munich Technical University (Technische Universitaet Munchen) (Germany)

Sponsor details

Dean of the Faculty of Medicine University Hospital Rechts der Isar Ismaninger Str. 22 Munchen Germany 81675

Sponsor type

University/education

Website

http://portal.mytum.de/navigation_view

ROR

https://ror.org/02kkvpp62

Funder(s)

Funder type

Government

Funder Name

German Federal Ministry of Education and Research (Bundesministerium Fur Bildung und Forschung [BMBF]) (Germany)

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol article	protocol	03/05/2013		Yes	No
Results article	results	31/10/2018	18/02/2021	Yes	No