Do xanthine oxidase inhibitors regress left ventricular hypertrophy in diabetes? A whole new approach to reducing cardiac deaths

Submission date	Recruitment status	Prospectively registered
20/02/2009	No longer recruiting	☐ Protocol
Registration date	Overall study status	Statistical analysis plan
20/04/2009	Completed	[X] Results
Last Edited	Condition category	[] Individual participant data
11/07/2016	Circulatory System	

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Allan Struthers

Contact details

Clinical Pharmacology and Therapeutics University of Dundee Ninewells Hospital and Medical School Dundee United Kingdom DD1 9SY +44 (0)1382 632180 a.d.struthers@dundee.ac.uk

Additional identifiers

EudraCT/CTIS number

2008-008485-12

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

eb/lm/let390/ln950/20038

Study information

Scientific Title

Do xanthine oxidase inhibitors regress left ventricular hypertrophy in diabetes? A double-blind randomised placebo-controlled trial

Study objectives

The primary aim is to see if allopurinol (a xanthine oxidase inhibitor) reduces left ventricular hypertrophy over and above normotensive type 2 diabetics.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Fife and Forth Valley Research Ethics Committee pending approval as of 20/02/2009, ref: 09/S) 501/3

Study design

Single-centre double-blind randomised placebo-controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Hospital

Study type(s)

Treatment

Participant information sheet

Not available in web format, please use the contact details provided in the interventions field to request a patient information sheet

Health condition(s) or problem(s) studied

Left ventricular hypertrophy

Interventions

Allpurinol or placebo will be given in a stepwise manner as shown below:

- 1. 100 mg/placebo once daily (od) for 2 weeks
- 2. 300 mg/placebo od for 2 weeks
- 3. 600 mg/placebo od for 1 year

Allopurinol and placebo will be given orally.

Contact details for patient information sheet: Ben Szwejkowski Clinical Research Fellow Department of Clinical Pharmacology University of Dundee Ninewells Hospital and Medical School Dundee DD1 9SY United Kingdom

Intervention Type

Drug

Phase

Phase IV

Drug/device/biological/vaccine name(s)

Allopurinol

Primary outcome measure

To assess if allopurinol reduces left ventricular hypertrophy in patients with diabetes

Secondary outcome measures

- 1. To assess if allopurinol improves endothelial function in diabetic patients will be done with flow mediated dilatation (FMD) and sphygmocor measurements. These tests will be done at time 0, 6 months and 1 year.
- 2. To assess if allopurinol reduces arrthymogenicity in diabetic patients will be done with a technique called microvolt T wave alternans (MTWA). This test will be done at time 0 and 1 year.

Overall study start date

02/02/2009

Completion date

01/02/2011

Eligibility

Key inclusion criteria

- 1. Patients with type 2 diabetes
- 2. Patients with left ventricular hypertrophy
- 3. Office target blood pressure less than 150/90 mmHg at recruitment

No age or gender restrictions.

Participant type(s)

Patient

Age group

Other

Sex

Target number of participants

66

Key exclusion criteria

- 1. Gout
- 2. Already on allopurinol
- 3. Previous adverse reaction to allopurinol
- 4. Poor kidney function (estimated glomerular filtration rate [eGFR] less than 60 ml/mm)
- 5. Conditions that exclude magnetic resonance imaging (MRI)
- 6. Heart failure (left ventricular ejection fraction [LVEF] less than 45%)
- 7. Cancer or other life threatening illness
- 8. Pregnancy or breast feeding
- 9. Unable to provide consent

Date of first enrolment

02/02/2009

Date of final enrolment

01/02/2011

Locations

Countries of recruitment

Scotland

United Kingdom

Study participating centre Ninewells Hospital and Medical School Dundee

United Kingdom DD1 9SY

Sponsor information

Organisation

University of Dundee (UK)

Sponsor details

Research and Innovation Services Dundee Scotland United Kingdom DD1 4HN +44 (0)1382 384664 j.z.houston@dundee.ac.uk

Sponsor type

University/education

Website

http://www.dundee.ac.uk

ROR

https://ror.org/03h2bxq36

Funder(s)

Funder type

Charity

Funder Name

Diabetes UK (UK) (ref: BDA:RD08/0003627)

Alternative Name(s)

DIABETES UK LIMITED, British Diabetic Association

Funding Body Type

Private sector organisation

Funding Body Subtype

Trusts, charities, foundations (both public and private)

Location

United Kingdom

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output typeDetailsDate createdDate addedPeer reviewed?Patient-facing?Results articleresults17/12/2013YesNo