

Application of kinesio tape using web strip technique after wisdom tooth extraction

Submission date 09/06/2024	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 12/06/2024	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 31/07/2025	Condition category Oral Health	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

There are various methods to improve the patient's quality of life and alleviate complications after surgical extraction of the lower third molars (wisdom teeth). The aim of this study is to evaluate the effectiveness of Kinesio tape using the web strip technique in alleviating complications after surgical extraction of the lower third molar compared to cold packs.

Who can participate?

Patients aged 18-35 years after surgical extraction of the lower third molar

What does the study involve?

Participants underwent surgical extraction of impacted wisdom teeth (two teeth for each patient with a 4-week period between the two surgical extractions). Each surgical extraction takes 20-40 minutes. On one side Kinesio Tape was applied using the web strip technique, while cold packs were applied on the other side.

What are the possible benefits and risks of participating?

The possible benefits are decreased pain, edema (swelling) and trismus (lockjaw), and increased quality of life. There are no risks after the application of Kinesio tape.

Where is the study run from?

Damascus University (Syria)

When is the study starting and how long is it expected to run for?

September 2021 to June 2023

Who is funding the study?

Damascus University (Syria)

Who is the main contact?

Belal Alhourani, bilal6polat@gmail.com, belal95.alhourani@damascusuniversity.edu.sy

Contact information

Type(s)

Public, Scientific, Principal investigator

Contact name

Dr Belal Alhourani

ORCID ID

<https://orcid.org/0009-0007-7414-5930>

Contact details

Almazzeh

Damascus

Syria

34567

+963 (0)958240502

belal95.alhourani@damascusuniversity.edu.sy

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

DN-290424-230

Study information

Scientific Title

Evaluation of the use of kinesio tape in web strip technique efficacy to reduce the sequelae comparing with cryotherapy after impacted third molar extraction: a randomized clinical split-mouth study

Study objectives

Null Hypothesis: There is no difference between the use of Kinesio Tape and cryotherapy on pain after surgery between the groups.

Alternative Hypothesis: There is a difference between the use of Kinesio Tape and cryotherapy on pain after surgery between the groups.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 27/09/2021, Scientific Research and Postgraduate Studies Council (Baramkeh, Damascus, 34567, Syria; +963 (0)1133923192; ap.srd@damascusuniversity.edu.sy), ref: DN-290424-230

Study design

Randomized controlled clinical study using the split-mouth technique

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Complications after surgical extraction of lower third molars

Interventions

The intervention was a surgical extraction of impacted wisdom teeth (two teeth for each patient with a 4-week period between the two surgical extractions). Each surgical extraction takes 20-40 minutes. On one side Kinesio tape was applied using the web strip technique, while cryotherapy (cold packs) was applied on the other side.

Intervention Type

Procedure/Surgery

Primary outcome(s)

1. Pain measured using a visual analogue scale (VAS) on the 1st, 2nd, 3rd, 4th and 5th days after the surgery
2. Patient's maximum possible mouth opening measured using a millimeter measuring tool (Piacolis) before surgery and on the third and fifth days after surgery to evaluate trismus
3. Facial swelling evaluated using a millimeter measuring tool by measuring the lengths of four lines between four fixed anatomical points on the face preoperatively and on the third and fifth postoperative days

Key secondary outcome(s)

1. Severity of postoperative symptoms measured using a questionnaire based on the Post-operative Symptom Severity Scale (PoSSe) on the 7th day after surgery
2. Pain evaluated by recording the number of consumed analgesic pills daily on the 1st, 2nd, 3rd, 4th and 5th days after the surgery

Completion date

01/06/2023

Eligibility

Key inclusion criteria

1. Aged 18-35 years
2. The duration of the surgical extraction of the lower third molar was 20-40 minutes
3. Good oral and systematic hygiene
4. No temporomandibular joint disorders
5. No symptoms of pericoronitis or severe pain before surgery

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

35 years

Sex

All

Total final enrolment

25

Key exclusion criteria

1. Patients with pericoronitis and symptoms of acute pain before surgery
2. Patients who are allergic to the adhesive tape material and the medications used in the research
3. Patients who have thick hair where the material is applied and do not wish to shave it
4. The duration of the surgical procedure is less than 20 or more than 40 minutes
5. Smoking patients
6. Uncontrolled systemic diseases
7. Pregnant and lactating women
8. Poor oral hygiene
9. Patients with temporomandibular joint disorders

Date of first enrolment

01/02/2022

Date of final enrolment

01/01/2023

Locations**Countries of recruitment**

Syria

Study participating centre

Damascus University

Faculty of Dentistry

Damascus

Syria

56789

Sponsor information

Organisation

Damascus University

ROR

<https://ror.org/03m098d13>

Funder(s)

Funder type

University/education

Funder Name

Damascus University

Alternative Name(s)

University of Damascus, , DU

Funding Body Type

Government organisation

Funding Body Subtype

Universities (academic only)

Location

Syria

Results and Publications

Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		09/08/2024	31/07/2025	Yes	No
Results article	pain and analgesic consumption	12/02/2025	31/07/2025	Yes	No