

# Using moxibustion to turn the breech baby

<b>Submission date</b> 30/09/2004	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
<b>Registration date</b> 30/09/2004	<b>Overall study status</b> Completed	<input type="checkbox"/> Protocol
<b>Last Edited</b> 28/10/2016	<b>Condition category</b> Pregnancy and Childbirth	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Mr T Draycott

### Contact details

Department of Obstetrics and Gynaecology  
North Bristol NHS Trust  
Southmead Hospital  
Westbury-on-Trym  
Bristol  
United Kingdom  
BS10 5NB  
+44 (0)117 959 5176  
draycott\_t@southmead.swest.nhs.uk

## Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0234131719

# Study information

## Scientific Title

Using moxibustion to turn the breech baby

## Study objectives

Does moxibustion to the classical acupuncture point bladder 67 increase the version rate to cephalic in uncomplicated breech pregnancies?

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Study design

Randomised controlled trial

## Primary study design

Interventional

## Secondary study design

Randomised controlled trial

## Study setting(s)

Not specified

## Study type(s)

Treatment

## Participant information sheet

## Health condition(s) or problem(s) studied

Breech pregnancy

## Interventions

A double blinded randomised controlled trial.

Does moxibustion to the classical acupuncture point bladder 67 increase the version rate to cephalic in uncomplicated breech pregnancies?

## Intervention Type

Other

## Phase

Not Specified

## Primary outcome measure

Presentation of the baby one week after treatment and at delivery.

## Secondary outcome measures

Not provided at time of registration

**Overall study start date**

01/01/2004

**Completion date**

01/07/2005

## **Eligibility**

**Key inclusion criteria**

210 women aged 16-46 years with an uncomplicated breech pregnancy at 34-35 weeks.

**Participant type(s)**

Patient

**Age group**

Adult

**Sex**

Female

**Target number of participants**

210

**Key exclusion criteria**

Not provided at time of registration

**Date of first enrolment**

01/01/2004

**Date of final enrolment**

01/07/2005

## **Locations**

**Countries of recruitment**

England

United Kingdom

**Study participating centre**

**Department of Obstetrics and Gynaecology**

Bristol

United Kingdom

BS10 5NB

# Sponsor information

## Organisation

Department of Health

## Sponsor details

Richmond House  
79 Whitehall  
London  
United Kingdom  
SW1A 2NL

## Sponsor type

Government

## Website

<http://www.dh.gov.uk/Home/fs/en>

# Funder(s)

## Funder type

Government

## Funder Name

North Bristol NHS Trust

# Results and Publications

## Publication and dissemination plan

Not provided at time of registration

## Intention to publish date

## Individual participant data (IPD) sharing plan

## IPD sharing plan summary

Not provided at time of registration