Using moxibustion to turn the breech baby

Submission date	Recruitment status	Prospectively registered
30/09/2004	No longer recruiting	<pre>Protocol</pre>
Registration date	Overall study status	Statistical analysis plan
30/09/2004	Completed	Results
Last Edited	Condition category	Individual participant data
28/10/2016	Pregnancy and Childbirth	Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Mr T Draycott

Contact details

Department of Obstetrics and Gynaecology North Bristol NHS Trust Southmead Hospital Westbury-on-Trym Bristol United Kingdom BS10 5NB +44 (0)117 959 5176 draycott_t@southmead.swest.nhs.uk

Additional identifiers

EudraCT/CTIS number

IRAS number

ClinicalTrials.gov number

Secondary identifying numbers

N0234131719

Study information

Scientific Title

Using moxibustion to turn the breech baby

Study objectives

Does moxibustion to the classical acupuncture point bladder 67 increase the version rate to cephalic in uncomplicated breech pregnancies?

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Study design

Randomised controlled trial

Primary study design

Interventional

Secondary study design

Randomised controlled trial

Study setting(s)

Not specified

Study type(s)

Treatment

Participant information sheet

Health condition(s) or problem(s) studied

Breech pregnancy

Interventions

A double blinded randomised controlled trial.

Does moxibustion to the classical acupuncture point bladder 67 increase the version rate to cephalic in uncomplicated breech pregnancies?

Intervention Type

Other

Phase

Not Specified

Primary outcome measure

Presentation of the baby one week after treatment and at delivery.

Secondary outcome measures

Not provided at time of registration

Overall study start date

01/01/2004

Completion date

01/07/2005

Eligibility

Key inclusion criteria

210 women aged 16-46 years with an uncomplicated breech pregnancy at 34-35 weeks.

Participant type(s)

Patient

Age group

Adult

Sex

Female

Target number of participants

210

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

01/01/2004

Date of final enrolment

01/07/2005

Locations

Countries of recruitment

England

United Kingdom

Study participating centre Department of Obstetrics and Gynaecology

Bristol United Kingdom BS10 5NB

Sponsor information

Organisation

Department of Health

Sponsor details

Richmond House 79 Whitehall London United Kingdom SW1A 2NL

Sponsor type

Government

Website

http://www.dh.gov.uk/Home/fs/en

Funder(s)

Funder type

Government

Funder Name

North Bristol NHS Trust

Results and Publications

Publication and dissemination plan

Not provided at time of registration

Intention to publish date

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration