

Assessing the safety and effectiveness of the BariClip device in the treatment of severe obesity in Jordan

Submission date 29/12/2022	Recruitment status No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered
Registration date 16/02/2023	Overall study status Completed	<input checked="" type="checkbox"/> Protocol
Last Edited 26/08/2025	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input checked="" type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Obesity and its associated disorders such as type 2 diabetes, nonalcoholic fatty liver disease, and cardiovascular (heart) disease have reached pandemic proportions worldwide. Conventional medical care offers only limited results, both in weight reduction and associated disorders. Bariatric surgery allows a significant and sustained weight loss in the majority of cases, a decrease in the frequency and severity of associated disorders, including type 2 diabetes, and decreased risk of death including from cardiovascular diseases. However, it requires a major abdominal surgery associated with an estimated 5% significant risk of illness after surgery and an average postoperative risk of death estimated at 0.3%. A new device has been developed which is basically a nonadjustable vertical clip. This device, the BariClip, placed parallel to the lesser curvature of the stomach, aims to restrict food intake without changing the stomach or small bowel anatomy, requires no stapling, causes no malabsorption, does not require any maintenance or surveillance, and is reversible. The aim of this study is to assess the safety and effectiveness of this device as a treatment for obesity and its related disorders.

Who can participate?

Adults between the age of 18 and 65 years with a BMI >40 kg/m² or a BMI >30 kg/m² with at least one associated disorder and a history of obesity for at least 5 years with failed dieting attempts

What does the study involve?

Participants will undergo a laparoscopic clip gastroplasty with the use of the BariClip device and will be followed up for a total of 60 months. Weight loss will be assessed at 1, 3, 6, 12, 18, 24, 36, 48 and 60 months after implantation, and routine labs and imaging will be conducted on day 1, at 3 months, and at 24 months.

What are the possible benefits and risks of participating?

The clip offers a treatment for obesity and its associated disorders that causes fewer complications and is reversible.

Where is the study run from?
Jordan Hospital (Jordan)

When is the study starting and how long is it expected to run for?
December 2022 to October 2025

Who is funding the study?
Investigator initiated and funded

Who is the main contact?
Dr Ashraf Haddad, Ashraf.haddad@gbmc-jo.com

Contact information

Type(s)

Principal investigator

Contact name

Dr Ashraf Haddad

Contact details

Gastrointestinal Bariatric and Metabolic Center (GBMC)
Jordan Hospital
Amman
Jordan
11152
+962 (0)7 9557 2195
Ashraf.haddad@gbmc-jo.com

Type(s)

Scientific

Contact name

Dr Ashraf Haddad

Contact details

Gastrointestinal Bariatric and Metabolic Center (GBMC)
Jordan Hospital
Amman
Jordan
11152
+962 (0)7 9557 2195
Ashraf.haddad@gbmc-jo.com

Type(s)

Public

Contact name

Dr Ashraf Haddad

Contact details

Gastrointestinal Bariatric and Metabolic Center (GBMC)
Jordan Hospital
Amman
Jordan
11152
+962 (0)7 9557 2195
Ashraf.haddad@gbmc-jo.com

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

Nil known

Protocol serial number

GBMC 00001

Study information

Scientific Title

Assessing weight loss, adverse events, and resolution of comorbid conditions associated with the use of the BariClip device in adult patients with severe obesity in Jordan

Acronym

BariClip-Jo

Study objectives

The BariClip device provides a reversible alternative to sleeve gastrectomy that is just as efficacious in terms of weight loss.

Ethics approval required

Old ethics approval format

Ethics approval(s)

1. Approved 31/01/2023, the Institutional Review Boards of Jordan Hospital (Queen Nour Street, PO Box 520248, Amman, Jordan; +962 (0)795528298; jorhos@jordan-hospital.com, saeb.hammoudi@gmail.com), ref: not applicable
2. Approved 11/02/2023, Al Khalidi Hospital & Medical Center (39 Ibn Khaldoun Street, 4th Circle Jebal Amman, Jordan; +962 (0)795598687; Dr.Nael.kaf@khmc.jo), ref: KHMC/22/R/93

Study design

Multicenter prospective single-arm clinical trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Obesity and its associated disorders

Interventions

Laparoscopic vertical clip gastroplasty with the BariClip device.

In the procedure, the clip is placed parallel to lesser curvature to separate the stomach into a restricted medial segment where food passes and an excluded larger lateral gastric segment. It aims to restrict oral intake without changing the gastric or small bowel anatomy, requires no stapling, causes no malabsorption, does not require any maintenance or surveillance, and is reversible.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

BariClip

Primary outcome(s)

Percent Excess Weight Loss (%EWL) defined as weight loss divided by baseline excess weight. Excess weight will be determined from ideal body weight based on a BMI of 24.9 for normal adults (Center for Disease Control [CDC]) at 1, 3, 6, 12, 18, 24, 36, 48, and 60 months post-implantation.

Key secondary outcome(s)

1. Absolute weight loss over 60 months, defined simply as the total weight loss for the follow-up period
2. Total change in weight (TWL%) defined as (preoperative (preop) weight – follow up weight)/(preop weight) X 100%, measured at 12, 36 and 60 months
3. Total change in BMI (TBMIL%) defined as (preoperative (preop) BMI – follow up BMI)/(preop BMI) X 100%, measured at 12, 36 and 60 months
4. Plasma glucose levels, HbA1c levels, and resolution of T2DM (% of patients, defined as HbA1C<6) in diabetic patients measured annually over 5 years

Completion date

01/10/2025

Eligibility

Key inclusion criteria

1. Age 18 – 65 years
2. Male or female
3. BMI >40 kg/m² and BMI >30 kg/m² with at least one comorbid condition (hypertension [HTN], type 2 diabetes [DT2], sleep apnea)
4. Willingness to comply with the substantial lifelong dietary restrictions required by the procedure (written consent form)
5. History of obesity for at least 5 years

6. History of failure with dieting methods

7. Willingness to follow protocol requirements including signed consent, routine follow-up schedule, completing quality of life (QOL) questionnaires, completing laboratory tests, completing diet and behavior modification counseling

8. Residing within a reasonable distance from an investigating center and able to travel to the investigator to complete all routine follow-up visits

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Upper age limit

65 years

Sex

All

Key exclusion criteria

1. Surgery or treatment represents an unreasonable risk to the subject
2. Patient history of inflammatory disease of the gastrointestinal (GI) tract (including ulceration, duodenal ulceration, grade 4 esophagitis, specific inflammation such as Crohn's disease or ulcerative colitis)
3. Severe cardiopulmonary disease or other serious organic disease
4. Severe coagulopathy, upper gastrointestinal (UGI) bleeding conditions, such as esophageal or gastric varices, congenital or acquired intestinal telangiectasia
5. Congenital or acquired anomalies of the GI
6. Severe hiatal hernia (>3 cm)
7. Pregnant or has the intention of becoming pregnant in the next 12 months
8. Alcohol or drug addiction, active smoker
9. Mental retardation or emotional instability, or psychological characteristics which, in the opinion of the investigators, make the subject a poor candidate for clip surgery
10. Previous esophageal, gastric surgery, hepatectomy, splenectomy
11. Previous endoscopic procedure for obesity
12. Patient under GLP1 medication or weight loss drug
13. Diabetes patient under treatment for gastroparesis
14. Previous bariatric surgery, intestinal obstruction, or adhesive peritonitis
15. Patient history of a known diagnosis or pre-existing symptoms of systemic lupus erythematosus, scleroderma, or other autoimmune connective tissue disorder
16. Participating in another ongoing clinical trial in which concomitant diagnosis or therapeutic intervention would adversely affect the integrity of the Clip clinical trial

Date of first enrolment

01/03/2023

Date of final enrolment

05/03/2024

Locations**Countries of recruitment**

Jordan

Study participating centre**Jordan Hospital**

Jabal Amman, Queen Nour Street

Amman

Jordan

11152

Study participating centre**Al Khalidi Hospital & Medical Center**

Jabal Amman, Ibn Khaldoun Street

Amman

Jordan

11183

Sponsor information**Organisation**

Jordan Hospital

ROR

<https://ror.org/036wxg427>

Funder(s)**Funder type**

Other

Funder Name

Investigator initiated and funded

Results and Publications

Individual participant data (IPD) sharing plan

The data-sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Protocol file			13/02/2023	No	No