

# Long-term (3 years) ophthalmic safety and cardiac efficacy and safety of ivabradine administered orally at the therapeutic doses (2.5 /5/7.5 mg twice daily [b.i.d.]) on top of anti-anginal background therapy, to patients with chronic stable angina pectoris

<b>Submission date</b> 18/01/2008	<b>Recruitment status</b> No longer recruiting	<input checked="" type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 13/02/2008	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
<b>Last Edited</b> 21/04/2020	<b>Condition category</b> Circulatory System	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Not provided at time of registration and not expected to be available in the future

## Contact information

### Type(s)

Scientific

### Contact name

Prof Thomas Meinertz

### Contact details

Med. Univ. Klinik und Poliklinik - Abt. Für Kardiologie  
Martinistr. 52  
Hamburg  
Germany  
20246

## Additional identifiers

### EudraCT/CTIS number

2006-005475-17

### IRAS number

**ClinicalTrials.gov number**

**Secondary identifying numbers**

CL3-16257-067

## Study information

### Scientific Title

Long-term (3 years) ophthalmic safety and cardiac efficacy and safety of ivabradine administered orally at the therapeutic doses (2.5/5/7.5 mg b.i.d.) on top of anti-anginal background therapy, to patients with chronic stable angina pectoris. An international, double-blind placebo controlled study.

### Study objectives

The inhibition of the Hyperpolarization-activated (Ih) current present in the retina by ivabradine administered at the recommended doses leads to transient functional modifications of the retina.

As of 23/07/2012, the following changes were made to this record:

1. The anticipated end date was extended from 01/05/2014 to 30/09/2015
2. The target number of participants was reduced from 300 to 100

As of 03/03/2011 the anticipated end date for this trial has been updated from 01/11/2012 to 01/05/2014.

### Ethics approval required

Old ethics approval format

### Ethics approval(s)

Ethics approval received from the First Portuguese Ethics Committee on the 15/01/2008

### Study design

International, parallel, double-blind placebo-controlled study

### Primary study design

Interventional

### Secondary study design

Randomised controlled trial

### Study setting(s)

Hospital

### Study type(s)

Treatment

### Participant information sheet

Not available in web format, please use the contact details below to request a patient information sheet

### Health condition(s) or problem(s) studied

Chronic stable angina pectoris

### **Interventions**

1. 2.5 mg ivabradine orally (po)
2. 5 mg ivabradine po
3. 7.5 mg ivabradine po
4. Matching placebo

Patients will receive treatment for 3 years.

### **Intervention Type**

Drug

### **Phase**

Not Specified

### **Drug/device/biological/vaccine name(s)**

Ivabradine

### **Primary outcome measure**

To document the absence of retinal toxicity in chronic stable angina patients assessed by ocular tests performed 2 months after a treatment exposure of 3 years.

### **Secondary outcome measures**

To document the long term cardiac efficacy and general ocular, cardiac and general safety.

### **Overall study start date**

01/03/2008

### **Completion date**

30/09/2015

## **Eligibility**

### **Key inclusion criteria**

1. Male or female patients (oral contraception if childbearing potential), aged greater than 18 years or having reached majority if the legal age of majority is above 18 years age and of any ethnic origin
2. Patients in sinus rhythm; resting heart rate greater than 60 beats per minute, with a history of chronic stable angina greater than 3 months before selection, no angina at rest and with a clinically stable angina greater than 3 months, at least 1 angina attack per month during the previous 3 months before selection
3. Patients who accept to undergo repeated visual tests and with a visual acuity greater than 0.5

### **Participant type(s)**

Patient

### **Age group**

Adult

**Lower age limit**

18 Years

**Sex**

Both

**Target number of participants**

100

**Total final enrolment**

97

**Key exclusion criteria**

1. Contra-indication to the administration of ivabradine
2. Patients with marked ocular conditions (significant altered vision and/or any evolutive underlying disease) known to have an impact on the ocular tests planned in the protocol

**Date of first enrolment**

01/03/2008

**Date of final enrolment**

30/09/2015

**Locations****Countries of recruitment**

Argentina

Australia

Belgium

Finland

Germany

Hungary

Ireland

Portugal

Singapore

Sweden

**Study participating centre**

Med. Univ. Klinik und Poliklinik - Abt. Für Kardiologie  
Hamburg

Germany  
20246

## Sponsor information

### Organisation

Institut de Recherches Internationales Servier (France)

### Sponsor details

50 rue Carnot  
Suresnes  
France  
92284

### Sponsor type

Industry

### Website

<http://www.servier.com/>

### ROR

<https://ror.org/034e7c066>

## Funder(s)

### Funder type

Industry

### Funder Name

Institut de Recherches Internationales Servier (France)

## Results and Publications

### Publication and dissemination plan

Summary results are published on <https://clinicaltrials.servier.com>.

For interventional Phase III studies ending after the 1st January 2014, the results are/will be published in scientific literature.

### Intention to publish date

### Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from <https://clinicaltrials.servier.com> if a Marketing Authorisation has been granted after 1st January 2014.

## IPD sharing plan summary

Available on request

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Basic results</a>				No	No
<a href="#">Basic results</a>			21/04/2020	No	No