Propofol versus midazolam/hydrocodone for sedation in flexible bronchoscopy: Safety and patient comfort - a non-inferiority trial

Submission date Recruitment status Prospectively registered 03/01/2008 No longer recruiting [] Protocol [] Statistical analysis plan Registration date Overall study status 14/02/2008 Completed [X] Results [] Individual participant data Condition category **Last Edited** 02/11/2009 Respiratory

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Michael Tamm

Contact details

University Hospital Basel Clinic of Pulmonary Medicine and Respiratory Cell Research Petersgraben 4 Basel Switzerland 4031 + 41 61 265 5184 dstolz@uhbs.ch

Additional identifiers

Protocol serial number N/A

Study information

Scientific Title

Study objectives

The use of propofol for sedation in flexible bronchoscopy is associated with a mean low saturation within 2% of that of the combination of midazolam and hydrocodone, or better.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics Committee of Basel (Ethikkommission Beider Basel), approved on 29 August 2006 (ref: 19603)

Study design

Prospective single-blind randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Sedation for flexible bronchoscopy

Interventions

Patients will be randomly assigned to propofol (intravenous; iv) or the combination of midazolam and hydrocodone (iv) for sedation during flexible bronchoscopy. The doses of propofol and midazolam vary among the patients, depending on the level of sedation obtained. Hydrocodone will be used in the standard dose of 5 mg iv.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Propofol, midazolam and hydrocodone

Primary outcome(s)

- 1. Mean lowest oxygen saturation during the procedure
- 2. Median patient overall well-being (comfort) at 1 hour after the procedure

Key secondary outcome(s))

- 1. Duration of the procedure
- 2. Hemodynamic parameters during and after the procedure
- 3. Cough scores, as assessed by a visual analogue scale by patients, nurses and physicians 2 hours after the procedure
- 4. Patient discomfort
- 5. Willigness to undergo a repeated procedure, assessed by a visual analogue scale 2 hours after

the procedure

- 6. Fear of undergoing a repeated procedure, assessed by a visual analogue scale 2 hours after the procedure
- 7. Number (percentage) of complications (desaturation >90%, Chin-support, mild bledding, severe bleeding, nasopharyngeal-tube use, intubation, Intensive Care Unit [ICU] need post-bronchoscopy, hypotension, pneumothorax, death) assessed by the study physician during and up to 24 hours after the procedure
- 8. Supplemental lidocaine doses, assessed by the nurse team and study physician during the procedure, as judged by the bronchosopist
- 9. Medication doses, assessed by the nurse team and study physician during the procedure, as judged by the bronchoscopist
- 10. Median patient overall well-being (comfort) at 2 hours after the procedure

Completion date

31/03/2008

Eligibility

Key inclusion criteria

- 1. Age >18 years
- 2. Need for flexible bronchoscopy

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

- 1. Invasive mechanical ventilation
- 2. Known allergy or intolerance to midazolam, hydrocodone or propofol
- 3. Inability to provide informed consent

Date of first enrolment

02/01/2008

Date of final enrolment

31/03/2008

Locations

Countries of recruitment

Switzerland

Study participating centre University Hospital Basel

Basel Switzerland 4031

Sponsor information

Organisation

University Hospital Basel (Switzerland)

ROR

https://ror.org/04k51q396

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Clinic of Pulmonary Medicine and Respiratory Cell Research, University Hospital Basel (Switzerland)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created Date adde	d Peer reviewed	Patient-facing?
Results article	results	01/11/2009	Yes	No
Participant information sheet	Participant information sheet	11/11/2025 11/11/202	5 No	Yes